

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN041919\  
 Data File : VN055165.D  
 Acq On : 20 Apr 2019 2:45  
 Operator : JC/SP  
 Sample : K2202-02  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 38 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 SA-06-041819-A

Quant Time: Apr 20 05:55:04 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N041519W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Apr 15 12:28:28 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|--------|--------|----------|
| 1) Pentafluorobenzene       | 7.67  | 168  | 544602   | 50.00  | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.59  | 114  | 858015   | 50.00  | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.41 | 117  | 700122   | 50.00  | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.34 | 152  | 217370   | 50.00  | ug/l   | 0.00     |
| System Monitoring Compounds |       |      |          |        |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.03  | 65   | 339372   | 46.88  | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 93.76% |          |
| 35) Dibromofluoromethane    | 7.59  | 113  | 274358   | 47.85  | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 95.70% |          |
| 50) Toluene-d8              | 10.09 | 98   | 1015470  | 49.48  | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 98.96% |          |
| 62) 4-Bromofluorobenzene    | 12.40 | 95   | 287892   | 43.15  | ug/l   | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 86.30% |          |
| Target Compounds            |       |      |          |        |        |          |
| 16) Acetone                 | 3.82  | 43   | 81533    | 41.496 | ug/l   | 91       |
| 20) Methylene Chloride      | 4.55  | 84   | 173325   | 25.094 | ug/l   | 97       |
| 43) Isopropyl Acetate       | 8.18  | 43   | 18984    | 1.871  | ug/l   | 96       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN041919\  
Data File : VN055165.D  
Acq On : 20 Apr 2019 2:45  
Operator : JC/SP  
Sample : K2202-02  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 38 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
SA-06-041819-A

Quant Time: Apr 20 05:55:04 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N041519W.M  
Quant Title : SW846 8260  
QLast Update : Mon Apr 15 12:28:28 2019  
Response via : Initial Calibration

