

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN042122\
 Data File : VN072139.D
 Acq On : 21 Apr 2022 20:45
 Operator : JC\MD
 Sample : N2481-09
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 MW-16SR

Quant Time: Apr 22 01:27:25 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N033022W.M
 Quant Title : SW846 8260
 QLast Update : Thu Mar 31 01:57:54 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	8.080	168	655621	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.963	114	1123372	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.739	117	1201648	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.668	152	475758	50.000	ug/l	0.00


System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.433	65	350525	46.832	ug/l	0.00
Spiked Amount	50.000	Range	61 - 141	Recovery	=	93.660%
35) Dibromofluoromethane	8.022	113	320068	48.419	ug/l	0.00
Spiked Amount	50.000	Range	69 - 133	Recovery	=	96.840%
50) Toluene-d8	10.439	98	1419400	52.489	ug/l	0.00
Spiked Amount	50.000	Range	65 - 126	Recovery	=	104.980%
62) 4-Bromofluorobenzene	12.727	95	513694	58.737	ug/l	0.00
Spiked Amount	50.000	Range	58 - 135	Recovery	=	117.480%

Target Compounds				Qvalue		
3) Chloromethane	2.299	50	1366	0.207	ug/l #	85
11) Tert butyl alcohol	5.345	59	820	0.675	ug/l #	72
13) Acrolein	3.998	56	2069	1.397	ug/l #	1
16) Acetone	4.292	43	39066	12.213	ug/l	96
18) Methyl Acetate	4.869	43	5363	Below Cal	#	83
25) 2-Butanone	7.345	43	4411	0.957	ug/l	100
29) Tetrahydrofuran	7.698	42	1631	0.546	ug/l	91
31) Cyclohexane	8.092	56	28461	2.796	ug/l #	46
36) 1,1-Dichloropropene	8.080	75	42141	4.565	ug/l #	48
37) Ethyl Acetate	7.410	43	81017	8.018	ug/l	96
38) Carbon Tetrachloride	8.080	117	57051	6.306	ug/l #	16
39) Methylcyclohexane	9.457	83	4738	0.431	ug/l #	92
40) Benzene	8.457	78	1265711	43.404	ug/l	99
43) Isopropyl Acetate	8.598	43	11917	0.709	ug/l #	53
52) Toluene	10.504	92	21426	1.162	ug/l	98
58) 2-Chloroethyl Vinyl ether	9.969	63	54	16.982	ug/l #	44
67) Ethyl Benzene	11.839	91	274225	6.732	ug/l	99
68) m/p-Xylenes	11.951	106	16121	1.030	ug/l	95
69) o-Xylene	12.280	106	7345	0.473	ug/l	89
73) Isopropylbenzene	12.574	105	119344	2.977	ug/l	98
76) 1,2,3-Trichloropropane	12.727	75	244735	22.206	ug/l #	1
78) n-propylbenzene	12.915	91	149770	3.551	ug/l	97
79) 2-Chlorotoluene	12.915	91	149770	5.538	ug/l #	40
81) trans-1,4-Dichloro-2-b...	12.727	75	244735	68.814	ug/l #	10
82) 4-Chlorotoluene	13.215	91	8192	0.327	ug/l #	40
83) tert-Butylbenzene	13.362	119	6919	0.238	ug/l #	68
84) 1,2,4-Trimethylbenzene	13.362	105	51932	1.676	ug/l	99
85) sec-Butylbenzene	13.362	105	51932	1.380	ug/l #	56
86) p-Isopropyltoluene	13.698	119	21981	0.732	ug/l #	1
89) n-Butylbenzene	13.874	91	177149	7.958	ug/l #	42
90) Hexachloroethane	14.215	117	6019	1.096	ug/l #	9
95) Naphthalene	15.504	128	256471	14.741	ug/l	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Apr 22 01:27:25 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N033022W.M
Quant Title : SW846 8260
QLast Update : Thu Mar 31 01:57:54 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.080 min Scan# 1036
Delta R.T. -0.001 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:168 Resp: 655621
Ion Ratio Lower Upper
168 100
99 50.2 42.3 63.5



#3
Chloromethane
Concen: 0.207 ug/l
RT: 2.299 min Scan# 53
Delta R.T. -0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 50 Resp: 1366
Ion Ratio Lower Upper
50 100
52 23.6 25.7 38.5#









#11
Tert butyl alcohol
Concen: 0.675 ug/l
RT: 5.345 min Scan# 51
Delta R.T. -0.012 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 59 Resp: 820
Ion Ratio Lower Upper
59 100
57 0.0 8.3 12.5#



#13
Acrolein
Concen: 1.397 ug/l
RT: 3.998 min Scan# 342
Delta R.T. -0.042 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 56 Resp: 2069
Ion Ratio Lower Upper
56 100
55 1877.6 54.8 82.2#









#16
Acetone
Concen: 12.213 ug/l
RT: 4.292 min Scan# 390
Delta R.T. 0.017 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 43 Resp: 39066
Ion Ratio Lower Upper
43 100
58 30.1 26.0 39.0



#18
Methyl Acetate
Concen: Below Cal
RT: 4.869 min Scan# 490
Delta R.T. 0.023 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 43 Resp: 5363
Ion Ratio Lower Upper
43 100
74 18.4 21.6 32.4#









#25
2-Butanone
Concen: 0.957 ug/l
RT: 7.345 min Scan# 911
Delta R.T. 0.017 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 43 Resp: 4411
Ion Ratio Lower Upper
43 100
72 29.6 23.7 35.5



#29
Tetrahydrofuran
Concen: 0.546 ug/l
RT: 7.698 min Scan# 971
Delta R.T. 0.023 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 42 Resp: 1631
Ion Ratio Lower Upper
42 100
72 41.7 39.7 59.5
71 42.1 36.6 55.0









#31
Cyclohexane
Concen: 2.796 ug/l
RT: 8.092 min Scan# 1038
Delta R.T. 0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 56 Resp: 28461
Ion Ratio Lower Upper
56 100
69 93.4 27.8 41.8#
84 131.7 76.9 115.3#



#33
1,2-Dichloroethane-d4
Concen: 46.832 ug/l
RT: 8.433 min Scan# 1096
Delta R.T. -0.001 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 65 Resp: 350525
Ion Ratio Lower Upper
65 100
67 53.2 0.0 104.8





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.963 min Scan# 1186

Delta R.T. -0.000 min

Lab File: VN072139.D

Acq: 21 Apr 2022 20:45

Instrument :

MSVOA_N

ClientSampleId :

MW-16SR





Tgt Ion:114 Resp: 1123372

Ion Ratio Lower Upper

114 100

63 18.9 0.0 40.0

88 15.5 0.0 32.6



#35

Dibromofluoromethane

Concen: 48.419 ug/l

RT: 8.022 min Scan# 1026

Delta R.T. 0.006 min

Lab File: VN072139.D

Acq: 21 Apr 2022 20:45




Tgt Ion:113 Resp: 320068


Ion Ratio Lower Upper

113 100

111 102.2 81.4 122.0

192 22.3 17.0 25.6





#36

1,1-Dichloropropene

Concen: 4.565 ug/l

RT: 8.080 min Scan# 1059

Delta R.T. -0.136 min

Lab File: VN072139.D

Acq: 21 Apr 2022 20:45

Instrument :

MSVOA_N

ClientSampleId :

MW-16SR





Tgt Ion: 75 Resp: 42141

Ion Ratio Lower Upper

75 100

110 8.5 18.3 54.8#

77 0.0 25.1 37.7#



#37

Ethyl Acetate

Concen: 8.018 ug/l

RT: 7.410 min Scan# 922

Delta R.T. 0.006 min

Lab File: VN072139.D

Acq: 21 Apr 2022 20:45




Tgt Ion: 43 Resp: 81017


Ion Ratio Lower Upper

43 100

61 16.3 11.8 17.6

70 13.5 9.3 13.9









#38
Carbon Tetrachloride
Concen: 6.306 ug/l
RT: 8.080 min Scan# 117
Delta R.T. -0.124 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:117 Resp: 57051
Ion Ratio Lower Upper
117 100
119 4.7 75.8 113.8#
121 0.0 24.6 37.0#



#39
Methylcyclohexane
Concen: 0.431 ug/l
RT: 9.457 min Scan# 1270
Delta R.T. 0.006 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 83 Resp: 4738
Ion Ratio Lower Upper
83 100
55 74.8 57.8 86.8
98 59.2 39.4 59.2#









#40
Benzene
Concen: 43.404 ug/l
RT: 8.457 min Scan# 1100
Delta R.T. -0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 78 Resp: 1265711
Ion Ratio Lower Upper
78 100
77 23.6 19.4 29.0



#43
Isopropyl Acetate
Concen: 0.709 ug/l
RT: 8.598 min Scan# 1124
Delta R.T. 0.047 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 43 Resp: 11917
Ion Ratio Lower Upper
43 100
61 0.0 21.9 32.9#
87 0.0 12.0 18.0#









#50
Toluene-d8
Concen: 52.489 ug/l
RT: 10.439 min Scan# 1437
Delta R.T. 0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 98 Resp: 1419400
Ion Ratio Lower Upper
98 100
100 64.9 52.6 78.8



#52
Toluene
Concen: 1.162 ug/l
RT: 10.504 min Scan# 1448
Delta R.T. 0.006 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 92 Resp: 21426
Ion Ratio Lower Upper
92 100
91 170.8 138.6 207.8









#58
 2-Chloroethyl Vinyl ether
 Concen: 16.982 ug/l
 RT: 9.969 min Scan# 1357
 Delta R.T. -0.065 min
 Lab File: VN072139.D
 Acq: 21 Apr 2022 20:45




Instrument :
 MSVOA_N
 ClientSampleId :
 MW-16SR


Tgt Ion: 63 Resp: 54
 Ion Ratio Lower Upper
 63 100
 106 0.0 24.6 36.8#



#62
 4-Bromofluorobenzene
 Concen: 58.737 ug/l
 RT: 12.727 min Scan# 1826
 Delta R.T. 0.000 min
 Lab File: VN072139.D
 Acq: 21 Apr 2022 20:45

Tgt Ion: 95 Resp: 513694
 Ion Ratio Lower Upper
 95 100
 174 87.4 0.0 167.6
 176 84.1 0.0 163.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.739 min Scan# 1170
Delta R.T. 0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:117 Resp: 1201648
Ion Ratio Lower Upper
117 100
82 54.5 44.2 66.2
119 32.1 25.4 38.0



#67
Ethyl Benzene
Concen: 6.732 ug/l
RT: 11.839 min Scan# 1675
Delta R.T. 0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 91 Resp: 274225
Ion Ratio Lower Upper
91 100
106 31.7 24.9 37.3









#68
m/p-Xylenes
Concen: 1.030 ug/l
RT: 11.951 min Scan# 1
Delta R.T. -0.000 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:106 Resp: 16121
Ion Ratio Lower Upper
106 100
91 191.5 158.9 238.3



#69
o-Xylene
Concen: 0.473 ug/l
RT: 12.280 min Scan# 1750
Delta R.T. 0.005 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion:106 Resp: 7345
Ion Ratio Lower Upper
106 100
91 194.6 106.0 318.0









#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.668 min Scan# 1986
Delta R.T. -0.001 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:152 Resp: 475758
Ion Ratio Lower Upper
152 100
115 57.8 28.9 86.7
150 158.2 0.0 356.2



#73
Isopropylbenzene
Concen: 2.977 ug/l
RT: 12.574 min Scan# 1800
Delta R.T. -0.001 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion:105 Resp: 119344
Ion Ratio Lower Upper
105 100
120 27.7 13.5 40.4









#76
1,2,3-Trichloropropane
Concen: 22.206 ug/l
RT: 12.727 min Scan# 1826
Delta R.T. -0.147 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 75 Resp: 244735
Ion Ratio Lower Upper
75 100
77 1.3 98.5 295.5#



#78
n-propylbenzene
Concen: 3.551 ug/l
RT: 12.915 min Scan# 1858
Delta R.T. -0.001 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 91 Resp: 149770
Ion Ratio Lower Upper
91 100
120 22.3 11.9 35.5









#79
2-Chlorotoluene
Concen: 5.538 ug/l
RT: 12.915 min Scan# 11
Delta R.T. -0.089 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 91 Resp: 149770
Ion Ratio Lower Upper
91 100
126 0.0 17.3 51.9#



#81
trans-1,4-Dichloro-2-butene
Concen: 68.814 ug/l
RT: 12.727 min Scan# 1826
Delta R.T. 0.105 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 75 Resp: 244735
Ion Ratio Lower Upper
75 100
53 0.0 78.0 117.0#
89 0.0 37.2 55.8#









#82
4-Chlorotoluene
Concen: 0.327 ug/l
RT: 13.215 min Scan# 1909
Delta R.T. 0.117 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion: 91 Resp: 8192
Ion Ratio Lower Upper
91 100
126 0.0 17.2 51.6#



#83
tert-Butylbenzene
Concen: 0.238 ug/l
RT: 13.362 min Scan# 1934
Delta R.T. 0.046 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 119 Resp: 6919
Ion Ratio Lower Upper
119 100
91 81.8 31.6 94.8
134 0.8 13.7 41.1#









#84
1,2,4-Trimethylbenzene
Concen: 1.676 ug/l
RT: 13.362 min Scan# 1934
Delta R.T. -0.001 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:105 Resp: 51932
Ion Ratio Lower Upper
105 100
120 47.4 23.3 69.8



#85
sec-Butylbenzene
Concen: 1.380 ug/l
RT: 13.362 min Scan# 1934
Delta R.T. -0.136 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion:105 Resp: 51932
Ion Ratio Lower Upper
105 100
134 0.1 10.4 31.1#









#86
p-Isopropyltoluene
Concen: 0.732 ug/l
RT: 13.698 min Scan# 1976
Delta R.T. 0.088 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45




Instrument :
MSVOA_N
ClientSampleId :
MW-16SR


Tgt Ion:119 Resp: 21981
Ion Ratio Lower Upper
119 100
134 0.0 13.3 39.8#
91 99.9 11.3 33.9#



#89
n-Butylbenzene
Concen: 7.958 ug/l
RT: 13.874 min Scan# 2021
Delta R.T. -0.065 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion: 91 Resp: 177149
Ion Ratio Lower Upper
91 100
92 9.9 26.9 80.7#
134 0.0 13.6 40.8#









#90
Hexachloroethane
Concen: 1.096 ug/l
RT: 14.215 min Scan# 2077
Delta R.T. 0.011 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Instrument :
MSVOA_N
ClientSampleId :
MW-16SR

Tgt Ion:117 Resp: 6019
Ion Ratio Lower Upper
117 100
201 0.0 40.6 122.0#



#95
Naphthalene
Concen: 14.741 ug/l
RT: 15.504 min Scan# 2298
Delta R.T. 0.006 min
Lab File: VN072139.D
Acq: 21 Apr 2022 20:45

Tgt Ion:128 Resp: 256471
Ion Ratio Lower Upper
128 100
127 12.9 10.3 15.5
129 11.0 8.6 13.0

