

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN042221\
 Data File : VN066727.D
 Acq On : 22 Apr 2021 20:09
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 23 06:38:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N042121W.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 22 08:25:55 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	50.000	48.389	3.2	93	0.00
3 P	Chloromethane	50.000	46.888	6.2	95	0.00
4 C	Vinyl Chloride	50.000	50.605	-1.2#	96	0.00
5 T	Bromomethane	50.000	49.264	1.5	89	0.00
6 T	Chloroethane	50.000	50.818	-1.6	96	0.00
7 T	Trichlorofluoromethane	50.000	51.379	-2.8	99	0.00
8 T	Diethyl Ether	50.000	52.213	-4.4	99	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.687	0.6	96	0.00
10 T	Methyl Iodide	50.000	43.369	13.3	83	0.00
11 T	Tert butyl alcohol	250.000	313.024	-25.2#	121	0.00
12 CM	1,1-Dichloroethene	50.000	51.374	-2.7#	98	0.00
13 T	Acrolein	250.000	224.684	10.1	89	0.00
14 T	Allyl chloride	50.000	51.354	-2.7	96	0.00
15 T	Acrylonitrile	250.000	283.427	-13.4	105	0.00
16 T	Acetone	250.000	250.350	-0.1	103	0.00
17 T	Carbon Disulfide	50.000	48.741	2.5	95	0.00
18 T	Methyl Acetate	50.000	53.855	-7.7	107	0.00
19 T	Methyl tert-butyl Ether	50.000	54.216	-8.4	100	0.00
20 T	Methylene Chloride	50.000	45.224	9.6	98	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.718	-3.4	98	0.00
22 T	Diisopropyl ether	50.000	52.366	-4.7	97	0.00
23 T	Vinyl Acetate	250.000	272.692	-9.1	98	0.00
24 P	1,1-Dichloroethane	50.000	50.672	-1.3	98	0.00
25 T	2-Butanone	250.000	285.419	-14.2	106	0.00
26 T	2,2-Dichloropropane	50.000	47.514	5.0	92	0.00
27 T	cis-1,2-Dichloroethene	50.000	51.791	-3.6	98	0.00
28 T	Bromochloromethane	50.000	50.511	-1.0	98	0.00
29 T	Tetrahydrofuran	250.000	287.507	-15.0	106	0.00
30 C	Chloroform	50.000	51.552	-3.1#	98	0.00
31 T	Cyclohexane	50.000	48.739	2.5	97	0.00
32 T	1,1,1-Trichloroethane	50.000	51.878	-3.8	98	0.00
33 S	1,2-Dichloroethane-d4	50.000	49.266	1.5	100	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	98	0.00
35 S	Dibromofluoromethane	50.000	50.540	-1.1	100	0.00
36 T	1,1-Dichloropropene	50.000	51.613	-3.2	97	0.00
37 T	Ethyl Acetate	50.000	53.492	-7.0	103	0.00
38 T	Carbon Tetrachloride	50.000	51.727	-3.5	98	0.00
39 T	Methylcyclohexane	50.000	52.467	-4.9	96	0.00
40 TM	Benzene	50.000	52.242	-4.5	97	0.00
41 T	Methacrylonitrile	50.000	54.898	-9.8	118	0.00
42 TM	1,2-Dichloroethane	50.000	51.626	-3.3	98	0.00
43 T	Isopropyl Acetate	50.000	54.200	-8.4	101	0.00
44 TM	Trichloroethene	50.000	52.731	-5.5	98	0.00
45 C	1,2-Dichloropropane	50.000	51.408	-2.8#	97	0.00
46 T	Dibromomethane	50.000	52.714	-5.4	97	0.00
47 T	Bromodichloromethane	50.000	52.181	-4.4	98	0.00
48 T	Methyl methacrylate	50.000	56.482	-13.0	101	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN042221\
 Data File : VN066727.D
 Acq On : 22 Apr 2021 20:09
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 23 06:38:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N042121W.M
 Quant Title : SW846 8260
 QLast Update : Thu Apr 22 08:25:55 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1467.468	-46.7#	131	0.00
50 S	Toluene-d8	50.000	51.244	-2.5	101	0.00
51 T	4-Methyl-2-Pentanone	250.000	289.605	-15.8	104	0.00
52 CM	Toluene	50.000	53.730	-7.5#	98	0.00
53 T	t-1,3-Dichloropropene	50.000	54.037	-8.1	97	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.328	-6.7	97	0.00
55 T	1,1,2-Trichloroethane	50.000	53.532	-7.1	100	0.00
56 T	Ethyl methacrylate	50.000	49.530	0.9	101	0.00
57 T	1,3-Dichloropropane	50.000	53.792	-7.6	99	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	380.052	-52.0#	172	0.00
59 T	2-Hexanone	250.000	254.593	-1.8	104	0.00
60 T	Dibromochloromethane	50.000	54.915	-9.8	100	0.00
61 T	1,2-Dibromoethane	50.000	55.423	-10.8	100	0.00
62 S	4-Bromofluorobenzene	50.000	51.565	-3.1	98	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	98	0.00
64 T	Tetrachloroethene	50.000	49.244	1.5	96	0.00
65 PM	Chlorobenzene	50.000	52.299	-4.6	98	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.074	-8.1	99	0.00
67 C	Ethyl Benzene	50.000	54.593	-9.2#	97	0.00
68 T	m/p-Xylenes	100.000	111.018	-11.0	98	0.00
69 T	o-Xylene	50.000	54.771	-9.5	98	0.00
70 T	Styrene	50.000	47.168	5.7	95	0.00
71 P	Bromoform	50.000	56.466	-12.9	99	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	93	0.00
73 T	Isopropylbenzene	50.000	54.068	-8.1	97	0.00
74 T	N-amyl acetate	50.000	57.836	-15.7	95	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	53.325	-6.7	102	0.00
76 T	1,2,3-Trichloropropane	50.000	53.283	-6.6	96	0.00
77 T	Bromobenzene	50.000	52.422	-4.8	95	0.00
78 T	n-propylbenzene	50.000	55.120	-10.2	94	0.00
79 T	2-Chlorotoluene	50.000	49.327	1.3	94	0.00
80 T	1,3,5-Trimethylbenzene	50.000	53.472	-6.9	95	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	47.610	4.8	95	0.00
82 T	4-Chlorotoluene	50.000	54.262	-8.5	94	0.00
83 T	tert-Butylbenzene	50.000	50.773	-1.5	97	0.00
84 T	1,2,4-Trimethylbenzene	50.000	54.507	-9.0	95	0.00
85 T	sec-Butylbenzene	50.000	54.300	-8.6	96	0.00
86 T	p-Isopropyltoluene	50.000	56.833	-13.7	96	0.00
87 T	1,3-Dichlorobenzene	50.000	52.816	-5.6	94	0.00
88 T	1,4-Dichlorobenzene	50.000	51.316	-2.6	98	0.00
89 T	n-Butylbenzene	50.000	51.702	-3.4	95	0.00
90 T	Hexachloroethane	50.000	50.425	-0.8	96	0.00
91 T	1,2-Dichlorobenzene	50.000	51.436	-2.9	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	49.111	1.8	105	0.00
93 T	1,2,4-Trichlorobenzene	50.000	51.252	-2.5	99	0.00
94 T	Hexachlorobutadiene	50.000	50.514	-1.0	98	0.00
95 T	Naphthalene	50.000	52.667	-5.3	103	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN042221\
Data File : VN066727.D
Acq On : 22 Apr 2021 20:09
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Apr 23 06:38:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N042121W.M
Quant Title : SW846 8260
QLast Update : Thu Apr 22 08:25:55 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	51.981	-4.0	100	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6