

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN043025\
 Data File : VN086440.D
 Acq On : 30 Apr 2025 16:40
 Operator : JC\MD
 Sample : PB167775ZHE#10
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 PB167775ZHE#10

Manual Integrations
 APPROVED

Reviewed By : John Carlone 05/02/2025
 Supervised By : Semsettin Yesilyurt 05/05/2025

Quant Time: May 01 01:35:49 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N041525W.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 16 04:19:23 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	164148	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	312852	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	295032	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	125701	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	116255	48.841	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery =	97.680%		
35) Dibromofluoromethane	8.165	113	74074	51.016	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery =	102.040%		
50) Toluene-d8	10.565	98	397306	51.198	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery =	102.400%		
62) 4-Bromofluorobenzene	12.847	95	139975	49.453	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery =	98.900%		
Target Compounds						
					Qvalue	
11) Tert butyl alcohol	5.518	59	7894	18.176	ug/l #	91
16) Acetone	4.430	43	36289	39.285	ug/l	97
20) Methylene Chloride	5.271	84	7736	3.516	ug/l	89
25) 2-Butanone	7.482	43	35835	24.187	ug/l	97
43) Isopropyl Acetate	8.688	43	39517m	5.444	ug/l	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN043025\
Data File : VN086440.D
Acq On : 30 Apr 2025 16:40
Operator : JC\MD
Sample : PB167775ZHE#10
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
PB167775ZHE#10

Manual Integrations
APPROVED

Reviewed By :John Carlone 05/02/2025
Supervised By :Semsettin Yesilyurt 05/05/2025

Quant Time: May 01 01:35:49 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N041525W.M
Quant Title : SW846 8260
QLast Update : Wed Apr 16 04:19:23 2025
Response via : Initial Calibration

