

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN043025\
 Data File : VN086442.D
 Acq On : 30 Apr 2025 17:29
 Operator : JC\MD
 Sample : PB167775ZHE#12
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 PB167775ZHE#12

Manual Integrations
 APPROVED

Reviewed By : John Carlone 05/02/2025
 Supervised By : Semsettin Yesilyurt 05/05/2025

Quant Time: May 01 01:36:13 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N041525W.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 16 04:19:23 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	141777	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	273006	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	264203	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	112841	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	103838	50.508	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 101.020%			
35) Dibromofluoromethane	8.165	113	66458	52.451	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 104.900%			
50) Toluene-d8	10.565	98	352200	52.010	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 104.020%			
62) 4-Bromofluorobenzene	12.847	95	126231	51.107	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery = 102.220%			
Target Compounds						
11) Tert butyl alcohol	5.518	59	7811	20.823	ug/l #	93
16) Acetone	4.430	43	36245	46.342	ug/l	98
20) Methylene Chloride	5.271	84	8071	4.247	ug/l	93
25) 2-Butanone	7.483	43	36922	28.852	ug/l	97
43) Isopropyl Acetate	8.688	43	39496m	6.512	ug/l	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN043025\
Data File : VN086442.D
Acq On : 30 Apr 2025 17:29
Operator : JC\MD
Sample : PB167775ZHE#12
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
PB167775ZHE#12

Manual Integrations
APPROVED

Reviewed By :John Carlone 05/02/2025
Supervised By :Semsettin Yesilyurt 05/05/2025

Quant Time: May 01 01:36:13 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N041525W.M
Quant Title : SW846 8260
QLast Update : Wed Apr 16 04:19:23 2025
Response via : Initial Calibration

