

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN050719\
 Data File : VN055475.D
 Acq On : 8 May 2019 7:51
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: May 08 08:49:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N042919W.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 30 07:16:52 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	78	0.00
2 T	Dichlorodifluoromethane	0.613	0.570	7.0	70	0.00
3 P	Chloromethane	0.759	0.623	17.9	66	0.00
4 C	Vinyl Chloride	0.611	0.559	8.5#	75	0.00
5 T	Bromomethane	0.324	0.369	-13.9	91	0.00
6 T	Chloroethane	0.331	0.313	5.4	79	0.00
7 T	Trichlorofluoromethane	0.869	0.855	1.6	82	0.00
8 T	Diethyl Ether	0.304	0.342	-12.5	90	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.518	0.508	1.9	80	0.00
10 T	Methyl Iodide	0.729	0.697	4.4	74	0.00
11 T	Tert butyl alcohol	0.037	0.049	-32.4#	103	0.00
12 CM	1,1-Dichloroethene	0.494	0.478	3.2#	79	0.00
13 T	Acrolein	0.029	0.032	-10.3	82	0.00
14 T	Allyl chloride	1.023	1.021	0.2	80	0.00
15 T	Acrylonitrile	0.211	0.255	-20.9	94	0.00
16 T	Acetone	0.204	0.195	4.4	80	0.00
17 T	Carbon Disulfide	1.289	1.005	22.0	61	0.00
18 T	Methyl Acetate	0.591	0.684	-15.7	106	0.00
19 T	Methyl tert-butyl Ether	1.389	1.662	-19.7	93	0.00
20 T	Methylene Chloride	0.622	0.595	4.3	82	0.00
21 T	trans-1,2-Dichloroethene	0.523	0.499	4.6	77	0.00
22 T	Diisopropyl ether	2.033	2.363	-16.2	91	0.00
23 T	Vinyl Acetate	1.332	1.575	-18.2	88	0.00
24 P	1,1-Dichloroethane	1.083	1.165	-7.6	88	0.00
25 T	2-Butanone	0.261	0.305	-16.9	89	0.00
26 T	2,2-Dichloropropane	0.748	0.445	40.5#	48#	0.00
27 T	cis-1,2-Dichloroethene	0.595	0.624	-4.9	83	0.00
28 T	Bromochloromethane	0.546	0.562	-2.9	84	0.00
29 T	Tetrahydrofuran	0.167	0.207	-24.0	95	0.00
30 C	Chloroform	1.027	1.110	-8.1#	88	0.00
31 T	Cyclohexane	1.029	0.961	6.6	78	0.00
32 T	1,1,1-Trichloroethane	0.833	0.894	-7.3	87	0.00
33 S	1,2-Dichloroethane-d4	0.654	0.701	-7.2	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.328	0.319	2.7	83	0.00
36 T	1,1-Dichloropropene	0.479	0.447	6.7	81	0.00
37 T	Ethyl Acetate	0.367	0.402	-9.5	95	0.00
38 T	Carbon Tetrachloride	0.462	0.432	6.5	82	0.00
39 T	Methylcyclohexane	0.509	0.474	6.9	78	0.00
40 TM	Benzene	1.412	1.394	1.3	83	0.00
41 T	Methacrylonitrile	0.195	0.258	-32.3#	105	0.00
42 TM	1,2-Dichloroethane	0.500	0.527	-5.4	91	0.00
43 T	Isopropyl Acetate	0.590	0.704	-19.3	95	0.00
44 TM	Trichloroethene	0.360	0.350	2.8	84	0.00
45 C	1,2-Dichloropropane	0.407	0.423	-3.9#	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN050719\
 Data File : VN055475.D
 Acq On : 8 May 2019 7:51
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: May 08 08:49:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N042919W.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 30 07:16:52 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.223	0.223	0.0	85	0.00
47 T	Bromodichloromethane	0.477	0.498	-4.4	88	0.00
48 T	Methyl methacrylate	0.290	0.346	-19.3	96	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	93	0.00
50 S	Toluene-d8	1.185	1.126	5.0	80	0.00
51 T	4-Methyl-2-Pentanone	0.332	0.400	-20.5	97	0.00
52 CM	Toluene	0.810	0.797	1.6#	82	0.00
53 T	t-1,3-Dichloropropene	0.415	0.426	-2.7	79	0.00
54 T	cis-1,3-Dichloropropene	0.517	0.517	0.0	78	0.00
55 T	1,1,2-Trichloroethane	0.301	0.324	-7.6	90	0.00
56 T	Ethyl methacrylate	0.370	0.444	-20.0	92	0.00
57 T	1,3-Dichloropropane	0.528	0.568	-7.6	89	0.00
58 T	2-Chloroethyl Vinyl ether	0.097	0.088	9.3	68	0.00
59 T	2-Hexanone	0.208	0.250	-20.2	97	0.00
60 T	Dibromochloromethane	0.307	0.335	-9.1	85	0.00
61 T	1,2-Dibromoethane	0.278	0.297	-6.8	86	0.00
62 S	4-Bromofluorobenzene	0.370	0.387	-4.6	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	81	0.00
64 T	Tetrachloroethene	0.409	0.415	-1.5	89	0.00
65 PM	Chlorobenzene	0.978	0.976	0.2	83	0.00
66 T	1,1,1,2-Tetrachloroethane	0.383	0.387	-1.0	85	0.00
67 C	Ethyl Benzene	1.765	1.808	-2.4#	83	0.00
68 T	m/p-Xylenes	0.630	0.646	-2.5	83	0.00
69 T	o-Xylene	0.625	0.645	-3.2	84	0.00
70 T	Styrene	0.959	1.065	-11.1	84	0.00
71 P	Bromoform	0.212	0.236	-11.3	84	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	85	0.00
73 T	Isopropylbenzene	4.997	4.161	16.7	85	0.00
74 T	N-amyl acetate	1.283	1.437	-12.0	95	0.00
75 P	1,1,2,2-Tetrachloroethane	1.268	1.090	14.0	90	0.00
76 T	1,2,3-Trichloropropane	1.139	0.960	15.7	85	0.00
77 T	Bromobenzene	1.134	0.985	13.1	86	0.00
78 T	n-propylbenzene	5.136	4.641	9.6	85	0.00
79 T	2-Chlorotoluene	3.285	2.842	13.5	86	0.00
80 T	1,3,5-Trimethylbenzene	3.920	3.442	12.2	86	0.00
81 T	trans-1,4-Dichloro-2-butene	0.264	0.204	22.7	70	0.00
82 T	4-Chlorotoluene	2.986	2.745	8.1	87	0.00
83 T	tert-Butylbenzene	3.508	3.029	13.7	90	0.00
84 T	1,2,4-Trimethylbenzene	3.506	3.349	4.5	86	0.00
85 T	sec-Butylbenzene	4.260	3.959	7.1	89	0.00
86 T	p-Isopropyltoluene	3.502	3.395	3.1	88	0.00
87 T	1,3-Dichlorobenzene	1.673	1.615	3.5	87	0.00
88 T	1,4-Dichlorobenzene	1.576	1.578	-0.1	88	0.00
89 T	n-Butylbenzene	2.488	2.652	-6.6	88	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN050719\
Data File : VN055475.D
Acq On : 8 May 2019 7:51
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 50 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: May 08 08:49:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N042919W.M
Quant Title : SW846 8260
QLast Update : Tue Apr 30 07:16:52 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.662	0.562	15.1	85	0.00
91 T	1,2-Dichlorobenzene	1.658	1.678	-1.2	92	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.132	0.155	-17.4	94	0.00
93 T	1,2,4-Trichlorobenzene	0.521	0.771	-48.0#	108	0.00
94 T	Hexachlorobutadiene	0.617	0.584	5.3	94	0.00
95 T	Naphthalene	1.122	1.546	-37.8#	105	0.00
96 T	1,2,3-Trichlorobenzene	0.533	0.822	-54.2#	115	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6