

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN050721\
 Data File : VN067035.D
 Acq On : 7 May 2021 2:23
 Operator : JC/MD
 Sample : M2257-03 5X
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 14B-3

Manual Integrations
 APPROVED

MMDadoda
 5/7/2021 6:23:58 PM

Quant Time: May 07 07:32:43 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N050721W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri May 07 07:26:20 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.109	128	40642	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	8.520	114	378041	30.00	ug/l	0.00
57) Chlorobenzene-d5	11.352	117	292659	30.00	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	7.954	65	205290	57.65	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	192.17%#
60) 4-Bromofluorobenzene	12.355	95	131493m	27.01	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	90.03%
63) Toluene-d8	10.030	98	484243	33.40	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	111.33%
Target Compounds						
18) Methylene Chloride	4.473	84	5758m	1.83	ug/l	Qvalue
25) Chloroform	7.294	83	30796	5.76	ug/l	92
41) Bromodichloromethane	9.341	83	2999	0.39	ug/l #	84

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN050721\
Data File : VN067035.D
Acq On : 7 May 2021 2:23
Operator : JC/MD
Sample : M2257-03 5X
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
14B-3

Manual Integrations
APPROVED

MMDadoda
5/7/2021 6:23:58 PM

Quant Time: May 07 07:32:43 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N050721W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri May 07 07:26:20 2021
Response via : Initial Calibration

