

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN050721\
 Data File : VN067037.D
 Acq On : 7 May 2021 3:10
 Operator : JC/MD
 Sample : M2274-01 5X
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 14B-1

Manual Integrations
 APPROVED

MMDadoda
 5/7/2021 6:24:02 PM

Quant Time: May 07 07:33:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N050721W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Fri May 07 07:26:20 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.115	128	77184	30.00	ug/l	0.00
28) 1,4-Difluorobenzene	8.520	114	362299	30.00	ug/l	0.00
57) Chlorobenzene-d5	11.352	117	287363	30.00	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	7.957	65	202447	29.93	ug/l	0.00
Spiked Amount 30.000	Range	91 - 110	Recovery	=	99.77%	
60) 4-Bromofluorobenzene	12.358	95	124913m	26.13	ug/l	0.00
Spiked Amount 30.000	Range	63 - 112	Recovery	=	87.10%	
63) Toluene-d8	10.030	98	467961	32.88	ug/l	0.00
Spiked Amount 30.000	Range	91 - 112	Recovery	=	109.60%	
Target Compounds						Qvalue
18) Methylene Chloride	4.478	84	5081m	0.85	ug/l	
25) Chloroform	7.294	83	11886	1.17	ug/l	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN050721\
Data File : VN067037.D
Acq On : 7 May 2021 3:10
Operator : JC/MD
Sample : M2274-01 5X
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
14B-1

Manual Integrations
APPROVED

MMDadoda
5/7/2021 6:24:02 PM

Quant Time: May 07 07:33:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N050721W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Fri May 07 07:26:20 2021
Response via : Initial Calibration

