

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN050924\  
 Data File : VN082046.D  
 Acq On : 09 May 2024 13:22  
 Operator : JC\MD  
 Sample : P2428-01 100X  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 RMW-06B-38-050824

Quant Time: May 10 03:50:31 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N042524W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Apr 26 05:26:49 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.224  | 168  | 133624   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.100  | 114  | 288005   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.865 | 117  | 258717   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.794 | 152  | 97000    | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.577  | 65    | 120751   | 53.543   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 107.080% |
| 35) Dibromofluoromethane    | 8.165  | 113   | 87437    | 50.424   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 100.840% |
| 50) Toluene-d8              | 10.565 | 98    | 369415   | 54.243   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 108.480% |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 115906   | 43.053   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 64 - 133 | Recovery | =    | 86.100%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN050924\  
Data File : VN082046.D  
Acq On : 09 May 2024 13:22  
Operator : JC\MD  
Sample : P2428-01 100X  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
RMW-06B-38-050824

Quant Time: May 10 03:50:31 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N042524W.M  
Quant Title : SW846 8260  
QLast Update : Fri Apr 26 05:26:49 2024  
Response via : Initial Calibration

