

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051324\
 Data File : VN082091.D
 Acq On : 13 May 2024 13:10
 Operator : JC\MD
 Sample : P2425-01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 240507034-02

Manual Integrations
 APPROVED

Reviewed By : John Carlone 05/14/2024
 Supervised By : Mahesh Dadoda 05/14/2024

Quant Time: May 14 03:31:39 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N042624W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Sat Apr 27 04:37:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.812	128	23179	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.100	114	135937	30.000	ug/l	# 0.00
57) Chlorobenzene-d5	11.871	117	120641	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.577	65	61171	31.521	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	105.067%
60) 4-Bromofluorobenzene	12.847	95	53522	26.658	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	88.867%
63) Toluene-d8	10.571	98	175707	30.668	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	102.233%
Target Compounds						
15) Acetone	4.436	58	1151m	6.354	ug/l	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051324\
Data File : VN082091.D
Acq On : 13 May 2024 13:10
Operator : JC\MD
Sample : P2425-01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
240507034-02

Quant Time: May 14 03:31:39 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N042624W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Sat Apr 27 04:37:27 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By : John Carlone 05/14/2024
Supervised By : Mahesh Dadoda 05/14/2024

