

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051324\
 Data File : VN082094.D
 Acq On : 13 May 2024 14:22
 Operator : JC\MD
 Sample : P2452-03
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TT-061-IDWGW-20240509

Quant Time: May 14 03:32:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N042624W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Sat Apr 27 04:37:27 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.812	128	22035	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.106	114	138168	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.865	117	117652	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.577	65	65743	35.635	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	118.800%#
60) 4-Bromofluorobenzene	12.853	95	52839	26.986	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	89.967%
63) Toluene-d8	10.571	98	173163	30.992	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	103.300%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051324\
Data File : VN082094.D
Acq On : 13 May 2024 14:22
Operator : JC\MD
Sample : P2452-03
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TT-061-IDWGW-20240509

Quant Time: May 14 03:32:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N042624W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Sat Apr 27 04:37:27 2024
Response via : Initial Calibration

