

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051324\
 Data File : VN082104.D
 Acq On : 13 May 2024 18:21
 Operator : JC\MD
 Sample : P2462-02
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 240430037-01-TRIP-BLANK

Quant Time: May 14 03:35:31 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N042624W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Sat Apr 27 04:37:27 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By :John Carlone 05/14/2024
 Supervised By :Mahesh Dadoda 05/14/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.812	128	23118	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.100	114	138782	30.000	ug/l	# 0.00
57) Chlorobenzene-d5	11.870	117	114142	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.582	65	65816	34.004	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	113.333%#
60) 4-Bromofluorobenzene	12.847	95	52363	27.566	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	91.900%
63) Toluene-d8	10.570	98	170084	31.377	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	104.600%
Target Compounds						
25) Chloroform	7.965	83	5768m	2.066	ug/l	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051324\
Data File : VN082104.D
Acq On : 13 May 2024 18:21
Operator : JC\MD
Sample : P2462-02
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
240430037-01-TRIP-BLANK

Quant Time: May 14 03:35:31 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N042624W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Sat Apr 27 04:37:27 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 05/14/2024
Supervised By :Mahesh Dadoda 05/14/2024

