

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN051325\  
 Data File : VN086596.D  
 Acq On : 13 May 2025 12:58  
 Operator : JC\MD  
 Sample : PB167932ZHE#15  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB167932ZHE#15

Manual Integrations  
 APPROVED

Reviewed By : John Carlone 05/14/2025  
 Supervised By : Mahesh Dadoda 05/14/2025

Quant Time: May 14 01:42:37 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N041525W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Apr 16 04:19:23 2025  
 Response via : Initial Calibration

| Compound                    | R.T.           | QIon | Response   | Conc      | Units  | Dev(Min) |
|-----------------------------|----------------|------|------------|-----------|--------|----------|
| -----                       |                |      |            |           |        |          |
| Internal Standards          |                |      |            |           |        |          |
| 1) Pentafluorobenzene       | 8.224          | 168  | 173534     | 50.000    | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.100          | 114  | 333224     | 50.000    | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.865         | 117  | 321110     | 50.000    | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.788         | 152  | 135652     | 50.000    | ug/l   | 0.00     |
|                             |                |      |            |           |        |          |
| System Monitoring Compounds |                |      |            |           |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.577          | 65   | 123071     | 48.908    | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 74 - 125 |      | Recovery = | 97.820%   |        |          |
| 35) Dibromofluoromethane    | 8.165          | 113  | 97613      | 63.117    | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 75 - 124 |      | Recovery = | 126.240%# |        |          |
| 50) Toluene-d8              | 10.565         | 98   | 422891     | 51.164    | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 86 - 113 |      | Recovery = | 102.320%  |        |          |
| 62) 4-Bromofluorobenzene    | 12.847         | 95   | 149174     | 49.481    | ug/l   | 0.00     |
| Spiked Amount 50.000        | Range 77 - 121 |      | Recovery = | 98.960%   |        |          |
|                             |                |      |            |           |        |          |
| Target Compounds            |                |      |            |           | Qvalue |          |
| 16) Acetone                 | 4.436          | 43   | 23239      | 21.495    | ug/l   | 94       |
| 20) Methylene Chloride      | 5.277          | 84   | 4698       | 2.019     | ug/l # | 75       |
| 43) Isopropyl Acetate       | 8.688          | 43   | 25893m     | 2.623     | ug/l   |          |
| -----                       |                |      |            |           |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN051325\  
Data File : VN086596.D  
Acq On : 13 May 2025 12:58  
Operator : JC\MD  
Sample : PB167932ZHE#15  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB167932ZHE#15

Manual Integrations  
APPROVED

Reviewed By : John Carlone 05/14/2025  
Supervised By : Mahesh Dadoda 05/14/2025

Quant Time: May 14 01:42:37 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N041525W.M  
Quant Title : SW846 8260  
QLast Update : Wed Apr 16 04:19:23 2025  
Response via : Initial Calibration

