

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051622\
 Data File : VN072518.D
 Acq On : 16 May 2022 22:10
 Operator : JC\MD
 Sample : N2833-01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TWP02

Quant Time: May 17 07:21:38 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N051622W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Tue May 17 06:34:50 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.657	128	21402	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	8.963	114	106219	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.745	117	90173	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.434	65	75047	31.162	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	103.867%
60) 4-Bromofluorobenzene	12.727	95	40439	22.968	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	76.567%
63) Toluene-d8	10.439	98	151059	30.689	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	102.300%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051622\
Data File : VN072518.D
Acq On : 16 May 2022 22:10
Operator : JC\MD
Sample : N2833-01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TWP02

Quant Time: May 17 07:21:38 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N051622W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Tue May 17 06:34:50 2022
Response via : Initial Calibration









#1
Bromochloromethane
Concen: 30.000 ug/l
RT: 7.657 min Scan# 90
Delta R.T. 0.006 min
Lab File: VN072518.D
Acq: 16 May 2022 22:10




Instrument :
MSVOA_N
ClientSampleId :
TWP02


Tgt Ion:128 Resp: 21402
Ion Ratio Lower Upper
128 100
49 149.6 0.0 392.3
130 133.4 0.0 320.2



#27
1,2-Dichloroethane-d4
Concen: 31.162 ug/l
RT: 8.434 min Scan# 1096
Delta R.T. 0.000 min
Lab File: VN072518.D
Acq: 16 May 2022 22:10

Tgt Ion: 65 Resp: 75047
Ion Ratio Lower Upper
65 100
67 48.2 40.2 60.2









#28
1,4-Difluorobenzene
Concen: 30.000 ug/l
RT: 8.963 min Scan# 1186
Delta R.T. 0.000 min
Lab File: VN072518.D
Acq: 16 May 2022 22:10




Instrument :
MSVOA_N
ClientSampleId :
TWP02


Tgt Ion:114 Resp: 106219
Ion Ratio Lower Upper
114 100
63 21.4 15.8 23.6
88 16.1 11.6 17.4



#57
Chlorobenzene-d5
Concen: 30.000 ug/l
RT: 11.745 min Scan# 1659
Delta R.T. 0.006 min
Lab File: VN072518.D
Acq: 16 May 2022 22:10

Tgt Ion:117 Resp: 90173
Ion Ratio Lower Upper
117 100
82 57.1 43.6 65.4
119 31.8 25.8 38.6









#60
4-Bromofluorobenzene
Concen: 22.968 ug/l
RT: 12.727 min Scan# 1826
Delta R.T. 0.000 min
Lab File: VN072518.D
Acq: 16 May 2022 22:10

Instrument :
MSVOA_N
ClientSampleId :
TWP02

Tgt Ion: 95 Resp: 40439
Ion Ratio Lower Upper
95 100
174 84.0 62.9 94.3
176 79.9 61.0 91.4



#63
Toluene-d8
Concen: 30.689 ug/l
RT: 10.439 min Scan# 1437
Delta R.T. 0.000 min
Lab File: VN072518.D
Acq: 16 May 2022 22:10

Tgt Ion: 98 Resp: 151059
Ion Ratio Lower Upper
98 100
100 64.5 50.6 76.0

