

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN051719\
 Data File : VN055612.D
 Acq On : 17 May 2019 15:59
 Operator : JC/SP
 Sample : K2918-03
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-4

Quant Time: May 18 03:34:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 17 23:54:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	420980	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	597786	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	498774	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	189672	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	199951	43.33	ug/l	0.00
Spiked Amount	50.000		Recovery	=	86.66%	
35) Dibromofluoromethane	7.59	113	181854	47.89	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.78%	
50) Toluene-d8	10.09	98	691655	48.17	ug/l	0.00
Spiked Amount	50.000		Recovery	=	96.34%	
62) 4-Bromofluorobenzene	12.40	95	217422	43.85	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.70%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN051719\
Data File : VN055612.D
Acq On : 17 May 2019 15:59
Operator : JC/SP
Sample : K2918-03
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-4

Quant Time: May 18 03:34:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
Quant Title : SW846 8260
QLast Update : Fri May 17 23:54:12 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. -0.00 min

Lab File: VN055612.D

Acq: 17 May 2019 15:59

Instrument :

MSVOA_N

ClientSampleId :


STORAGE-BLANK-WATER-REF-4

Tot Ion:168 Resp: 420980

Ion Ratio Lower Upper

168 100

99 49.6 40.2 60.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN0

7.67



150000

100000

50000

0

Time--> 7.50 7.60 7.70 7.80 7.90



#33

1,2-Dichloroethane-d4

Concen: 43.328 ug/l

RT: 8.03 min Scan# 1946

Delta R.T. 0.00 min

Lab File: VN055612.D


Acq: 17 May 2019 15:59

Tgt Ion: 65 Resp: 199951

Ion Ratio Lower Upper

65 100

67 53.7 0.0 108.6



Abundance Ion 64.90 (64.60 to 65.60): VN0

Ion 66.90 (66.60 to 67.60): VN0

8.03

80000


60000


40000

20000

0

Time--> 7.90 8.00 8.10 8.20









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.59 min Scan# 2119
 Delta R.T. -0.00 min
 Lab File: VN055612.D
 Acq: 17 May 2019 15:59

Instrument :
 MSVOA_N
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-4

Tot Ion	Ratio	Lower	Upper
114	100		
63	19.3	0.0	38.2
88	15.5	0.0	31.0




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 47.889 ug/l
 RT: 7.59 min Scan# 1810
 Delta R.T. -0.00 min
 Lab File: VN055612.D
 Acq: 17 May 2019 15:59

Tgt Ion	Ratio	Lower	Upper
113	100		
111	103.9	82.5	123.7
192	23.5	18.7	28.1



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 48.170 ug/l

RT: 10.09 min Scan# 2587

Delta R.T. -0.00 min

Lab File: VN055612.D

Acq: 17 May 2019 15:59

Instrument :

MSVOA_N

ClientSampleId :


STORAGE-BLANK-WATER-REF-4

Tot Ion: 98 Resp: 691655

Ion Ratio Lower Upper

98 100

100 64.5 51.9 77.9



Abundance Ion 98.00 (97.70 to 98.70): VN055612.D (-2494) (-)

Ion 100.00 (99.70 to 100.70): VN055612.D (-2494) (-)

10.09

400000



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 43.851 ug/l

RT: 12.40 min Scan# 3305

Delta R.T. -0.00 min

Lab File: VN055612.D

Acq: 17 May 2019 15:59


Tgt Ion: 95 Resp: 217422

Ion Ratio Lower Upper

95 100

174 90.7 0.0 180.6

176 88.8 0.0 177.4



Abundance Ion 94.90 (94.60 to 95.60): VN055612.D (-3212) (-)

Ion 173.80 (173.50 to 174.50): VN055612.D (-3212) (-)

Ion 175.80 (175.50 to 176.50): VN055612.D (-3212) (-)

12.40


150000


100000

50000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. -0.00 min
Lab File: VN055612.D
Acq: 17 May 2019 15:59

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-4

Tot Ion:117 Resp: 498774
Ion Ratio Lower Upper
117 100
82 51.6 42.3 63.5
119 31.9 25.4 38.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.34 min Scan# 3598
Delta R.T. -0.00 min
Lab File: VN055612.D
Acq: 17 May 2019 15:59

Tgt Ion:152 Resp: 189672
Ion Ratio Lower Upper
152 100
115 55.4 28.1 84.2
150 155.3 0.0 348.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

