

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051925\
 Data File : VN086681.D
 Acq On : 19 May 2025 11:40
 Operator : JC\MD
 Sample : VN0519WBS01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01

Quant Time: May 20 03:15:14 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051625W.M
 Quant Title : SW846 8260
 QLast Update : Sat May 17 00:46:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.218	168	242324	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.094	114	430723	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.859	117	389046	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	163914	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	149968	44.787	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	89.580%
35) Dibromofluoromethane	8.165	113	118778	46.305	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	92.600%
50) Toluene-d8	10.565	98	506119	47.612	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	95.220%
62) 4-Bromofluorobenzene	12.847	95	176416	47.001	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	94.000%

Target Compounds					Qvalue	
2) Dichlorodifluoromethane	2.124	85	49283	18.832	ug/l	97
3) Chloromethane	2.360	50	69878	17.654	ug/l	100
4) Vinyl Chloride	2.512	62	63303	17.808	ug/l	97
5) Bromomethane	2.960	94	34684	16.925	ug/l	94
6) Chloroethane	3.124	64	39706	17.051	ug/l	95
7) Trichlorofluoromethane	3.501	101	73086	17.204	ug/l	97
8) Diethyl Ether	3.959	74	29949	17.065	ug/l	100
9) 1,1,2-Trichlorotrifluo...	4.371	101	44607	17.540	ug/l	98
10) Methyl Iodide	4.583	142	54223	17.140	ug/l	100
11) Tert butyl alcohol	5.518	59	49084	80.487	ug/l	100
12) 1,1-Dichloroethene	4.342	96	46170	17.082	ug/l	99
13) Acrolein	4.183	56	57954	88.896	ug/l	99
14) Allyl chloride	5.024	41	69941	17.096	ug/l	97
15) Acrylonitrile	5.718	53	124137	82.213	ug/l	100
16) Acetone	4.424	43	97593	77.915	ug/l	94
17) Carbon Disulfide	4.712	76	131089	17.518	ug/l	98
18) Methyl Acetate	5.024	43	52698	15.032	ug/l	99
19) Methyl tert-butyl Ether	5.795	73	154563	16.795	ug/l	99
20) Methylene Chloride	5.277	84	53516	16.191	ug/l	96
21) trans-1,2-Dichloroethene	5.789	96	47965	16.785	ug/l	97
22) Diisopropyl ether	6.665	45	159630	17.296	ug/l	99
23) Vinyl Acetate	6.600	43	583110	84.064	ug/l	99
24) 1,1-Dichloroethane	6.565	63	91603	16.905	ug/l	98
25) 2-Butanone	7.477	43	159786	82.554	ug/l	99
26) 2,2-Dichloropropane	7.489	77	78678	17.594	ug/l	99
27) cis-1,2-Dichloroethene	7.483	96	59097	16.848	ug/l	99
28) Bromochloromethane	7.812	49	41560	16.881	ug/l	99
29) Tetrahydrofuran	7.836	42	105126	83.212	ug/l	99
30) Chloroform	7.965	83	91906	16.945	ug/l	99
31) Cyclohexane	8.253	56	86247	17.162	ug/l	94
32) 1,1,1-Trichloroethane	8.165	97	78458	17.158	ug/l	97
36) 1,1-Dichloropropene	8.371	75	65801	17.391	ug/l	99
37) Ethyl Acetate	7.553	43	65495	17.136	ug/l	98
38) Carbon Tetrachloride	8.359	117	66228	17.765	ug/l	99
39) Methylcyclohexane	9.594	83	73891	18.044	ug/l	99
40) Benzene	8.600	78	216567	17.546	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051925\
 Data File : VN086681.D
 Acq On : 19 May 2025 11:40
 Operator : JC\MD
 Sample : VN0519WBS01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01

Quant Time: May 20 03:15:14 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051625W.M
 Quant Title : SW846 8260
 QLast Update : Sat May 17 00:46:13 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.771	41	34541	16.738	ug/l	99
42) 1,2-Dichloroethane	8.665	62	66602	17.320	ug/l	98
43) Isopropyl Acetate	8.683	43	117078	15.280	ug/l	99
44) Trichloroethene	9.347	130	53506	17.973	ug/l	100
45) 1,2-Dichloropropane	9.618	63	51797	17.665	ug/l	94
46) Dibromomethane	9.706	93	34697	17.537	ug/l	98
47) Bromodichloromethane	9.883	83	70474	17.288	ug/l	95
48) Methyl methacrylate	9.677	41	51103	17.212	ug/l	98
49) 1,4-Dioxane	9.688	88	21324	339.180	ug/l	97
51) 4-Methyl-2-Pentanone	10.441	43	326935	84.612	ug/l	100
52) Toluene	10.624	92	138986	18.117	ug/l	99
53) t-1,3-Dichloropropene	10.830	75	76852	17.806	ug/l	97
54) cis-1,3-Dichloropropene	10.312	75	84776	17.993	ug/l	99
55) 1,1,2-Trichloroethane	11.012	97	48933	17.099	ug/l	99
56) Ethyl methacrylate	10.871	69	81783	17.799	ug/l	99
57) 1,3-Dichloropropane	11.159	76	86338	17.513	ug/l	100
58) 2-Chloroethyl Vinyl ether	10.153	63	180751	88.021	ug/l	99
59) 2-Hexanone	11.188	43	241985	85.760	ug/l	100
60) Dibromochloromethane	11.353	129	53003	17.673	ug/l	99
61) 1,2-Dibromoethane	11.465	107	50100	17.422	ug/l	99
64) Tetrachloroethene	11.100	164	54349	18.236	ug/l	97
65) Chlorobenzene	11.888	112	149040	17.470	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.959	131	48200	17.501	ug/l	99
67) Ethyl Benzene	11.959	91	258095	17.663	ug/l	99
68) m/p-Xylenes	12.071	106	200371	36.203	ug/l	99
69) o-Xylene	12.394	106	96812	17.594	ug/l	96
70) Styrene	12.406	104	160801	17.850	ug/l	99
71) Bromoform	12.577	173	35358	18.052	ug/l #	97
73) Isopropylbenzene	12.694	105	235414	18.595	ug/l	100
74) N-amyl acetate	12.488	43	94110	17.792	ug/l	99
75) 1,1,2,2-Tetrachloroethane	12.935	83	68327	17.568	ug/l	99
76) 1,2,3-Trichloropropane	12.988	75	93695	25.275	ug/l	63
77) Bromobenzene	12.977	156	56672	17.796	ug/l	99
78) n-propylbenzene	13.029	91	272787	18.776	ug/l	99
79) 2-Chlorotoluene	13.124	91	174565	18.479	ug/l	100
80) 1,3,5-Trimethylbenzene	13.171	105	187764	18.512	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.729	75	25562	17.402	ug/l	87
82) 4-Chlorotoluene	13.218	91	170845	18.255	ug/l	98
83) tert-Butylbenzene	13.435	119	161663	18.277	ug/l	98
84) 1,2,4-Trimethylbenzene	13.476	105	187847	18.598	ug/l	100
85) sec-Butylbenzene	13.612	105	222823	18.787	ug/l	100
86) p-Isopropyltoluene	13.724	119	183190	18.843	ug/l	99
87) 1,3-Dichlorobenzene	13.729	146	98359	17.836	ug/l	99
88) 1,4-Dichlorobenzene	13.806	146	97827	17.905	ug/l	99
89) n-Butylbenzene	14.053	91	149343	18.530	ug/l	100
90) Hexachloroethane	14.329	117	29786	18.466	ug/l	95
91) 1,2-Dichlorobenzene	14.100	146	93742	17.872	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.718	75	11660	18.097	ug/l	96
93) 1,2,4-Trichlorobenzene	15.388	180	39675	17.920	ug/l	99
94) Hexachlorobutadiene	15.494	225	16592	18.063	ug/l	97
95) Naphthalene	15.635	128	131552	17.113	ug/l	100
96) 1,2,3-Trichlorobenzene	15.835	180	38228	17.632	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN051925\
Data File : VN086681.D
Acq On : 19 May 2025 11:40
Operator : JC\MD
Sample : VN0519WBS01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 5 Sample Multiplier: 1


Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Quant Time: May 20 03:15:14 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051625W.M
Quant Title : SW846 8260
QLast Update : Sat May 17 00:46:13 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: May 20 03:15:14 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051625W.M
Quant Title : SW846 8260
QLast Update : Sat May 17 00:46:13 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.218 min Scan# 1
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:168 Resp: 242324
Ion Ratio Lower Upper
168 100
99 61.7 47.0 70.4



#2
Dichlorodifluoromethane
Concen: 18.832 ug/l
RT: 2.124 min Scan# 29
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 85 Resp: 49283
Ion Ratio Lower Upper
85 100
87 33.2 15.9 47.6









#3
Chloromethane
Concen: 17.654 ug/l
RT: 2.360 min Scan# 69
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 50 Resp: 69878
Ion Ratio Lower Upper
50 100
52 32.4 25.9 38.9



#4
Vinyl Chloride
Concen: 17.808 ug/l
RT: 2.512 min Scan# 95
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 62 Resp: 63303
Ion Ratio Lower Upper
62 100
64 31.7 26.9 40.3









#5
Bromomethane
Concen: 16.925 ug/l
RT: 2.960 min Scan# 11
Delta R.T. 0.018 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 94 Resp: 34684
Ion Ratio Lower Upper
94 100
96 94.8 71.2 106.8



#6
Chloroethane
Concen: 17.051 ug/l
RT: 3.124 min Scan# 199
Delta R.T. 0.012 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 64 Resp: 39706
Ion Ratio Lower Upper
64 100
66 31.6 27.7 41.5









#7
 Trichlorofluoromethane
 Concen: 17.204 ug/l
 RT: 3.501 min Scan# 263
 Delta R.T. 0.006 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion:101 Resp: 73086
 Ion Ratio Lower Upper
 101 100
 103 69.4 53.4 80.0



#8
 Diethyl Ether
 Concen: 17.065 ug/l
 RT: 3.959 min Scan# 341
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion: 74 Resp: 29949
 Ion Ratio Lower Upper
 74 100
 45 90.2 45.0 135.0









#9
1,1,2-Trichlorotrifluoroethane
Concen: 17.540 ug/l
RT: 4.371 min Scan# 411
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:101 Resp: 44607
Ion Ratio Lower Upper
101 100
85 42.2 35.0 52.6
151 70.7 58.1 87.1



#10
Methyl Iodide
Concen: 17.140 ug/l
RT: 4.583 min Scan# 447
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:142 Resp: 54223
Ion Ratio Lower Upper
142 100
127 40.4 32.4 48.6
141 13.8 11.4 17.2









#11
Tert butyl alcohol
Concen: 80.487 ug/l
RT: 5.518 min Scan# 606
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01

Tgt Ion: 59 Resp: 49084
Ion Ratio Lower Upper
59 100
57 10.2 8.2 12.2



#12
1,1-Dichloroethene
Concen: 17.082 ug/l
RT: 4.342 min Scan# 406
Delta R.T. 0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 96 Resp: 46170
Ion Ratio Lower Upper
96 100
61 156.7 126.2 189.2
98 62.5 51.5 77.3





#13

Acrolein

Concen: 88.896 ug/l

RT: 4.183 min Scan# 31

Delta R.T. 0.006 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion: 56 Resp: 57954

Ion Ratio Lower Upper

56 100

55 70.4 55.7 83.5



#14

Allyl chloride

Concen: 17.096 ug/l

RT: 5.024 min Scan# 522

Delta R.T. 0.006 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40




Tgt Ion: 41 Resp: 69941


Ion Ratio Lower Upper

41 100

39 69.1 57.4 86.0

76 40.5 33.2 49.8









#15
Acrylonitrile
Concen: 82.213 ug/l
RT: 5.718 min Scan# 640
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01

Tgt Ion: 53 Resp: 124137
Ion Ratio Lower Upper
53 100
52 81.8 65.4 98.2
51 34.9 27.9 41.9



#16
Acetone
Concen: 77.915 ug/l
RT: 4.424 min Scan# 420
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 43 Resp: 97593
Ion Ratio Lower Upper
43 100
58 35.7 25.8 38.6









#17
Carbon Disulfide
Concen: 17.518 ug/l
RT: 4.712 min Scan# 41
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 76 Resp: 131089
Ion Ratio Lower Upper
76 100
78 8.3 7.3 10.9



#18
Methyl Acetate
Concen: 15.032 ug/l
RT: 5.024 min Scan# 522
Delta R.T. 0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 43 Resp: 52698
Ion Ratio Lower Upper
43 100
74 25.9 20.5 30.7









#19
Methyl tert-butyl Ether
Concen: 16.795 ug/l
RT: 5.795 min Scan# 61
Delta R.T. 0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 73 Resp: 154563
Ion Ratio Lower Upper
73 100
57 21.5 17.7 26.5



#20
Methylene Chloride
Concen: 16.191 ug/l
RT: 5.277 min Scan# 565
Delta R.T. 0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 84 Resp: 53516
Ion Ratio Lower Upper
84 100
49 116.1 88.8 133.2
51 35.3 27.8 41.6
86 64.8 49.8 74.6









#21
trans-1,2-Dichloroethene
Concen: 16.785 ug/l
RT: 5.789 min Scan# 61
Delta R.T. 0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 96 Resp: 47965
Ion Ratio Lower Upper
96 100
61 136.3 105.7 158.5
98 65.9 51.0 76.6



#22
Diisopropyl ether
Concen: 17.296 ug/l
RT: 6.665 min Scan# 801
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 45 Resp: 159630
Ion Ratio Lower Upper
45 100
43 51.8 41.4 62.2
87 29.8 22.9 34.3
59 11.8 10.1 15.1









#23
 Vinyl Acetate
 Concen: 84.064 ug/l
 RT: 6.600 min Scan# 790
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01

Tgt Ion: 43 Resp: 583110
 Ion Ratio Lower Upper
 43 100
 86 12.3 9.5 14.3



#24
 1,1-Dichloroethane
 Concen: 16.905 ug/l
 RT: 6.565 min Scan# 784
 Delta R.T. -0.006 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion: 63 Resp: 91603
 Ion Ratio Lower Upper
 63 100
 98 7.4 3.4 10.2
 100 4.3 2.4 7.1









#25
2-Butanone
Concen: 82.554 ug/l
RT: 7.477 min Scan# 91
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 43 Resp: 159786
Ion Ratio Lower Upper
43 100
72 29.5 23.1 34.7



#26
2,2-Dichloropropane
Concen: 17.594 ug/l
RT: 7.489 min Scan# 941
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 77 Resp: 78678
Ion Ratio Lower Upper
77 100
97 22.4 11.6 34.7









#27
 cis-1,2-Dichloroethene
 Concen: 16.848 ug/l
 RT: 7.483 min Scan# 940
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion: 96 Resp: 59097
 Ion Ratio Lower Upper
 96 100
 61 139.6 0.0 277.4
 98 65.4 0.0 129.6



#28
 Bromochloromethane
 Concen: 16.881 ug/l
 RT: 7.812 min Scan# 996
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion: 49 Resp: 41560
 Ion Ratio Lower Upper
 49 100
 129 1.4 0.0 3.8
 130 78.8 62.2 93.4





#29

Tetrahydrofuran

Concen: 83.212 ug/l

RT: 7.836 min Scan# 1000

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion: 42 Resp: 105126

Ion Ratio Lower Upper

42 100

72 48.1 38.7 58.1

71 44.9 36.2 54.4



#30

Chloroform

Concen: 16.945 ug/l

RT: 7.965 min Scan# 1022

Delta R.T. 0.006 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion: 83 Resp: 91906

Ion Ratio Lower Upper

83 100

85 61.8 50.2 75.4









#31
Cyclohexane
Concen: 17.162 ug/l
RT: 8.253 min Scan# 1071
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 56 Resp: 86247
Ion Ratio Lower Upper
56 100
69 28.9 25.0 37.6
84 82.6 71.0 106.4



#32
1,1,1-Trichloroethane
Concen: 17.158 ug/l
RT: 8.165 min Scan# 1056
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 97 Resp: 78458
Ion Ratio Lower Upper
97 100
99 64.8 52.6 79.0
61 43.8 37.7 56.5





#33

1,2-Dichloroethane-d4

Concen: 44.787 ug/l

RT: 8.577 min Scan# 1126

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion: 65 Resp: 149968

Ion Ratio Lower Upper

65 100

67 53.5 0.0 106.4



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.094 min Scan# 1214

Delta R.T. -0.006 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40




Tgt Ion: 114 Resp: 430723


Ion Ratio Lower Upper

114 100

63 19.4 0.0 40.2

88 15.2 0.0 31.2









#35
Dibromofluoromethane
Concen: 46.305 ug/l
RT: 8.165 min Scan# 1056
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01

Tgt Ion:113 Resp: 118778
Ion Ratio Lower Upper
113 100
111 103.3 82.2 123.2
192 17.9 13.8 20.8



#36
1,1-Dichloropropene
Concen: 17.391 ug/l
RT: 8.371 min Scan# 1091
Delta R.T. 0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 75 Resp: 65801
Ion Ratio Lower Upper
75 100
110 34.4 17.5 52.5
77 32.3 25.1 37.7





#37

Ethyl Acetate

Concen: 17.136 ug/l

RT: 7.553 min Scan# 91

Delta R.T. -0.006 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion: 43 Resp: 65495

Ion Ratio Lower Upper

43 100

61 13.2 11.6 17.4

70 11.4 9.4 14.0



#38

Carbon Tetrachloride

Concen: 17.765 ug/l

RT: 8.359 min Scan# 1089

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40




Tgt Ion: 117 Resp: 66228


Ion Ratio Lower Upper

117 100

119 98.1 77.0 115.6

121 31.1 25.0 37.6





#39

Methylcyclohexane

Concen: 18.044 ug/l

RT: 9.594 min Scan# 1129

Delta R.T. -0.006 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion: 83 Resp: 73891

Ion Ratio Lower Upper

83 100

55 72.8 58.2 87.4

98 46.0 38.4 57.6



#40

Benzene

Concen: 17.546 ug/l

RT: 8.600 min Scan# 1130

Delta R.T. -0.006 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion: 78 Resp: 216567

Ion Ratio Lower Upper

78 100

77 23.0 19.1 28.7









#41
Methacrylonitrile
Concen: 16.738 ug/l
RT: 7.771 min Scan# 91
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:	41	Resp:	34541
Ion	Ratio	Lower	Upper
41	100		
39	57.2	44.9	67.3
67	78.9	63.4	95.0
52	32.3	24.4	36.6



#42
1,2-Dichloroethane
Concen: 17.320 ug/l
RT: 8.665 min Scan# 1141
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:	62	Resp:	66602
Ion	Ratio	Lower	Upper
62	100		
98	10.2	0.0	19.2









#43
Isopropyl Acetate
Concen: 15.280 ug/l
RT: 8.683 min Scan# 1144
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01

Tgt Ion: 43 Resp: 117078
Ion Ratio Lower Upper
43 100
61 27.3 21.4 32.2
87 14.1 11.1 16.7



#44
Trichloroethene
Concen: 17.973 ug/l
RT: 9.347 min Scan# 1257
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:130 Resp: 53506
Ion Ratio Lower Upper
130 100
95 98.8 0.0 197.0





#45

1,2-Dichloropropane

Concen: 17.665 ug/l

RT: 9.618 min Scan# 1303

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion: 63 Resp: 51797

Ion Ratio Lower Upper

63 100

65 28.6 25.8 38.6



#46

Dibromomethane

Concen: 17.537 ug/l

RT: 9.706 min Scan# 1318

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40




Tgt Ion: 93 Resp: 34697


Ion Ratio Lower Upper

93 100

95 81.3 67.1 100.7

174 90.9 73.8 110.6









#47
Bromodichloromethane
Concen: 17.288 ug/l
RT: 9.883 min Scan# 1348
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 83 Resp: 70474
Ion Ratio Lower Upper
83 100
85 67.0 50.1 75.1
127 7.8 6.2 9.4



#48
Methyl methacrylate
Concen: 17.212 ug/l
RT: 9.677 min Scan# 1313
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 41 Resp: 51103
Ion Ratio Lower Upper
41 100
69 90.1 74.1 111.1
39 54.3 44.1 66.1





#49

1,4-Dioxane

Concen: 339.180 ug/l

RT: 9.688 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion: 88 Resp: 21324

Ion Ratio Lower Upper

88 100

43 26.5 23.6 35.4

58 70.2 55.3 82.9



#50

Toluene-d8

Concen: 47.612 ug/l

RT: 10.565 min Scan# 1464

Delta R.T. 0.000 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion: 98 Resp: 506119

Ion Ratio Lower Upper

98 100

100 65.9 52.9 79.3









#51
4-Methyl-2-Pentanone
Concen: 84.612 ug/l
RT: 10.441 min Scan# 1443
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 43 Resp: 326935
Ion Ratio Lower Upper
43 100
58 42.6 33.9 50.9



#52
Toluene
Concen: 18.117 ug/l
RT: 10.624 min Scan# 1474
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 92 Resp: 138986
Ion Ratio Lower Upper
92 100
91 170.5 137.8 206.8









#53
 t-1,3-Dichloropropene
 Concen: 17.806 ug/l
 RT: 10.830 min Scan# 1509
 Delta R.T. -0.006 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion: 75 Resp: 76852
 Ion Ratio Lower Upper
 75 100
 77 30.0 25.2 37.8



#54
 cis-1,3-Dichloropropene
 Concen: 17.993 ug/l
 RT: 10.312 min Scan# 1421
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion: 75 Resp: 84776
 Ion Ratio Lower Upper
 75 100
 77 31.9 25.3 37.9
 39 42.9 35.2 52.8









#55
1,1,2-Trichloroethane
Concen: 17.099 ug/l
RT: 11.012 min Scan# 1540
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:	97	Resp:	48933
Ion	Ratio	Lower	Upper
97	100		
83	89.9	70.4	105.6
85	57.5	46.1	69.1
99	64.3	52.3	78.5



#56
Ethyl methacrylate
Concen: 17.799 ug/l
RT: 10.871 min Scan# 1516
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:	69	Resp:	81783
Ion	Ratio	Lower	Upper
69	100		
41	60.0	47.4	71.0
39	28.8	24.0	36.0





#57

1,3-Dichloropropane

Concen: 17.513 ug/l

RT: 11.159 min Scan# 11

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion: 76 Resp: 86338

Ion Ratio Lower Upper

76 100

78 32.5 25.8 38.8



#58

2-Chloroethyl Vinyl ether

Concen: 88.021 ug/l

RT: 10.153 min Scan# 1394

Delta R.T. -0.006 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion: 63 Resp: 180751

Ion Ratio Lower Upper

63 100

106 29.3 23.1 34.7









#59
2-Hexanone
Concen: 85.760 ug/l
RT: 11.188 min Scan# 11
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion: 43 Resp: 241985
Ion Ratio Lower Upper
43 100
58 59.6 29.8 89.5



#60
Dibromochloromethane
Concen: 17.673 ug/l
RT: 11.353 min Scan# 1598
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 129 Resp: 53003
Ion Ratio Lower Upper
129 100
127 77.8 39.5 118.3









#61
1,2-Dibromoethane
Concen: 17.422 ug/l
RT: 11.465 min Scan# 1617
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:107 Resp: 50100
Ion Ratio Lower Upper
107 100
109 92.5 75.0 112.4



#62
4-Bromofluorobenzene
Concen: 47.001 ug/l
RT: 12.847 min Scan# 1852
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 95 Resp: 176416
Ion Ratio Lower Upper
95 100
174 71.7 0.0 145.4
176 70.0 0.0 137.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.859 min Scan# 1170
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:117 Resp: 389046
Ion Ratio Lower Upper
117 100
82 55.9 44.2 66.2
119 31.4 25.4 38.2



#64
Tetrachloroethene
Concen: 18.236 ug/l
RT: 11.100 min Scan# 1555
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:164 Resp: 54349
Ion Ratio Lower Upper
164 100
166 125.9 98.2 147.4
129 102.4 81.0 121.4
131 101.5 78.0 117.0









#65
Chlorobenzene
Concen: 17.470 ug/l
RT: 11.888 min Scan# 111
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:112 Resp: 149040
Ion Ratio Lower Upper
112 100
114 33.1 25.9 38.9



#66
1,1,1,2-Tetrachloroethane
Concen: 17.501 ug/l
RT: 11.959 min Scan# 1701
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:131 Resp: 48200
Ion Ratio Lower Upper
131 100
133 96.1 47.9 143.7
119 67.8 33.6 100.8





#67

Ethyl Benzene

Concen: 17.663 ug/l

RT: 11.959 min Scan# 1701

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion: 91 Resp: 258095

Ion Ratio Lower Upper

91 100

106 30.3 24.6 36.8



#68

m/p-Xylenes

Concen: 36.203 ug/l

RT: 12.071 min Scan# 1720

Delta R.T. 0.006 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion:106 Resp: 200371

Ion Ratio Lower Upper

106 100

91 201.4 162.4 243.6





#69

o-Xylene

Concen: 17.594 ug/l

RT: 12.394 min Scan# 1775

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion:106 Resp: 96812

Ion Ratio Lower Upper

106 100

91 217.0 105.1 315.1



#70

Styrene

Concen: 17.850 ug/l

RT: 12.406 min Scan# 1777

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40




Tgt Ion:104 Resp: 160801


Ion Ratio Lower Upper

104 100

78 49.6 39.0 58.6

103 54.7 43.8 65.8









#71
Bromoform
Concen: 18.052 ug/l
RT: 12.577 min Scan# 1806
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:173 Resp: 35358
Ion Ratio Lower Upper
173 100
175 48.5 23.4 70.2
254 0.0 0.0 0.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.788 min Scan# 2012
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:152 Resp: 163914
Ion Ratio Lower Upper
152 100
115 61.0 30.0 90.1
150 164.7 0.0 347.8









#73
Isopropylbenzene
Concen: 18.595 ug/l
RT: 12.694 min Scan# 1826
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:105 Resp: 235414
Ion Ratio Lower Upper
105 100
120 26.6 13.4 40.1



#74
N-ethyl acetate
Concen: 17.792 ug/l
RT: 12.488 min Scan# 1791
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 43 Resp: 94110
Ion Ratio Lower Upper
43 100
70 48.1 37.9 56.9
55 26.0 20.5 30.7
61 27.0 21.7 32.5









#75
 1,1,2,2-Tetrachloroethane
 Concen: 17.568 ug/l
 RT: 12.935 min Scan# 1867
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion: 83 Resp: 68327
 Ion Ratio Lower Upper
 83 100
 131 10.0 5.0 15.0
 85 64.1 32.4 97.2



#76
 1,2,3-Trichloropropane
 Concen: 25.275 ug/l
 RT: 12.988 min Scan# 1876
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion: 75 Resp: 93695
 Ion Ratio Lower Upper
 75 100
 77 136.9 96.0 288.1









#77
Bromobenzene
Concen: 17.796 ug/l
RT: 12.977 min Scan# 1874
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:156 Resp: 56672
Ion Ratio Lower Upper
156 100
77 226.4 113.1 339.2
158 95.8 48.6 145.9



#78
n-propylbenzene
Concen: 18.776 ug/l
RT: 13.029 min Scan# 1883
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion: 91 Resp: 272787
Ion Ratio Lower Upper
91 100
120 22.4 11.4 34.1





#79

2-Chlorotoluene

Concen: 18.479 ug/l

RT: 13.124 min Scan# 1899

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :





VN0519WBS01

Tgt Ion: 91 Resp: 174565

Ion Ratio Lower Upper

91 100

126 33.3 16.6 49.7



#80

1,3,5-Trimethylbenzene

Concen: 18.512 ug/l

RT: 13.171 min Scan# 1907

Delta R.T. 0.000 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion:105 Resp: 187764

Ion Ratio Lower Upper

105 100

120 49.1 24.9 74.6









#81
trans-1,4-Dichloro-2-butene
Concen: 17.402 ug/l
RT: 12.729 min Scan# 1832
Delta R.T. -0.006 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40




Instrument :
MSVOA_N
ClientSampleId :
VN0519WBS01


Tgt Ion:	75	Resp:	25562
Ion	Ratio	Lower	Upper
75	100		
53	101.1	70.4	105.6
89	46.5	32.4	48.6



#82
4-Chlorotoluene
Concen: 18.255 ug/l
RT: 13.218 min Scan# 1915
Delta R.T. 0.000 min
Lab File: VN086681.D
Acq: 19 May 2025 11:40

Tgt Ion:	91	Resp:	170845
Ion	Ratio	Lower	Upper
91	100		
126	32.9	17.0	50.9





#83

tert-Butylbenzene

Concen: 18.277 ug/l

RT: 13.435 min Scan# 1952

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion:119 Resp: 161663

Ion Ratio Lower Upper

119 100

91 67.9 32.9 98.7

134 26.9 13.4 40.1



#84

1,2,4-Trimethylbenzene

Concen: 18.598 ug/l

RT: 13.476 min Scan# 1959

Delta R.T. 0.000 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion:105 Resp: 187847

Ion Ratio Lower Upper

105 100

120 46.3 23.2 69.6









#85
 sec-Butylbenzene
 Concen: 18.787 ug/l
 RT: 13.612 min Scan# 1982
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion:105 Resp: 222823
 Ion Ratio Lower Upper
 105 100
 134 20.2 10.1 30.1



#86
 p-Isopropyltoluene
 Concen: 18.843 ug/l
 RT: 13.724 min Scan# 2001
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion:119 Resp: 183190
 Ion Ratio Lower Upper
 119 100
 134 25.2 13.1 39.1
 91 23.0 11.5 34.5









#87
 1,3-Dichlorobenzene
 Concen: 17.836 ug/l
 RT: 13.729 min Scan# 2002
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion:146 Resp: 98359
 Ion Ratio Lower Upper
 146 100
 111 40.9 20.9 62.7
 148 64.3 31.8 95.4



#88
 1,4-Dichlorobenzene
 Concen: 17.905 ug/l
 RT: 13.806 min Scan# 2015
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion:146 Resp: 97827
 Ion Ratio Lower Upper
 146 100
 111 42.8 20.6 61.8
 148 64.6 32.0 96.0





#89

n-Butylbenzene

Concen: 18.530 ug/l

RT: 14.053 min Scan# 2057

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion: 91 Resp: 149343

Ion Ratio Lower Upper

91 100

92 54.6 27.4 82.0

134 26.1 12.8 38.4



#90

Hexachloroethane

Concen: 18.466 ug/l

RT: 14.329 min Scan# 2104

Delta R.T. 0.000 min

Lab File: VN086681.D




Acq: 19 May 2025 11:40


Tgt Ion: 117 Resp: 29786

Ion Ratio Lower Upper

117 100

201 67.7 32.0 96.0





#91

1,2-Dichlorobenzene

Concen: 17.872 ug/l

RT: 14.100 min Scan# 2065

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion:146 Resp: 93742

Ion Ratio Lower Upper

146 100

111 41.8 21.6 65.0

148 63.3 31.7 95.1



#92

1,2-Dibromo-3-Chloropropane

Concen: 18.097 ug/l

RT: 14.718 min Scan# 2170

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40




Tgt Ion: 75 Resp: 11660


Ion Ratio Lower Upper

75 100

155 80.0 40.5 121.5

157 101.6 53.6 160.8









#93
 1,2,4-Trichlorobenzene
 Concen: 17.920 ug/l
 RT: 15.388 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40




Instrument :
 MSVOA_N
 ClientSampleId :
 VN0519WBS01


Tgt Ion:180 Resp: 39675
 Ion Ratio Lower Upper
 180 100
 182 95.6 47.1 141.3
 145 31.8 15.6 46.8



#94
 Hexachlorobutadiene
 Concen: 18.063 ug/l
 RT: 15.494 min Scan# 2302
 Delta R.T. -0.006 min
 Lab File: VN086681.D
 Acq: 19 May 2025 11:40

Tgt Ion:225 Resp: 16592
 Ion Ratio Lower Upper
 225 100
 223 64.1 32.9 98.6
 227 61.1 32.4 97.2





#95

Naphthalene

Concen: 17.113 ug/l

RT: 15.635 min Scan# 2326

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Instrument :

MSVOA_N

ClientSampleId :

VN0519WBS01





Tgt Ion:128 Resp: 131552

Ion Ratio Lower Upper

128 100

127 12.7 10.1 15.1

129 10.8 8.6 13.0



#96

1,2,3-Trichlorobenzene

Concen: 17.632 ug/l

RT: 15.835 min Scan# 2360

Delta R.T. 0.000 min

Lab File: VN086681.D

Acq: 19 May 2025 11:40

Tgt Ion:180 Resp: 38228

Ion Ratio Lower Upper

180 100

182 95.5 47.0 141.2

145 33.6 16.7 50.1

