

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN052019\
 Data File : VN055686.D
 Acq On : 20 May 2019 20:06
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: May 21 05:28:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 17 23:54:12 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	108	0.00
2 T	Dichlorodifluoromethane	0.385	0.303	21.3	91	0.00
3 P	Chloromethane	0.513	0.401	21.8	90	0.00
4 C	Vinyl Chloride	0.556	0.454	18.3#	94	0.00
5 T	Bromomethane	0.354	0.293	17.2	93	-0.04
6 T	Chloroethane	0.309	0.262	15.2	93	-0.02
7 T	Trichlorofluoromethane	0.712	0.598	16.0	93	-0.01
8 T	Diethyl Ether	0.286	0.253	11.5	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.434	0.372	14.3	95	0.00
10 T	Methyl Iodide	0.626	0.584	6.7	99	0.00
11 T	Tert butyl alcohol	0.102	0.094	7.8	98	0.00
12 CM	1,1-Dichloroethene	0.457	0.379	17.1#	94	0.00
13 T	Acrolein	0.055	0.044	20.0	96	0.00
14 T	Allyl chloride	0.737	0.611	17.1	89	0.00
15 T	Acrylonitrile	0.227	0.209	7.9	98	0.00
16 T	Acetone	0.224	0.169	24.6	82	0.00
17 T	Carbon Disulfide	1.269	0.980	22.8	87	0.00
18 T	Methyl Acetate	0.480	0.434	9.6	99	0.00
19 T	Methyl tert-butyl Ether	1.511	1.298	14.1	95	0.00
20 T	Methylene Chloride	0.510	0.435	14.7	96	0.00
21 T	trans-1,2-Dichloroethene	0.486	0.402	17.3	92	0.00
22 T	Diisopropyl ether	1.461	1.226	16.1	93	0.00
23 T	Vinyl Acetate	1.239	1.058	14.6	92	0.00
24 P	1,1-Dichloroethane	0.856	0.728	15.0	93	0.00
25 T	2-Butanone	0.313	0.272	13.1	93	0.00
26 T	2,2-Dichloropropane	0.760	0.569	25.1#	84	0.00
27 T	cis-1,2-Dichloroethene	0.566	0.491	13.3	97	0.00
28 T	Bromochloromethane	0.373	0.326	12.6	92	0.00
29 T	Tetrahydrofuran	0.207	0.179	13.5	95	0.00
30 C	Chloroform	0.879	0.755	14.1#	97	0.00
31 T	Cyclohexane	0.813	0.645	20.7	91	0.00
32 T	1,1,1-Trichloroethane	0.789	0.679	13.9	97	0.00
33 S	1,2-Dichloroethane-d4	0.548	0.489	10.8	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	104	0.00
35 S	Dibromofluoromethane	0.318	0.307	3.5	100	0.00
36 T	1,1-Dichloropropene	0.446	0.383	14.1	93	0.00
37 T	Ethyl Acetate	0.402	0.375	6.7	93	0.00
38 T	Carbon Tetrachloride	0.476	0.418	12.2	97	0.00
39 T	Methylcyclohexane	0.537	0.479	10.8	97	0.00
40 TM	Benzene	1.311	1.204	8.2	98	0.00
41 T	Methacrylonitrile	0.172	0.170	1.2	93	0.00
42 TM	1,2-Dichloroethane	0.425	0.379	10.8	94	0.00
43 T	Isopropyl Acetate	0.700	0.691	1.3	105	0.00
44 TM	Trichloroethene	0.370	0.359	3.0	103	0.00
45 C	1,2-Dichloropropane	0.345	0.315	8.7#	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN052019\
 Data File : VN055686.D
 Acq On : 20 May 2019 20:06
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 29 Sample Multiplier: 1

Quant Time: May 21 05:28:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 17 23:54:12 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.226	0.218	3.5	102	0.00
47 T	Bromodichloromethane	0.474	0.434	8.4	98	0.00
48 T	Methyl methacrylate	0.313	0.296	5.4	96	0.00
49 T	1,4-Dioxane	0.006	0.007	-16.7	110	0.00
50 S	Toluene-d8	1.201	1.199	0.2	104	0.00
51 T	4-Methyl-2-Pentanone	0.410	0.383	6.6	99	0.00
52 CM	Toluene	0.822	0.794	3.4#	103	0.00
53 T	t-1,3-Dichloropropene	0.510	0.470	7.8	95	0.00
54 T	cis-1,3-Dichloropropene	0.559	0.518	7.3	96	0.00
55 T	1,1,2-Trichloroethane	0.339	0.329	2.9	106	0.00
56 T	Ethyl methacrylate	0.529	0.498	5.9	101	0.00
57 T	1,3-Dichloropropane	0.536	0.513	4.3	101	0.00
58 T	2-Chloroethyl Vinyl ether	0.225	0.199	11.6	91	0.00
59 T	2-Hexanone	0.289	0.272	5.9	97	0.00
60 T	Dibromochloromethane	0.384	0.398	-3.6	109	0.00
61 T	1,2-Dibromoethane	0.339	0.346	-2.1	107	0.00
62 S	4-Bromofluorobenzene	0.415	0.413	0.5	103	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	106	0.00
64 T	Tetrachloroethene	0.394	0.408	-3.6	113	0.00
65 PM	Chlorobenzene	1.011	0.973	3.8	104	0.00
66 T	1,1,1,2-Tetrachloroethane	0.407	0.396	2.7	108	0.00
67 C	Ethyl Benzene	1.802	1.682	6.7#	103	0.00
68 T	m/p-Xylenes	0.680	0.652	4.1	105	0.00
69 T	o-Xylene	0.665	0.650	2.3	108	0.00
70 T	Styrene	1.106	1.083	2.1	105	0.00
71 P	Bromoform	0.345	0.370	-7.2	114	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	107	0.00
73 T	Isopropylbenzene	4.076	3.549	12.9	106	0.00
74 T	N-amyl acetate	1.404	1.244	11.4	96	0.00
75 P	1,1,2,2-Tetrachloroethane	1.259	1.067	15.3	103	0.00
76 T	1,2,3-Trichloropropane	1.020	0.864	15.3	102	0.00
77 T	Bromobenzene	1.027	1.002	2.4	114	0.00
78 T	n-propylbenzene	4.440	3.781	14.8	101	0.00
79 T	2-Chlorotoluene	2.696	2.303	14.6	103	0.00
80 T	1,3,5-Trimethylbenzene	3.428	2.990	12.8	105	0.00
81 T	trans-1,4-Dichloro-2-butene	0.397	0.333	16.1	93	0.00
82 T	4-Chlorotoluene	2.616	2.248	14.1	100	0.00
83 T	tert-Butylbenzene	3.002	2.658	11.5	109	0.00
84 T	1,2,4-Trimethylbenzene	3.374	2.992	11.3	106	0.00
85 T	sec-Butylbenzene	3.818	3.353	12.2	105	0.00
86 T	p-Isopropyltoluene	3.509	3.122	11.0	106	0.00
87 T	1,3-Dichlorobenzene	1.698	1.611	5.1	107	0.00
88 T	1,4-Dichlorobenzene	1.621	1.545	4.7	104	0.00
89 T	n-Butylbenzene	2.744	2.386	13.0	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN052019\
Data File : VN055686.D
Acq On : 20 May 2019 20:06
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 29 Sample Multiplier: 1

Quant Time: May 21 05:28:50 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
Quant Title : SW846 8260
QLast Update : Fri May 17 23:54:12 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.672	0.602	10.4	105	0.00
91 T	1,2-Dichlorobenzene	1.692	1.598	5.6	107	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.227	0.201	11.5	96	0.00
93 T	1,2,4-Trichlorobenzene	0.862	0.911	-5.7	105	0.00
94 T	Hexachlorobutadiene	0.595	0.629	-5.7	123	0.00
95 T	Naphthalene	2.320	2.485	-7.1	105	0.00
96 T	1,2,3-Trichlorobenzene	0.901	0.939	-4.2	109	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6