

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN052019\
 Data File : VN055675.D
 Acq On : 20 May 2019 15:40
 Operator : JC/SP
 Sample : K2922-08
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: May 21 05:10:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 17 23:54:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	417347	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	582584	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	479113	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	163365	50.00	ug/l	0.00


System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	184627	40.36	ug/l	0.00
Spiked Amount	50.000		Recovery	=	80.72%	
35) Dibromofluoromethane	7.59	113	175685	47.47	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.94%	
50) Toluene-d8	10.09	98	668481	47.77	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.54%	
62) 4-Bromofluorobenzene	12.40	95	200352	41.46	ug/l	0.00
Spiked Amount	50.000		Recovery	=	82.92%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN052019\
Data File : VN055675.D
Acq On : 20 May 2019 15:40
Operator : JC/SP
Sample : K2922-08
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 18 Sample Multiplier: 1

Quant Time: May 21 05:10:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N051719W.M
Quant Title : SW846 8260
QLast Update : Fri May 17 23:54:12 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. -0.00 min

Lab File: VN055675.D


Acq: 20 May 2019 15:40

Tot Ion:168 Resp: 417347

Ion Ratio Lower Upper

168 100

99 46.2 40.2 60.2



Abundance Ion 167.90 (167.60 to 168.60): VN055675.D (-1740) (-)

Ion 98.90 (98.60 to 99.60): VN055675.D (-1740) (-)

7.67

150000



100000

50000

0

Time-->

7.60 7.70 7.80



#33

1,2-Dichloroethane-d4

Concen: 40.356 ug/l

RT: 8.03 min Scan# 1945

Delta R.T. -0.00 min

Lab File: VN055675.D


Acq: 20 May 2019 15:40

Tgt Ion: 65 Resp: 184627

Ion Ratio Lower Upper

65 100

67 54.3 0.0 108.6



Abundance Ion 64.90 (64.60 to 65.60): VN055675.D (-1852) (-)

Ion 66.90 (66.60 to 67.60): VN055675.D (-1852) (-)

8.03

80000

60000


40000


20000

0

Time-->


7.95 8.00 8.05 8.10








#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.59 min Scan# 2119
 Delta R.T. -0.00 min
 Lab File: VN055675.D
 Acq: 20 May 2019 15:40

Tot Ion:114 Resp: 582584
 Ion Ratio Lower Upper
 114 100
 63 18.2 0.0 38.2
 88 15.1 0.0 31.0




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 47.472 ug/l
 RT: 7.59 min Scan# 1809
 Delta R.T. -0.00 min
 Lab File: VN055675.D
 Acq: 20 May 2019 15:40

Tgt Ion:113 Resp: 175685
 Ion Ratio Lower Upper
 113 100
 111 102.9 82.5 123.7
 192 24.4 18.7 28.1







Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V








#50
Toluene-d8
Concen: 47.771 ug/l
RT: 10.09 min Scan# 2587
Delta R.T. -0.00 min
Lab File: VN055675.D
Acq: 20 May 2019 15:40


Tot Ion: 98 Resp: 668481
Ion Ratio Lower Upper
98 100
100 65.1 51.9 77.9



#62
4-Bromofluorobenzene
Concen: 41.463 ug/l
RT: 12.40 min Scan# 3305
Delta R.T. -0.00 min
Lab File: VN055675.D
Acq: 20 May 2019 15:40


Tgt Ion: 95 Resp: 200352
Ion Ratio Lower Upper
95 100
174 95.8 0.0 180.6
176 93.1 0.0 177.4








#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. -0.00 min
Lab File: VN055675.D
Acq: 20 May 2019 15:40

Tot Ion:117 Resp: 479113
Ion Ratio Lower Upper
117 100
82 50.5 42.3 63.5
119 32.4 25.4 38.2




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.34 min Scan# 3598
Delta R.T. -0.00 min
Lab File: VN055675.D
Acq: 20 May 2019 15:40

Tgt Ion:152 Resp: 163365
Ion Ratio Lower Upper
152 100
115 54.9 28.1 84.2
150 158.0 0.0 348.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

