

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN052623\  
 Data File : VN077945.D  
 Acq On : 27 May 2023 00:27  
 Operator : JC\MD  
 Sample : 02913-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 32 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TP-70A

Quant Time: May 29 01:40:07 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N051523W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue May 16 04:07:42 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.235  | 168   | 389117   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.112  | 114   | 722234   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.876 | 117   | 657893   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.800 | 152   | 215387   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.588  | 65    | 267555   | 45.954   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 91.900%  |
| 35) Dibromofluoromethane    | 8.177  | 113   | 225536   | 47.889   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 95.780%  |
| 50) Toluene-d8              | 10.576 | 98    | 908424   | 50.113   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 100.220% |
| 62) 4-Bromofluorobenzene    | 12.859 | 95    | 304997   | 47.639   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 95.280%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 4.441  | 43    | 40777    | 22.261   | ug/l   | 99       |
| 20) Methylene Chloride      | 5.288  | 84    | 23137    | 2.995    | ug/l   | 91       |
| 37) Ethyl Acetate           | 7.577  | 43    | 54636    | 8.899    | ug/l   | 96       |
| 43) Isopropyl Acetate       | 8.694  | 43    | 355390   | 35.437   | ug/l # | 73       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN052623\  
Data File : VN077945.D  
Acq On : 27 May 2023 00:27  
Operator : JC\MD  
Sample : 02913-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 32 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TP-70A

Quant Time: May 29 01:40:07 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N051523W.M  
Quant Title : SW846 8260  
QLast Update : Tue May 16 04:07:42 2023  
Response via : Initial Calibration

