

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN052824\
 Data File : VN082346.D
 Acq On : 28 May 2024 14:53
 Operator : JC\MD
 Sample : P2606-12
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-5

Quant Time: May 29 06:51:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 16 05:21:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	205065	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.106	114	357663	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	328783	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.794	152	136329	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	160368	49.526	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	99.060%
35) Dibromofluoromethane	8.171	113	114889	52.218	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	104.440%
50) Toluene-d8	10.571	98	443984	52.634	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	105.260%
62) 4-Bromofluorobenzene	12.853	95	156610	52.017	ug/l	0.00
Spiked Amount	50.000	Range	64 - 133	Recovery	=	104.040%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN052824\
Data File : VN082346.D
Acq On : 28 May 2024 14:53
Operator : JC\MD
Sample : P2606-12
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5

Quant Time: May 29 06:51:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
Quant Title : SW846 8260
QLast Update : Thu May 16 05:21:06 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.224 min Scan# 1066
Delta R.T. -0.000 min
Lab File: VN082346.D
Acq: 28 May 2024 14:53




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5


Tgt Ion:168 Resp: 205065
Ion Ratio Lower Upper
168 100
99 62.4 48.2 72.4



#33
1,2-Dichloroethane-d4
Concen: 49.526 ug/l
RT: 8.577 min Scan# 1126
Delta R.T. -0.000 min
Lab File: VN082346.D
Acq: 28 May 2024 14:53

Tgt Ion: 65 Resp: 160368
Ion Ratio Lower Upper
65 100
67 49.6 0.0 103.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.106 min Scan# 11

Delta R.T. 0.006 min

Lab File: VN082346.D

Acq: 28 May 2024 14:53

Instrument :

MSVOA_N

ClientSampleId :

STORAGE-BLANK-WATER-REF-5





Tgt Ion:114 Resp: 357663

Ion Ratio Lower Upper

114 100

63 22.6 0.0 41.0

88 15.4 0.0 31.4



#35

Dibromofluoromethane

Concen: 52.218 ug/l

RT: 8.171 min Scan# 1057

Delta R.T. 0.006 min

Lab File: VN082346.D

Acq: 28 May 2024 14:53




Tgt Ion:113 Resp: 114889


Ion Ratio Lower Upper

113 100

111 103.2 83.4 125.2

192 18.8 14.0 21.0









#50
Toluene-d8
Concen: 52.634 ug/l
RT: 10.571 min Scan# 1465
Delta R.T. -0.000 min
Lab File: VN082346.D
Acq: 28 May 2024 14:53




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5


Tgt Ion: 98 Resp: 443984
Ion Ratio Lower Upper
98 100
100 64.7 51.8 77.6



#62
4-Bromofluorobenzene
Concen: 52.017 ug/l
RT: 12.853 min Scan# 1853
Delta R.T. 0.006 min
Lab File: VN082346.D
Acq: 28 May 2024 14:53

Tgt Ion: 95 Resp: 156610
Ion Ratio Lower Upper
95 100
174 75.7 0.0 160.6
176 73.3 0.0 152.8









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.865 min Scan# 1170
Delta R.T. -0.000 min
Lab File: VN082346.D
Acq: 28 May 2024 14:53

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-WATER-REF-5

Tgt Ion:117 Resp: 328783
Ion Ratio Lower Upper
117 100
82 58.5 44.6 66.8
119 32.2 25.9 38.9



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.794 min Scan# 2013
Delta R.T. 0.000 min
Lab File: VN082346.D
Acq: 28 May 2024 14:53

Tgt Ion:152 Resp: 136329
Ion Ratio Lower Upper
152 100
115 62.5 30.4 91.3
150 158.4 0.0 353.2

