

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN052924\
 Data File : VN082365.D
 Acq On : 29 May 2024 12:14
 Operator : JC\MD
 Sample : VN0529WBS01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :

Quant Time: May 30 05:40:36 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 16 05:21:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	221514	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	373924	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	329080	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.794	152	151464	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	160964	46.019	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	92.040%
35) Dibromofluoromethane	8.171	113	113698	49.429	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	98.860%
50) Toluene-d8	10.565	98	419678	47.589	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	95.180%
62) 4-Bromofluorobenzene	12.853	95	152614	48.485	ug/l	0.00
Spiked Amount	50.000	Range	64 - 133	Recovery	=	96.980%

Target Compounds					Qvalue	
2) Dichlorodifluoromethane	2.124	85	44806	14.030	ug/l	94
3) Chloromethane	2.365	50	46012	12.713	ug/l	99
4) Vinyl Chloride	2.512	62	46046	13.532	ug/l	99
5) Bromomethane	2.965	94	28010	14.322	ug/l	95
6) Chloroethane	3.124	64	31446	14.153	ug/l	97
7) Trichlorofluoromethane	3.501	101	70147	15.743	ug/l	98
8) Diethyl Ether	3.965	74	25836	16.277	ug/l	81
9) 1,1,2-Trichlorotrifluo...	4.377	101	41275	15.858	ug/l	99
10) Methyl Iodide	4.589	142	37659	14.393	ug/l	94
11) Tert butyl alcohol	5.518	59	43111	76.783	ug/l	97
12) 1,1-Dichloroethene	4.336	96	37328	15.430	ug/l	90
13) Acrolein	4.177	56	26262	63.119	ug/l	99
14) Allyl chloride	5.018	41	70873	13.683	ug/l #	88
15) Acrylonitrile	5.718	53	110739	76.155	ug/l	99
16) Acetone	4.424	43	112959	78.726	ug/l	94
17) Carbon Disulfide	4.712	76	99162	12.691	ug/l	99
18) Methyl Acetate	5.024	43	55405	15.505	ug/l #	88
19) Methyl tert-butyl Ether	5.795	73	146038	16.515	ug/l	99
20) Methylene Chloride	5.277	84	45305	15.650	ug/l #	76
21) trans-1,2-Dichloroethene	5.783	96	38765	14.704	ug/l #	82
22) Diisopropyl ether	6.671	45	163267	15.096	ug/l #	95
23) Vinyl Acetate	6.606	43	631018	74.000	ug/l #	92
24) 1,1-Dichloroethane	6.571	63	85129	15.271	ug/l	95
25) 2-Butanone	7.483	43	167065	76.796	ug/l #	86
26) 2,2-Dichloropropane	7.489	77	78566	16.826	ug/l	94
27) cis-1,2-Dichloroethene	7.489	96	48613	15.625	ug/l	77
28) Bromochloromethane	7.818	49	53492	21.463	ug/l #	80
29) Tetrahydrofuran	7.836	42	102752	73.565	ug/l #	86
30) Chloroform	7.965	83	84520	15.877	ug/l	97
31) Cyclohexane	8.259	56	77315	13.840	ug/l	90
32) 1,1,1-Trichloroethane	8.171	97	78323	16.584	ug/l	92
36) 1,1-Dichloropropene	8.371	75	57830	14.990	ug/l	97
37) Ethyl Acetate	7.559	43	66461	15.394	ug/l	94
38) Carbon Tetrachloride	8.359	117	66018	16.881	ug/l #	97
39) Methylcyclohexane	9.600	83	64584	15.273	ug/l #	89
40) Benzene	8.606	78	181698	15.794	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN052924\
 Data File : VN082365.D
 Acq On : 29 May 2024 12:14
 Operator : JC\MD
 Sample : VN0529WBS01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :

Quant Time: May 30 05:40:36 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 16 05:21:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.777	41	37663	14.833	ug/l #	87
42) 1,2-Dichloroethane	8.671	62	71361	16.129	ug/l	95
43) Isopropyl Acetate	8.688	43	120276	15.722	ug/l #	90
44) Trichloroethene	9.353	130	42328	16.198	ug/l	90
45) 1,2-Dichloropropane	9.624	63	47454	15.988	ug/l	93
46) Dibromomethane	9.712	93	31693	16.264	ug/l	98
47) Bromodichloromethane	9.888	83	67800	16.481	ug/l #	97
48) Methyl methacrylate	9.683	41	56648	15.540	ug/l #	82
49) 1,4-Dioxane	9.700	88	17263	337.959	ug/l #	78
51) 4-Methyl-2-Pentanone	10.447	43	343958	79.134	ug/l	90
52) Toluene	10.630	92	112543	16.302	ug/l	98
53) t-1,3-Dichloropropene	10.835	75	72252	16.982	ug/l	96
54) cis-1,3-Dichloropropene	10.318	75	73611	16.345	ug/l #	79
55) 1,1,2-Trichloroethane	11.018	97	42425	16.910	ug/l	99
56) Ethyl methacrylate	10.877	69	71386	16.759	ug/l #	72
57) 1,3-Dichloropropane	11.165	76	75969	16.195	ug/l	100
58) 2-Chloroethyl Vinyl ether	10.159	63	122350	55.689	ug/l	93
59) 2-Hexanone	11.194	43	262478	82.474	ug/l	89
60) Dibromochloromethane	11.359	129	49612	17.919	ug/l	99
61) 1,2-Dibromoethane	11.471	107	41699	16.182	ug/l	98
64) Tetrachloroethene	11.106	164	40457	16.587	ug/l	98
65) Chlorobenzene	11.894	112	121013	16.646	ug/l	100
66) 1,1,1,2-Tetrachloroethane	11.965	131	42602	17.791	ug/l	99
67) Ethyl Benzene	11.965	91	219526	16.880	ug/l	98
68) m/p-Xylenes	12.071	106	159343	33.431	ug/l	94
69) o-Xylene	12.400	106	78904	17.090	ug/l	92
70) Styrene	12.412	104	131111	17.096	ug/l	95
71) Bromoform	12.576	173	31660	17.091	ug/l #	100
73) Isopropylbenzene	12.694	105	204615	17.005	ug/l	97
74) N-amyl acetate	12.494	43	101662	15.360	ug/l #	87
75) 1,1,2,2-Tetrachloroethane	12.941	83	55425	15.979	ug/l	99
76) 1,2,3-Trichloropropane	12.994	75	80370	25.210	ug/l	66
77) Bromobenzene	12.982	156	47584	16.594	ug/l	89
78) n-propylbenzene	13.035	91	238765	16.757	ug/l	98
79) 2-Chlorotoluene	13.124	91	145049	16.211	ug/l	93
80) 1,3,5-Trimethylbenzene	13.171	105	165035	16.962	ug/l	97
81) trans-1,4-Dichloro-2-b...	12.741	75	23760	17.432	ug/l	89
82) 4-Chlorotoluene	13.223	91	146084	16.699	ug/l	95
83) tert-Butylbenzene	13.441	119	142784	16.774	ug/l	94
84) 1,2,4-Trimethylbenzene	13.482	105	168439	16.921	ug/l	96
85) sec-Butylbenzene	13.618	105	198304	16.808	ug/l	98
86) p-Isopropyltoluene	13.729	119	166953	17.412	ug/l	97
87) 1,3-Dichlorobenzene	13.735	146	87610	16.863	ug/l	99
88) 1,4-Dichlorobenzene	13.812	146	87816	16.562	ug/l	96
89) n-Butylbenzene	14.059	91	142998	16.592	ug/l	98
90) Hexachloroethane	14.335	117	30114	16.951	ug/l	97
91) 1,2-Dichlorobenzene	14.106	146	83901	17.061	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.723	75	12501	17.541	ug/l	82
93) 1,2,4-Trichlorobenzene	15.394	180	46952	17.033	ug/l	99
94) Hexachlorobutadiene	15.500	225	21288	17.600	ug/l	100
95) Naphthalene	15.641	128	151439	17.531	ug/l	100
96) 1,2,3-Trichlorobenzene	15.841	180	46009	16.673	ug/l	96


Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN052924\
Data File : VN082365.D
Acq On : 29 May 2024 12:14
Operator : JC\MD
Sample : VN0529WBS01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :

Quant Time: May 30 05:40:36 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
Quant Title : SW846 8260
QLast Update : Thu May 16 05:21:06 2024
Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed






#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.224 min Scan# 1066
Delta R.T. -0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion:168 Resp: 221514
Ion Ratio Lower Upper
168 100
99 64.1 48.2 72.4



#2
Dichlorodifluoromethane
Concen: 14.030 ug/l
RT: 2.124 min Scan# 29
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 85 Resp: 44806
Ion Ratio Lower Upper
85 100
87 35.0 15.8 47.4





#3

Chloromethane

Concen: 12.713 ug/l

RT: 2.365 min Scan# 70

Delta R.T. 0.006 min


Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :






Tgt Ion: 50 Resp: 46012

Ion Ratio Lower Upper

50 100

52 31.5 25.5 38.3



#4

Vinyl Chloride

Concen: 13.532 ug/l

RT: 2.512 min Scan# 95

Delta R.T. 0.000 min

Lab File: VN082365.D




Acq: 29 May 2024 12:14


Tgt Ion: 62 Resp: 46046

Ion Ratio Lower Upper

62 100


64 30.3 24.6 37.0








#5
Bromomethane
Concen: 14.322 ug/l
RT: 2.965 min Scan# 11
Delta R.T. 0.012 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 94 Resp: 28010
Ion Ratio Lower Upper
94 100
96 88.7 74.8 112.2



#6
Chloroethane
Concen: 14.153 ug/l
RT: 3.124 min Scan# 199
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 64 Resp: 31446
Ion Ratio Lower Upper
64 100
66 29.3 24.7 37.1









#7
Trichlorofluoromethane
Concen: 15.743 ug/l
RT: 3.501 min Scan# 20
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:101 Resp: 70147
Ion Ratio Lower Upper
101 100
103 64.5 50.6 75.8



#8
Diethyl Ether
Concen: 16.277 ug/l
RT: 3.965 min Scan# 342
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 74 Resp: 25836
Ion Ratio Lower Upper
74 100
45 102.4 42.4 127.3









#9
 1,1,2-Trichlorotrifluoroethane
 Concen: 15.858 ug/l
 RT: 4.377 min Scan# 411
 Delta R.T. 0.006 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14




Instrument :
 MSVOA_N
 ClientSampleId :


Tgt Ion:101 Resp: 41275
 Ion Ratio Lower Upper
 101 100
 85 47.4 37.3 55.9
 151 74.1 59.2 88.8



#10
 Methyl Iodide
 Concen: 14.393 ug/l
 RT: 4.589 min Scan# 448
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14

Tgt Ion:142 Resp: 37659
 Ion Ratio Lower Upper
 142 100
 127 49.8 35.8 53.6
 141 15.2 11.4 17.2









#11
Tert butyl alcohol
Concen: 76.783 ug/l
RT: 5.518 min Scan# 606
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 59 Resp: 43111
Ion Ratio Lower Upper
59 100
57 9.8 8.9 13.3



#12
1,1-Dichloroethene
Concen: 15.430 ug/l
RT: 4.336 min Scan# 405
Delta R.T. -0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 96 Resp: 37328
Ion Ratio Lower Upper
96 100
61 165.7 119.7 179.5
98 59.1 49.6 74.4





#13

Acrolein

Concen: 63.119 ug/l

RT: 4.177 min Scan# 31

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N





ClientSampleId :

Tgt Ion: 56 Resp: 26262

Ion Ratio Lower Upper

56 100

55 69.0 55.8 83.8



#14

Allyl chloride

Concen: 13.683 ug/l

RT: 5.018 min Scan# 521

Delta R.T. -0.006 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14




Tgt Ion: 41 Resp: 70873


Ion Ratio Lower Upper

41 100

39 89.3 65.4 98.0


76 34.9 37.3 55.9#








#15
Acrylonitrile
Concen: 76.155 ug/l
RT: 5.718 min Scan# 640
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 53 Resp: 110739
Ion Ratio Lower Upper
53 100
52 81.3 66.1 99.1
51 37.2 29.4 44.2



#16
Acetone
Concen: 78.726 ug/l
RT: 4.424 min Scan# 420
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 43 Resp: 112959
Ion Ratio Lower Upper
43 100
58 27.9 25.2 37.8









#17
Carbon Disulfide
Concen: 12.691 ug/l
RT: 4.712 min Scan# 469
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 76 Resp: 99162
Ion Ratio Lower Upper
76 100
78 9.0 7.5 11.3



#18
Methyl Acetate
Concen: 15.505 ug/l
RT: 5.024 min Scan# 522
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 43 Resp: 55405
Ion Ratio Lower Upper
43 100
74 21.6 22.2 33.2#









#19
Methyl tert-butyl Ether
Concen: 16.515 ug/l
RT: 5.795 min Scan# 61
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 73 Resp: 146038
Ion Ratio Lower Upper
73 100
57 21.1 16.5 24.7



#20
Methylene Chloride
Concen: 15.650 ug/l
RT: 5.277 min Scan# 565
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 84 Resp: 45305
Ion Ratio Lower Upper
84 100
49 145.2 84.9 127.3#
51 41.4 27.0 40.6#
86 60.9 52.3 78.5









#21
trans-1,2-Dichloroethene
Concen: 14.704 ug/l
RT: 5.783 min Scan# 61
Delta R.T. -0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 96 Resp: 38765
Ion Ratio Lower Upper
96 100
61 150.4 96.5 144.7#
98 63.7 51.3 76.9



#22
Diisopropyl ether
Concen: 15.096 ug/l
RT: 6.671 min Scan# 802
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 45 Resp: 163267
Ion Ratio Lower Upper
45 100
43 54.7 44.1 66.1
87 26.8 27.0 40.6#
59 11.0 9.6 14.4









#23
 Vinyl Acetate
 Concen: 74.000 ug/l
 RT: 6.606 min Scan# 791
 Delta R.T. 0.006 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14




Instrument :
 MSVOA_N
 ClientSampleId :


Tgt Ion: 43 Resp: 631018
 Ion Ratio Lower Upper
 43 100
 86 9.5 10.2 15.4#



#24
 1,1-Dichloroethane
 Concen: 15.271 ug/l
 RT: 6.571 min Scan# 785
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14

Tgt Ion: 63 Resp: 85129
 Ion Ratio Lower Upper
 63 100
 98 5.7 3.6 10.9
 100 3.7 2.6 7.8









#25
2-Butanone
Concen: 76.796 ug/l
RT: 7.483 min Scan# 940
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 167065
Ion Ratio Lower Upper
43 100
72 23.9 25.3 37.9#



#26
2,2-Dichloropropane
Concen: 16.826 ug/l
RT: 7.489 min Scan# 941
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion: 77 Resp: 78566
Ion Ratio Lower Upper
77 100
97 19.9 11.3 33.9








#27
cis-1,2-Dichloroethene
Concen: 15.625 ug/l
RT: 7.489 min Scan# 941
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 96 Resp: 48613
Ion Ratio Lower Upper
96 100
61 171.7 0.0 268.0
98 67.4 0.0 126.8



#28
Bromochloromethane
Concen: 21.463 ug/l
RT: 7.818 min Scan# 997
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion: 49 Resp: 53492
Ion Ratio Lower Upper
49 100
129 2.1 0.0 4.6
130 64.7 66.7 100.1#








#29
Tetrahydrofuran
Concen: 73.565 ug/l
RT: 7.836 min Scan# 1027
Delta R.T. -0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 42 Resp: 102752
Ion Ratio Lower Upper
42 100
72 38.6 39.3 58.9#
71 38.6 37.4 56.0



#30
Chloroform
Concen: 15.877 ug/l
RT: 7.965 min Scan# 1022
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion: 83 Resp: 84520
Ion Ratio Lower Upper
83 100
85 66.0 50.7 76.1








#31
Cyclohexane
Concen: 13.840 ug/l
RT: 8.259 min Scan# 1072
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Instrument :
MSVOA_N
ClientSampleId :





Tgt Ion: 56 Resp: 77315
Ion Ratio Lower Upper
56 100
69 30.1 24.4 36.6
84 83.6 77.0 115.4




#32
1,1,1-Trichloroethane
Concen: 16.584 ug/l
RT: 8.171 min Scan# 1057
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14



Tgt Ion: 97 Resp: 78323
Ion Ratio Lower Upper
97 100
99 58.3 50.3 75.5
61 52.4 36.6 55.0





#33

1,2-Dichloroethane-d4

Concen: 46.019 ug/l

RT: 8.577 min Scan# 1126

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N





ClientSampleId :

Tgt Ion: 65 Resp: 160964

Ion Ratio Lower Upper

65 100

67 50.1 0.0 103.0



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.100 min Scan# 1215

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14




Tgt Ion: 114 Resp: 373924


Ion Ratio Lower Upper

114 100

63 22.8 0.0 41.0


88 15.5 0.0 31.4








#35
Dibromofluoromethane
Concen: 49.429 ug/l
RT: 8.171 min Scan# 1057
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion:113 Resp: 113698
Ion Ratio Lower Upper
113 100
111 102.7 83.4 125.2
192 18.3 14.0 21.0



#36
1,1-Dichloropropene
Concen: 14.990 ug/l
RT: 8.371 min Scan# 1091
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion: 75 Resp: 57830
Ion Ratio Lower Upper
75 100
110 33.4 17.8 53.5
77 32.0 25.0 37.4








#37
Ethyl Acetate
Concen: 15.394 ug/l
RT: 7.559 min Scan# 91
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 43 Resp: 66461
Ion Ratio Lower Upper
43 100
61 11.5 11.3 16.9
70 9.1 8.7 13.1



#38
Carbon Tetrachloride
Concen: 16.881 ug/l
RT: 8.359 min Scan# 1089
Delta R.T. -0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 117 Resp: 66018
Ion Ratio Lower Upper
117 100
119 95.3 76.5 114.7
121 36.0 23.9 35.9#









#39
Methylcyclohexane
Concen: 15.273 ug/l
RT: 9.600 min Scan# 1130
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 83 Resp: 64584
Ion Ratio Lower Upper
83 100
55 80.5 53.0 79.6#
98 46.6 37.1 55.7



#40
Benzene
Concen: 15.794 ug/l
RT: 8.606 min Scan# 1131
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion: 78 Resp: 181698
Ion Ratio Lower Upper
78 100
77 23.2 20.0 30.0








#41
Methacrylonitrile
Concen: 14.833 ug/l
RT: 7.777 min Scan# 990
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion:	41	Resp:	37663
Ion	Ratio	Lower	Upper
41	100		
39	58.4	46.6	69.8
67	62.9	67.3	100.9
52	29.6	27.3	40.9



#42
1,2-Dichloroethane
Concen: 16.129 ug/l
RT: 8.671 min Scan# 1142
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion:	62	Resp:	71361
Ion	Ratio	Lower	Upper
62	100		
98	7.8	0.0	19.6








#43
Isopropyl Acetate
Concen: 15.722 ug/l
RT: 8.688 min Scan# 1145
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 43 Resp: 120276
Ion Ratio Lower Upper
43 100
61 23.2 22.8 34.2
87 10.6 12.0 18.0#



#44
Trichloroethene
Concen: 16.198 ug/l
RT: 9.353 min Scan# 1258
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion:130 Resp: 42328
Ion Ratio Lower Upper
130 100
95 108.0 0.0 195.4





#45

1,2-Dichloropropane

Concen: 15.988 ug/l

RT: 9.624 min Scan# 1304

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N





ClientSampleId :

Tgt Ion: 63 Resp: 47454

Ion Ratio Lower Upper

63 100

65 33.7 24.1 36.1



#46

Dibromomethane

Concen: 16.264 ug/l

RT: 9.712 min Scan# 1319

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14




Tgt Ion: 93 Resp: 31693


Ion Ratio Lower Upper

93 100

95 84.0 64.8 97.2

174 91.8 73.4 110.0









#47
Bromodichloromethane
Concen: 16.481 ug/l
RT: 9.888 min Scan# 1349
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 83 Resp: 67800
Ion Ratio Lower Upper
83 100
85 62.5 51.9 77.9
127 7.1 7.5 11.3#



#48
Methyl methacrylate
Concen: 15.540 ug/l
RT: 9.683 min Scan# 1314
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 41 Resp: 56648
Ion Ratio Lower Upper
41 100
69 70.2 77.9 116.9#
39 67.1 50.9 76.3





#49

1,4-Dioxane

Concen: 337.959 ug/l

RT: 9.700 min Scan# 1

Delta R.T. 0.006 min


Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :






Tgt Ion: 88 Resp: 17263

Ion Ratio Lower Upper

88 100

43 35.9 19.0 28.6#

58 79.4 50.6 76.0#



#50

Toluene-d8

Concen: 47.589 ug/l

RT: 10.565 min Scan# 1464

Delta R.T. -0.006 min

Lab File: VN082365.D




Acq: 29 May 2024 12:14


Tgt Ion: 98 Resp: 419678

Ion Ratio Lower Upper

98 100

100 64.8 51.8 77.6









#51
4-Methyl-2-Pentanone
Concen: 79.134 ug/l
RT: 10.447 min Scan# 1444
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 343958
Ion Ratio Lower Upper
43 100
58 35.4 33.2 49.8



#52
Toluene
Concen: 16.302 ug/l
RT: 10.630 min Scan# 1475
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 92 Resp: 112543
Ion Ratio Lower Upper
92 100
91 174.0 136.7 205.1









#53
 t-1,3-Dichloropropene
 Concen: 16.982 ug/l
 RT: 10.835 min Scan# 1510
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14




Instrument :
 MSVOA_N
 ClientSampleId :


Tgt Ion: 75 Resp: 72252
 Ion Ratio Lower Upper
 75 100
 77 29.7 25.4 38.0



#54
 cis-1,3-Dichloropropene
 Concen: 16.345 ug/l
 RT: 10.318 min Scan# 1422
 Delta R.T. 0.006 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14


Tgt Ion: 75 Resp: 73611
 Ion Ratio Lower Upper
 75 100
 77 30.1 25.0 37.4
 39 65.5 34.8 52.2#








#55
1,1,2-Trichloroethane
Concen: 16.910 ug/l
RT: 11.018 min Scan# 11
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Instrument :
MSVOA_N
ClientSampleId :





Tgt Ion:	97	Resp:	42425
Ion	Ratio	Lower	Upper
97	100		
83	88.4	70.4	105.6
85	56.8	45.6	68.4
99	61.5	50.9	76.3




#56
Ethyl methacrylate
Concen: 16.759 ug/l
RT: 10.877 min Scan# 1517
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14



Tgt Ion:	69	Resp:	71386
Ion	Ratio	Lower	Upper
69	100		
41	79.9	46.6	70.0#
39	48.2	26.5	39.7#





#57

1,3-Dichloropropane

Concen: 16.195 ug/l

RT: 11.165 min Scan# 1566

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N





ClientSampleId :

Tgt Ion: 76 Resp: 75969

Ion Ratio Lower Upper

76 100

78 32.4 25.8 38.6



#58

2-Chloroethyl Vinyl ether

Concen: 55.689 ug/l

RT: 10.159 min Scan# 1395

Delta R.T. 0.000 min

Lab File: VN082365.D




Acq: 29 May 2024 12:14


Tgt Ion: 63 Resp: 122350

Ion Ratio Lower Upper

63 100

106 26.7 24.6 36.8









#59
2-Hexanone
Concen: 82.474 ug/l
RT: 11.194 min Scan# 1571
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 262478
Ion Ratio Lower Upper
43 100
58 48.7 28.3 84.9



#60
Dibromochloromethane
Concen: 17.919 ug/l
RT: 11.359 min Scan# 1599
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion:129 Resp: 49612
Ion Ratio Lower Upper
129 100
127 77.0 38.3 114.8









#61
1,2-Dibromoethane
Concen: 16.182 ug/l
RT: 11.471 min Scan# 11
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:107 Resp: 41699
Ion Ratio Lower Upper
107 100
109 92.3 75.8 113.6



#62
4-Bromofluorobenzene
Concen: 48.485 ug/l
RT: 12.853 min Scan# 1853
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 95 Resp: 152614
Ion Ratio Lower Upper
95 100
174 77.4 0.0 160.6
176 74.5 0.0 152.8





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.865 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :





Tgt Ion:117 Resp: 329080

Ion Ratio Lower Upper

117 100

82 61.5 44.6 66.8

119 33.2 25.9 38.9



#64

Tetrachloroethene

Concen: 16.587 ug/l

RT: 11.106 min Scan# 1556

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Tgt Ion:164 Resp: 40457




Ion Ratio Lower Upper


164 100

166 120.8 97.6 146.4

129 95.2 73.7 110.5

131 91.8 75.8 113.6









#65
Chlorobenzene
Concen: 16.646 ug/l
RT: 11.894 min Scan# 1119
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:112 Resp: 121013
Ion Ratio Lower Upper
112 100
114 31.8 25.7 38.5



#66
1,1,1,2-Tetrachloroethane
Concen: 17.791 ug/l
RT: 11.965 min Scan# 1702
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion:131 Resp: 42602
Ion Ratio Lower Upper
131 100
133 95.5 47.5 142.6
119 64.7 32.9 98.7








#67
Ethyl Benzene
Concen: 16.880 ug/l
RT: 11.965 min Scan# 1702
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 91 Resp: 219526
Ion Ratio Lower Upper
91 100
106 32.5 25.3 37.9



#68
m/p-Xylenes
Concen: 33.431 ug/l
RT: 12.071 min Scan# 1720
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 106 Resp: 159343
Ion Ratio Lower Upper
106 100
91 208.3 159.4 239.0









#69
o-Xylene
Concen: 17.090 ug/l
RT: 12.400 min Scan# 1776
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:106 Resp: 78904
Ion Ratio Lower Upper
106 100
91 221.3 104.7 314.1



#70
Styrene
Concen: 17.096 ug/l
RT: 12.412 min Scan# 1778
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion:104 Resp: 131111
Ion Ratio Lower Upper
104 100
78 54.6 38.6 58.0
103 55.6 43.8 65.6





#71

Bromoform

Concen: 17.091 ug/l

RT: 12.576 min Scan# 1806

Delta R.T. 0.000 min

Lab File: VN082365.D





Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :

Tgt Ion:173	Resp:	31660
Ion Ratio	Lower	Upper
173	100	
175	49.3	24.6 74.0
254	0.0	0.0 0.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l




RT: 13.794 min Scan# 2013


Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Tgt Ion:152	Resp:	151464
Ion Ratio	Lower	Upper
152	100	
115	62.1	30.4 91.3
150	162.1	0.0 353.2





#73

Isopropylbenzene

Concen: 17.005 ug/l

RT: 12.694 min Scan# 1826

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N





ClientSampleId :

Tgt Ion:105 Resp: 204615

Ion Ratio Lower Upper

105 100

120 25.3 13.4 40.1



#74

N-ethyl acetate

Concen: 15.360 ug/l

RT: 12.494 min Scan# 1792

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Tgt Ion: 43 Resp: 101662




Ion Ratio Lower Upper


43 100

70 36.7 39.0 58.4

55 22.4 21.3 31.9

61 21.8 20.5 30.7









#75
1,1,2,2-Tetrachloroethane
Concen: 15.979 ug/l
RT: 12.941 min Scan# 1868
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 83 Resp: 55425
Ion Ratio Lower Upper
83 100
131 10.3 5.5 16.4
85 66.0 32.9 98.6



#76
1,2,3-Trichloropropane
Concen: 25.210 ug/l
RT: 12.994 min Scan# 1877
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion: 75 Resp: 80370
Ion Ratio Lower Upper
75 100
77 132.2 90.5 271.3





#77

Bromobenzene

Concen: 16.594 ug/l

RT: 12.982 min Scan# 1875

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :





Tgt Ion:156 Resp: 47584

Ion Ratio Lower Upper

156 100

77 223.3 100.2 300.6

158 99.6 49.1 147.3



#78

n-propylbenzene

Concen: 16.757 ug/l

RT: 13.035 min Scan# 1884

Delta R.T. 0.000 min

Lab File: VN082365.D




Acq: 29 May 2024 12:14


Tgt Ion: 91 Resp: 238765

Ion Ratio Lower Upper

91 100

120 22.2 11.7 35.0









#79
2-Chlorotoluene
Concen: 16.211 ug/l
RT: 13.124 min Scan# 11
Delta R.T. -0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 91 Resp: 145049
Ion Ratio Lower Upper
91 100
126 30.8 17.5 52.5



#80
1,3,5-Trimethylbenzene
Concen: 16.962 ug/l
RT: 13.171 min Scan# 1907
Delta R.T. -0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion:105 Resp: 165035
Ion Ratio Lower Upper
105 100
120 47.5 24.8 74.3








#81
trans-1,4-Dichloro-2-butene
Concen: 17.432 ug/l
RT: 12.741 min Scan# 1834
Delta R.T. 0.006 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion: 75 Resp: 23760
Ion Ratio Lower Upper
75 100
53 102.1 72.9 109.3
89 42.7 39.1 58.7



#82
4-Chlorotoluene
Concen: 16.699 ug/l
RT: 13.223 min Scan# 1916
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14


Tgt Ion: 91 Resp: 146084
Ion Ratio Lower Upper
91 100
126 31.9 17.4 52.3








#83
tert-Butylbenzene
Concen: 16.774 ug/l
RT: 13.441 min Scan# 1953
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion:119 Resp: 142784
Ion Ratio Lower Upper
119 100
91 70.7 32.6 97.8
134 26.6 12.4 37.0



#84
1,2,4-Trimethylbenzene
Concen: 16.921 ug/l
RT: 13.482 min Scan# 1960
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion:105 Resp: 168439
Ion Ratio Lower Upper
105 100
120 43.2 22.9 68.7









#85
 sec-Butylbenzene
 Concen: 16.808 ug/l
 RT: 13.618 min Scan# 1983
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14




Instrument :
 MSVOA_N
 ClientSampleId :


Tgt Ion:105 Resp: 198304
 Ion Ratio Lower Upper
 105 100
 134 19.5 10.2 30.4



#86
 p-Isopropyltoluene
 Concen: 17.412 ug/l
 RT: 13.729 min Scan# 2002
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14

Tgt Ion:119 Resp: 166953
 Ion Ratio Lower Upper
 119 100
 134 24.7 13.2 39.5
 91 25.4 11.8 35.3









#87
 1,3-Dichlorobenzene
 Concen: 16.863 ug/l
 RT: 13.735 min Scan# 2003
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14




Instrument :
 MSVOA_N
 ClientSampleId :


Tgt Ion:146 Resp: 87610
 Ion Ratio Lower Upper
 146 100
 111 41.6 20.8 62.5
 148 64.8 32.1 96.3



#88
 1,4-Dichlorobenzene
 Concen: 16.562 ug/l
 RT: 13.812 min Scan# 2016
 Delta R.T. 0.000 min
 Lab File: VN082365.D
 Acq: 29 May 2024 12:14

Tgt Ion:146 Resp: 87816
 Ion Ratio Lower Upper
 146 100
 111 42.3 19.3 57.9
 148 65.0 31.3 93.9





#89

n-Butylbenzene

Concen: 16.592 ug/l

RT: 14.059 min Scan# 2058

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :





Tgt Ion: 91 Resp: 142998

Ion Ratio Lower Upper

91 100

92 51.8 26.2 78.5

134 24.6 13.2 39.5



#90

Hexachloroethane

Concen: 16.951 ug/l

RT: 14.335 min Scan# 2105

Delta R.T. 0.000 min

Lab File: VN082365.D




Acq: 29 May 2024 12:14


Tgt Ion: 117 Resp: 30114

Ion Ratio Lower Upper

117 100


201 69.2 33.3 99.8








#91
1,2-Dichlorobenzene
Concen: 17.061 ug/l
RT: 14.106 min Scan# 2066
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion	Ratio	Lower	Upper
146	100		
111	43.9	21.3	64.0
148	64.0	31.8	95.4



#92
1,2-Dibromo-3-Chloropropane
Concen: 17.541 ug/l
RT: 14.723 min Scan# 2171
Delta R.T. 0.000 min
Lab File: VN082365.D
Acq: 29 May 2024 12:14

Tgt Ion	Ratio	Lower	Upper
75	100		
155	67.7	42.6	128.0
157	88.8	53.0	159.0





#93

1,2,4-Trichlorobenzene

Concen: 17.033 ug/l

RT: 15.394 min Scan# 21

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :





Tgt Ion:180 Resp: 46952

Ion Ratio Lower Upper

180 100

182 92.3 46.7 140.0

145 31.2 16.2 48.6



#94

Hexachlorobutadiene

Concen: 17.600 ug/l

RT: 15.500 min Scan# 2303

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14




Tgt Ion:225 Resp: 21288


Ion Ratio Lower Upper

225 100

223 62.3 31.1 93.2

227 61.0 30.6 91.6





#95

Naphthalene

Concen: 17.531 ug/l

RT: 15.641 min Scan# 2327

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Instrument :

MSVOA_N

ClientSampleId :





Tgt Ion:128 Resp: 151439

Ion Ratio Lower Upper

128 100

127 12.8 10.1 15.1

129 11.1 8.9 13.3



#96

1,2,3-Trichlorobenzene

Concen: 16.673 ug/l

RT: 15.841 min Scan# 2361

Delta R.T. 0.000 min

Lab File: VN082365.D

Acq: 29 May 2024 12:14

Tgt Ion:180 Resp: 46009

Ion Ratio Lower Upper

180 100

182 96.2 46.0 137.8

145 33.0 17.1 51.3

