

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN053124\
 Data File : VN082397.D
 Acq On : 31 May 2024 10:01
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: May 31 22:53:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 16 05:21:06 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	89	0.00
2 T	Dichlorodifluoromethane	0.721	0.647	10.3	77	0.00
3 P	Chloromethane	0.817	0.683	16.4	76	0.00
4 C	Vinyl Chloride	0.768	0.842	-9.6#	97	0.00
5 T	Bromomethane	0.441	0.390	11.6	83	0.00
6 T	Chloroethane	0.501	0.467	6.8	87	0.00
7 T	Trichlorofluoromethane	1.006	0.994	1.2	87	0.00
8 T	Diethyl Ether	0.358	0.369	-3.1	88	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.588	0.577	1.9	89	0.00
10 T	Methyl Iodide	0.591	0.595	-0.7	85	0.00
11 T	Tert butyl alcohol	0.127	0.110	13.4	76	0.00
12 CM	1,1-Dichloroethene	0.546	0.536	1.8#	86	0.00
13 T	Acrolein	0.094	0.104	-10.6	93	0.00
14 T	Allyl chloride	1.169	1.062	9.2	83	0.00
15 T	Acrylonitrile	0.328	0.319	2.7	84	0.00
16 T	Acetone	0.324	0.306	5.6	79	0.00
17 T	Carbon Disulfide	1.764	1.374	22.1	72	0.00
18 T	Methyl Acetate	0.807	0.818	-1.4	93	0.00
19 T	Methyl tert-butyl Ether	1.996	2.090	-4.7	90	0.00
20 T	Methylene Chloride	0.653	0.631	3.4	89	0.00
21 T	trans-1,2-Dichloroethene	0.595	0.566	4.9	86	0.00
22 T	Diisopropyl ether	2.441	2.511	-2.9	89	0.00
23 T	Vinyl Acetate	1.925	1.918	0.4	83	0.00
24 P	1,1-Dichloroethane	1.258	1.259	-0.1	90	0.00
25 T	2-Butanone	0.491	0.476	3.1	83	0.00
26 T	2,2-Dichloropropane	1.054	1.139	-8.1	94	0.00
27 T	cis-1,2-Dichloroethene	0.702	0.720	-2.6	90	0.00
28 T	Bromochloromethane	0.586	0.530	9.6	86	0.00
29 T	Tetrahydrofuran	0.315	0.297	5.7	80	0.00
30 C	Chloroform	1.202	1.275	-6.1#	95	0.00
31 T	Cyclohexane	1.261	1.086	13.9	83	0.00
32 T	1,1,1-Trichloroethane	1.066	1.122	-5.3	92	0.00
33 S	1,2-Dichloroethane-d4	0.790	0.753	4.7	85	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.308	0.318	-3.2	89	0.00
36 T	1,1-Dichloropropene	0.516	0.531	-2.9	87	0.00
37 T	Ethyl Acetate	0.577	0.584	-1.2	82	0.00
38 T	Carbon Tetrachloride	0.523	0.584	-11.7	94	0.00
39 T	Methylcyclohexane	0.565	0.570	-0.9	82	0.00
40 TM	Benzene	1.538	1.633	-6.2	90	0.00
41 T	Methacrylonitrile	0.340	0.320	5.9	80	0.00
42 TM	1,2-Dichloroethane	0.592	0.627	-5.9	91	0.00
43 T	Isopropyl Acetate	1.023	1.054	-3.0	86	0.00
44 TM	Trichloroethene	0.349	0.371	-6.3	92	0.00
45 C	1,2-Dichloropropane	0.397	0.426	-7.3#	92	0.00
46 T	Dibromomethane	0.261	0.282	-8.0	92	0.00
47 T	Bromodichloromethane	0.550	0.630	-14.5	96	0.00
48 T	Methyl methacrylate	0.487	0.514	-5.5	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN053124\
 Data File : VN082397.D
 Acq On : 31 May 2024 10:01
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: May 31 22:53:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
 Quant Title : SW846 8260
 QLast Update : Thu May 16 05:21:06 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.007	0.007	0.0	89	0.00
50 S	Toluene-d8	1.179	1.207	-2.4	86	0.00
51 T	4-Methyl-2-Pentanone	0.581	0.614	-5.7	86	0.00
52 CM	Toluene	0.923	1.030	-11.6#	92	0.00
53 T	t-1,3-Dichloropropene	0.569	0.670	-17.8	94	0.00
54 T	cis-1,3-Dichloropropene	0.602	0.691	-14.8	93	0.00
55 T	1,1,2-Trichloroethane	0.335	0.378	-12.8	96	0.00
56 T	Ethyl methacrylate	0.570	0.641	-12.5	88	0.00
57 T	1,3-Dichloropropane	0.627	0.680	-8.5	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.294	0.310	-5.4	84	0.00
59 T	2-Hexanone	0.426	0.462	-8.5	85	0.00
60 T	Dibromochloromethane	0.370	0.465	-25.7#	99	0.00
61 T	1,2-Dibromoethane	0.345	0.378	-9.6	93	0.00
62 S	4-Bromofluorobenzene	0.421	0.449	-6.7	88	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	89	0.00
64 T	Tetrachloroethene	0.371	0.385	-3.8	93	0.00
65 PM	Chlorobenzene	1.105	1.170	-5.9	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.364	0.417	-14.6	97	0.00
67 C	Ethyl Benzene	1.976	2.134	-8.0#	91	0.00
68 T	m/p-Xylenes	0.724	0.802	-10.8	92	0.00
69 T	o-Xylene	0.701	0.770	-9.8	92	0.00
70 T	Styrene	1.165	1.353	-16.1	95	0.00
71 P	Bromoform	0.261	0.322	-23.4	98	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.972	4.176	-5.1	93	0.00
74 T	N-amyl acetate	2.185	2.121	2.9	86	0.00
75 P	1,1,2,2-Tetrachloroethane	1.145	1.150	-0.4	93	0.00
76 T	1,2,3-Trichloropropane	1.052	1.091	-3.7	92	0.00
77 T	Bromobenzene	0.947	0.992	-4.8	96	0.00
78 T	n-propylbenzene	4.704	5.047	-7.3	92	0.00
79 T	2-Chlorotoluene	2.954	3.029	-2.5	93	0.00
80 T	1,3,5-Trimethylbenzene	3.212	3.494	-8.8	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.450	0.464	-3.1	92	0.00
82 T	4-Chlorotoluene	2.888	3.039	-5.2	94	0.00
83 T	tert-Butylbenzene	2.810	3.022	-7.5	94	0.00
84 T	1,2,4-Trimethylbenzene	3.286	3.542	-7.8	92	0.00
85 T	sec-Butylbenzene	3.895	4.223	-8.4	93	0.00
86 T	p-Isopropyltoluene	3.165	3.528	-11.5	94	0.00
87 T	1,3-Dichlorobenzene	1.715	1.850	-7.9	97	0.00
88 T	1,4-Dichlorobenzene	1.750	1.848	-5.6	97	0.00
89 T	n-Butylbenzene	2.845	3.164	-11.2	94	0.00
90 T	Hexachloroethane	0.586	0.673	-14.8	99	0.00
91 T	1,2-Dichlorobenzene	1.623	1.769	-9.0	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.235	0.240	-2.1	86	0.00
93 T	1,2,4-Trichlorobenzene	0.910	0.979	-7.6	93	0.00
94 T	Hexachlorobutadiene	0.399	0.413	-3.5	95	0.00
95 T	Naphthalene	2.852	3.084	-8.1	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN053124\
Data File : VN082397.D
Acq On : 31 May 2024 10:01
Operator : JC\MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: May 31 22:53:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N051524W.M
Quant Title : SW846 8260
QLast Update : Thu May 16 05:21:06 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.911	0.982	-7.8	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6