

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060220\
 Data File : VN061625.D
 Acq On : 2 Jun 2020 17:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 03 03:49:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	0.523	0.503	3.8	86	0.00
3 P	Chloromethane	0.610	0.532	12.8	84	0.00
4 C	Vinyl Chloride	0.836	0.746	10.8#	86	0.00
5 T	Bromomethane	0.480	0.454	5.4	90	0.00
6 T	Chloroethane	0.538	0.466	13.4	86	0.00
7 T	Trichlorofluoromethane	1.078	0.869	19.4	79	0.00
8 T	Diethyl Ether	0.330	0.277	16.1	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.478	0.428	10.5	91	0.00
10 T	Methyl Iodide	0.664	0.613	7.7	91	0.00
11 T	Tert butyl alcohol	0.079	0.077	2.5	97	0.00
12 CM	1,1-Dichloroethene	0.511	0.439	14.1#	89	0.00
13 T	Acrolein	0.030	0.023	23.3	101	0.00
14 T	Allyl chloride	0.668	0.558	16.5	85	0.00
15 T	Acrylonitrile	0.221	0.193	12.7	85	0.00
16 T	Acetone	0.211	0.146	30.8#	86	0.00
17 T	Carbon Disulfide	1.124	0.908	19.2	83	0.00
18 T	Methyl Acetate	0.539	0.451	16.3	84	0.00
19 T	Methyl tert-butyl Ether	1.741	1.533	11.9	89	0.00
20 T	Methylene Chloride	0.730	0.507	30.5#	91	0.00
21 T	trans-1,2-Dichloroethene	0.576	0.502	12.8	91	0.00
22 T	Diisopropyl ether	1.472	1.288	12.5	87	0.00
23 T	Vinyl Acetate	1.173	0.965	17.7	79	0.00
24 P	1,1-Dichloroethane	0.934	0.815	12.7	88	0.00
25 T	2-Butanone	0.282	0.236	16.3	84	0.00
26 T	2,2-Dichloropropane	0.854	0.754	11.7	92	0.00
27 T	cis-1,2-Dichloroethene	0.652	0.608	6.7	92	0.00
28 T	Bromochloromethane	0.403	0.335	16.9	92	0.00
29 T	Tetrahydrofuran	0.186	0.156	16.1	83	0.00
30 C	Chloroform	1.033	0.935	9.5#	90	0.00
31 T	Cyclohexane	0.840	0.696	17.1	83	0.00
32 T	1,1,1-Trichloroethane	0.941	0.857	8.9	91	0.00
33 S	1,2-Dichloroethane-d4	0.596	0.537	9.9	87	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	95	0.00
35 S	Dibromofluoromethane	0.254	0.249	2.0	91	0.00
36 T	1,1-Dichloropropene	0.443	0.408	7.9	89	0.00
37 T	Ethyl Acetate	0.357	0.317	11.2	82	0.00
38 T	Carbon Tetrachloride	0.427	0.428	-0.2	94	0.00
39 T	Methylcyclohexane	0.546	0.464	15.0	82	0.00
40 TM	Benzene	1.366	1.263	7.5	91	0.00
41 T	Methacrylonitrile	0.163	0.154	5.5	102	0.00
42 TM	1,2-Dichloroethane	0.457	0.415	9.2	89	0.00
43 T	Isopropyl Acetate	0.641	0.559	12.8	85	0.00
44 TM	Trichloroethene	0.420	0.402	4.3	91	0.00
45 C	1,2-Dichloropropane	0.324	0.300	7.4#	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060220\
 Data File : VN061625.D
 Acq On : 2 Jun 2020 17:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 03 03:49:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.249	0.228	8.4	90	0.00
47 T	Bromodichloromethane	0.493	0.462	6.3	90	0.00
48 T	Methyl methacrylate	0.289	0.242	16.3	84	0.00
49 T	1,4-Dioxane	0.004	0.005	-25.0	117	0.00
50 S	Toluene-d8	1.175	1.124	4.3	89	0.00
51 T	4-Methyl-2-Pentanone	0.361	0.322	10.8	84	0.00
52 CM	Toluene	0.891	0.847	4.9#	91	0.00
53 T	t-1,3-Dichloropropene	0.531	0.497	6.4	90	0.00
54 T	cis-1,3-Dichloropropene	0.571	0.530	7.2	90	0.00
55 T	1,1,2-Trichloroethane	0.355	0.338	4.8	93	0.00
56 T	Ethyl methacrylate	0.496	0.470	5.2	89	0.00
57 T	1,3-Dichloropropane	0.568	0.534	6.0	91	0.00
58 T	2-Chloroethyl Vinyl ether	0.212	0.191	9.9	86	0.00
59 T	2-Hexanone	0.260	0.231	11.2	84	0.00
60 T	Dibromochloromethane	0.404	0.396	2.0	92	0.00
61 T	1,2-Dibromoethane	0.370	0.361	2.4	93	0.00
62 S	4-Bromofluorobenzene	0.429	0.415	3.3	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	95	0.00
64 T	Tetrachloroethene	0.471	0.469	0.4	97	0.00
65 PM	Chlorobenzene	1.039	0.991	4.6	94	0.00
66 T	1,1,1,2-Tetrachloroethane	0.387	0.377	2.6	94	0.00
67 C	Ethyl Benzene	1.796	1.716	4.5#	92	0.00
68 T	m/p-Xylenes	0.712	0.679	4.6	92	0.00
69 T	o-Xylene	0.677	0.654	3.4	92	0.00
70 T	Styrene	1.120	1.110	0.9	93	0.00
71 P	Bromoform	0.298	0.294	1.3	92	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.649	3.307	9.4	92	0.00
74 T	N-amyl acetate	1.149	1.004	12.6	86	0.00
75 P	1,1,2,2-Tetrachloroethane	1.023	0.868	15.2	88	0.00
76 T	1,2,3-Trichloropropane	0.909	0.819	9.9	94	0.00
77 T	Bromobenzene	0.932	0.875	6.1	95	0.00
78 T	n-propylbenzene	4.074	3.644	10.6	91	0.00
79 T	2-Chlorotoluene	2.429	2.149	11.5	91	0.00
80 T	1,3,5-Trimethylbenzene	3.050	2.770	9.2	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.356	0.305	14.3	85	0.00
82 T	4-Chlorotoluene	2.556	2.274	11.0	91	0.00
83 T	tert-Butylbenzene	2.695	2.368	12.1	90	0.00
84 T	1,2,4-Trimethylbenzene	3.030	2.773	8.5	91	0.00
85 T	sec-Butylbenzene	3.473	2.989	13.9	87	0.00
86 T	p-Isopropyltoluene	3.198	2.817	11.9	88	0.00
87 T	1,3-Dichlorobenzene	1.650	1.555	5.8	95	0.00
88 T	1,4-Dichlorobenzene	1.680	1.567	6.7	95	0.00
89 T	n-Butylbenzene	2.679	2.292	14.4	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060220\
Data File : VN061625.D
Acq On : 2 Jun 2020 17:59
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 03 03:49:08 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
Quant Title : SW846 8260
QLast Update : Fri May 29 02:14:10 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.354	0.328	7.3	95	0.00
91 T	1,2-Dichlorobenzene	1.576	1.499	4.9	94	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.209	0.173	17.2	85	0.00
93 T	1,2,4-Trichlorobenzene	0.922	0.865	6.2	91	0.00
94 T	Hexachlorobutadiene	0.393	0.309	21.4	82	0.00
95 T	Naphthalene	2.806	2.652	5.5	88	0.00
96 T	1,2,3-Trichlorobenzene	0.906	0.840	7.3	89	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6