

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN060419\
 Data File : VN055986.D
 Acq On : 4 Jun 2019 13:09
 Operator : JC/SP
 Sample : K3097-03
 Misc : 5.02g/10mL/100uL/5.00mL/MSVOA_N/MEOH
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 0423-HR-3(HACKENSACK)

Quant Time: Jun 05 01:27:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N060419W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 04 11:02:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.66	168	312534	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.58	114	471883	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	426443	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	172173	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.02	65	152644	49.19	ug/l	0.00
Spiked Amount			Recovery	=	98.38%	
35) Dibromofluoromethane	7.59	113	131170	45.31	ug/l	0.00
Spiked Amount			Recovery	=	90.62%	
50) Toluene-d8	10.09	98	554562	49.78	ug/l	0.00
Spiked Amount			Recovery	=	99.56%	
62) 4-Bromofluorobenzene	12.40	95	184932	48.81	ug/l	0.00
Spiked Amount			Recovery	=	97.62%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN060419\
Data File : VN055986.D
Acq On : 4 Jun 2019 13:09
Operator : JC/SP
Sample : K3097-03
Misc : 5.02g/10mL/100uL/5.00mL/MSVOA_N/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
0423-HR-3(HACKENSACK)

Quant Time: Jun 05 01:27:21 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N060419W.M
Quant Title : SW846 8260
QLast Update : Tue Jun 04 11:02:09 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.66 min Scan# 1831

Delta R.T. -0.00 min

Lab File: VN055986.D

Acq: 4 Jun 2019 13:09

Instrument :

MSVOA_N

ClientSampleId :


0423-HR-3(HACKENSACK)

Tot Ion:168 Resp: 312534

Ion Ratio Lower Upper

168 100

99 45.6 37.2 55.8



Abundance Ion 167.90 (167.60 to 168.60): VN055978.D (-1812) (-)

Ion 98.90 (98.60 to 99.60): VN055978.D (-1812) (-)

7.66



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 49.189 ug/l

RT: 8.02 min Scan# 1944

Delta R.T. 0.00 min

Lab File: VN055986.D


Acq: 4 Jun 2019 13:09

Tgt Ion: 65 Resp: 152644

Ion Ratio Lower Upper

65 100

67 53.9 0.0 109.2



Abundance Ion 64.90 (64.60 to 65.60): VN055978.D (-1926) (-)

Ion 66.90 (66.60 to 67.60): VN055978.D (-1926) (-)

8.02


60000


40000

20000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.58 min Scan# 2117
 Delta R.T. -0.00 min
 Lab File: VN055986.D
 Acq: 4 Jun 2019 13:09

Instrument :
 MSVOA_N
 ClientSampleId :
 0423-HR-3(HACKENSACK)

Tot Ion:114 Resp: 471883
 Ion Ratio Lower Upper
 114 100
 63 18.7 0.0 39.2
 88 15.2 0.0 31.0




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 45.307 ug/l
 RT: 7.59 min Scan# 1808
 Delta R.T. 0.00 min
 Lab File: VN055986.D
 Acq: 4 Jun 2019 13:09

Tgt Ion:113 Resp: 131170
 Ion Ratio Lower Upper
 113 100
 111 101.5 81.9 122.9
 192 23.9 19.5 29.3



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 49.779 ug/l

RT: 10.09 min Scan# 2586

Delta R.T. 0.00 min

Lab File: VN055986.D

Acq: 4 Jun 2019 13:09

Instrument :

MSVOA_N

ClientSampleId :


0423-HR-3(HACKENSACK)

Tot Ion: 98 Resp: 554562

Ion Ratio Lower Upper

98 100

100 65.1 51.9 77.9



Abundance Ion 98.00 (97.70 to 98.70): VN055978.D (-2570) (-)

Ion 100.00 (99.70 to 100.70): VN055978.D (-2570) (-)

10.09



300000

200000

100000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 48.812 ug/l

RT: 12.40 min Scan# 3305

Delta R.T. 0.00 min

Lab File: VN055986.D

Acq: 4 Jun 2019 13:09


Tgt Ion: 95 Resp: 184932

Ion Ratio Lower Upper

95 100

174 94.2 0.0 191.0

176 92.4 0.0 185.2



Abundance Ion 94.90 (94.60 to 95.60): VN055978.D (-3291) (-)

Ion 173.80 (173.50 to 174.50): VN055978.D (-3291) (-)

Ion 175.80 (175.50 to 176.50): VN055978.D (-3291) (-)

12.40


150000


100000

50000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. 0.00 min
Lab File: VN055986.D
Acq: 4 Jun 2019 13:09

Instrument :
MSVOA_N
ClientSampleId :
0423-HR-3(HACKENSACK)

Tot Ion:117 Resp: 426443
Ion Ratio Lower Upper
117 100
82 52.0 41.8 62.8
119 32.5 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.34 min Scan# 3598
Delta R.T. 0.00 min
Lab File: VN055986.D
Acq: 4 Jun 2019 13:09

Tgt Ion:152 Resp: 172173
Ion Ratio Lower Upper
152 100
115 53.6 27.0 81.0
150 157.9 0.0 343.2

