

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060420\
 Data File : VN061644.D
 Acq On : 4 Jun 2020 11:03
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 05 07:35:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.523	0.584	-11.7	90	0.00
3 P	Chloromethane	0.610	0.611	-0.2	87	0.00
4 C	Vinyl Chloride	0.836	0.849	-1.6#	88	0.00
5 T	Bromomethane	0.480	0.519	-8.1	92	0.00
6 T	Chloroethane	0.538	0.551	-2.4	91	0.00
7 T	Trichlorofluoromethane	1.078	1.139	-5.7	93	0.00
8 T	Diethyl Ether	0.330	0.318	3.6	89	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.478	0.511	-6.9	97	0.00
10 T	Methyl Iodide	0.664	0.661	0.5	88	0.00
11 T	Tert butyl alcohol	0.079	0.078	1.3	88	0.00
12 CM	1,1-Dichloroethene	0.511	0.498	2.5#	91	0.00
13 T	Acrolein	0.030	0.025	16.7	97	0.00
14 T	Allyl chloride	0.668	0.640	4.2	87	0.00
15 T	Acrylonitrile	0.221	0.214	3.2	84	0.00
16 T	Acetone	0.211	0.167	20.9	88	0.00
17 T	Carbon Disulfide	1.124	1.065	5.2	88	0.00
18 T	Methyl Acetate	0.539	0.501	7.1	84	0.00
19 T	Methyl tert-butyl Ether	1.741	1.700	2.4	89	0.00
20 T	Methylene Chloride	0.730	0.581	20.4	93	0.00
21 T	trans-1,2-Dichloroethene	0.576	0.577	-0.2	94	0.00
22 T	Diisopropyl ether	1.472	1.461	0.7	88	0.00
23 T	Vinyl Acetate	1.173	1.078	8.1	80	0.00
24 P	1,1-Dichloroethane	0.934	0.939	-0.5	91	0.00
25 T	2-Butanone	0.282	0.261	7.4	83	0.00
26 T	2,2-Dichloropropane	0.854	0.890	-4.2	98	0.00
27 T	cis-1,2-Dichloroethene	0.652	0.679	-4.1	93	0.00
28 T	Bromochloromethane	0.403	0.392	2.7	97	0.00
29 T	Tetrahydrofuran	0.186	0.169	9.1	81	0.00
30 C	Chloroform	1.033	1.063	-2.9#	92	0.00
31 T	Cyclohexane	0.840	0.801	4.6	86	0.00
32 T	1,1,1-Trichloroethane	0.941	0.964	-2.4	92	0.00
33 S	1,2-Dichloroethane-d4	0.596	0.633	-6.2	92	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	82	0.00
35 S	Dibromofluoromethane	0.254	0.304	-19.7	96	0.00
36 T	1,1-Dichloropropene	0.443	0.488	-10.2	92	0.00
37 T	Ethyl Acetate	0.357	0.355	0.6	79	0.00
38 T	Carbon Tetrachloride	0.427	0.514	-20.4	97	0.00
39 T	Methylcyclohexane	0.546	0.583	-6.8	88	0.00
40 TM	Benzene	1.366	1.485	-8.7	92	0.00
41 T	Methacrylonitrile	0.163	0.157	3.7	90	0.00
42 TM	1,2-Dichloroethane	0.457	0.486	-6.3	90	0.00
43 T	Isopropyl Acetate	0.641	0.627	2.2	82	0.00
44 TM	Trichloroethene	0.420	0.467	-11.2	91	0.00
45 C	1,2-Dichloropropane	0.324	0.359	-10.8#	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060420\
 Data File : VN061644.D
 Acq On : 4 Jun 2020 11:03
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 05 07:35:15 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.249	0.271	-8.8	92	0.00
47 T	Bromodichloromethane	0.493	0.546	-10.8	92	0.00
48 T	Methyl methacrylate	0.289	0.269	6.9	80	0.00
49 T	1,4-Dioxane	0.004	0.006	-50.0#	110	0.00
50 S	Toluene-d8	1.175	1.381	-17.5	95	0.00
51 T	4-Methyl-2-Pentanone	0.361	0.365	-1.1	83	0.00
52 CM	Toluene	0.891	1.016	-14.0#	94	0.00
53 T	t-1,3-Dichloropropene	0.531	0.584	-10.0	91	0.00
54 T	cis-1,3-Dichloropropene	0.571	0.630	-10.3	92	0.00
55 T	1,1,2-Trichloroethane	0.355	0.392	-10.4	93	0.00
56 T	Ethyl methacrylate	0.496	0.544	-9.7	88	0.00
57 T	1,3-Dichloropropane	0.568	0.628	-10.6	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.212	0.237	-11.8	92	0.00
59 T	2-Hexanone	0.260	0.261	-0.4	82	0.00
60 T	Dibromochloromethane	0.404	0.464	-14.9	93	0.00
61 T	1,2-Dibromoethane	0.370	0.416	-12.4	93	0.00
62 S	4-Bromofluorobenzene	0.429	0.510	-18.9	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	84	0.00
64 T	Tetrachloroethene	0.471	0.536	-13.8	97	0.00
65 PM	Chlorobenzene	1.039	1.158	-11.5	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.387	0.437	-12.9	96	0.00
67 C	Ethyl Benzene	1.796	2.032	-13.1#	96	0.00
68 T	m/p-Xylenes	0.712	0.799	-12.2	95	0.00
69 T	o-Xylene	0.677	0.765	-13.0	95	0.00
70 T	Styrene	1.120	1.299	-16.0	95	0.00
71 P	Bromoform	0.298	0.341	-14.4	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	85	0.00
73 T	Isopropylbenzene	3.649	3.932	-7.8	96	0.00
74 T	N-amyl acetate	1.149	1.112	3.2	83	0.00
75 P	1,1,2,2-Tetrachloroethane	1.023	0.999	2.3	89	0.00
76 T	1,2,3-Trichloropropane	0.909	0.838	7.8	84	0.00
77 T	Bromobenzene	0.932	1.021	-9.5	97	0.00
78 T	n-propylbenzene	4.074	4.416	-8.4	96	0.00
79 T	2-Chlorotoluene	2.429	2.554	-5.1	95	0.00
80 T	1,3,5-Trimethylbenzene	3.050	3.299	-8.2	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.356	0.356	0.0	87	0.00
82 T	4-Chlorotoluene	2.556	2.698	-5.6	95	0.00
83 T	tert-Butylbenzene	2.695	2.827	-4.9	94	0.00
84 T	1,2,4-Trimethylbenzene	3.030	3.339	-10.2	96	0.00
85 T	sec-Butylbenzene	3.473	3.686	-6.1	94	0.00
86 T	p-Isopropyltoluene	3.198	3.460	-8.2	95	0.00
87 T	1,3-Dichlorobenzene	1.650	1.845	-11.8	98	0.00
88 T	1,4-Dichlorobenzene	1.680	1.856	-10.5	98	0.00
89 T	n-Butylbenzene	2.679	2.865	-6.9	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060420\
Data File : VN061644.D
Acq On : 4 Jun 2020 11:03
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 05 07:35:15 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
Quant Title : SW846 8260
QLast Update : Fri May 29 02:14:10 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.354	0.457	-29.1#	115	0.00
91 T	1,2-Dichlorobenzene	1.576	1.761	-11.7	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.209	0.185	11.5	80	0.00
93 T	1,2,4-Trichlorobenzene	0.922	1.036	-12.4	96	0.00
94 T	Hexachlorobutadiene	0.393	0.433	-10.2	100	0.00
95 T	Naphthalene	2.806	2.902	-3.4	84	0.00
96 T	1,2,3-Trichlorobenzene	0.906	1.006	-11.0	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6