

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN060523\  
 Data File : VN078047.D  
 Acq On : 05 Jun 2023 16:21  
 Operator : JC\MD  
 Sample : PB153198ZHE#08  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB153198ZHE#08

Quant Time: Jun 06 02:03:32 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N051523W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue May 16 04:07:42 2023  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.230  | 168   | 386238   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.106  | 114   | 726349   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.871 | 117   | 663675   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.800 | 152   | 209959   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.588  | 65    | 269729   | 46.673   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 93.340%  |
| 35) Dibromofluoromethane    | 8.171  | 113   | 235103   | 49.637   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 99.280%  |
| 50) Toluene-d8              | 10.571 | 98    | 907298   | 49.767   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 99.540%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 264642   | 41.101   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =      | 82.200%# |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 4.453  | 43    | 31124    | 17.118   | ug/l # | 77       |
| 37) Ethyl Acetate           | 7.577  | 43    | 67101    | 10.867   | ug/l   | 95       |
| 43) Isopropyl Acetate       | 8.694  | 43    | 486068   | 48.193   | ug/l # | 73       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN060523\  
Data File : VN078047.D  
Acq On : 05 Jun 2023 16:21  
Operator : JC\MD  
Sample : PB153198ZHE#08  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB153198ZHE#08

Quant Time: Jun 06 02:03:32 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N051523W.M  
Quant Title : SW846 8260  
QLast Update : Tue May 16 04:07:42 2023  
Response via : Initial Calibration

