

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060820\
 Data File : VN061713.D
 Acq On : 8 Jun 2020 21:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 09 04:57:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	0.00
2 T	Dichlorodifluoromethane	0.523	0.472	9.8	74	0.00
3 P	Chloromethane	0.610	0.498	18.4	71	0.00
4 C	Vinyl Chloride	0.836	0.677	19.0#	71	0.00
5 T	Bromomethane	0.480	0.431	10.2	78	0.00
6 T	Chloroethane	0.538	0.455	15.4	76	0.00
7 T	Trichlorofluoromethane	1.078	0.903	16.2	75	0.00
8 T	Diethyl Ether	0.330	0.273	17.3	78	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.478	0.411	14.0	79	0.00
10 T	Methyl Iodide	0.664	0.563	15.2	76	0.00
11 T	Tert butyl alcohol	0.079	0.064	19.0	73	0.00
12 CM	1,1-Dichloroethene	0.511	0.418	18.2#	77	0.00
13 T	Acrolein	0.030	0.020	33.3#	77	0.00
14 T	Allyl chloride	0.668	0.506	24.3	70	0.00
15 T	Acrylonitrile	0.221	0.186	15.8	74	0.00
16 T	Acetone	0.211	0.138	34.6#	74	0.00
17 T	Carbon Disulfide	1.124	0.853	24.1	71	0.00
18 T	Methyl Acetate	0.539	0.439	18.6	75	0.00
19 T	Methyl tert-butyl Ether	1.741	1.442	17.2	77	0.00
20 T	Methylene Chloride	0.730	0.499	31.6#	81	0.00
21 T	trans-1,2-Dichloroethene	0.576	0.483	16.1	79	0.00
22 T	Diisopropyl ether	1.472	1.241	15.7	76	0.00
23 T	Vinyl Acetate	1.173	0.905	22.8	68	0.00
24 P	1,1-Dichloroethane	0.934	0.789	15.5	77	0.00
25 T	2-Butanone	0.282	0.216	23.4	70	0.00
26 T	2,2-Dichloropropane	0.854	0.633	25.9#	71	0.00
27 T	cis-1,2-Dichloroethene	0.652	0.569	12.7	79	0.00
28 T	Bromochloromethane	0.403	0.333	17.4	83	0.00
29 T	Tetrahydrofuran	0.186	0.143	23.1	69	0.00
30 C	Chloroform	1.033	0.910	11.9#	80	0.00
31 T	Cyclohexane	0.840	0.635	24.4	69	0.00
32 T	1,1,1-Trichloroethane	0.941	0.803	14.7	78	0.00
33 S	1,2-Dichloroethane-d4	0.596	0.570	4.4	84	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	85	0.00
35 S	Dibromofluoromethane	0.254	0.278	-9.4	92	0.00
36 T	1,1-Dichloropropene	0.443	0.382	13.8	75	0.00
37 T	Ethyl Acetate	0.357	0.295	17.4	69	0.00
38 T	Carbon Tetrachloride	0.427	0.400	6.3	79	0.00
39 T	Methylcyclohexane	0.546	0.430	21.2	68	0.00
40 TM	Benzene	1.366	1.215	11.1	79	0.00
41 T	Methacrylonitrile	0.163	0.134	17.8	80	0.00
42 TM	1,2-Dichloroethane	0.457	0.400	12.5	78	0.00
43 T	Isopropyl Acetate	0.641	0.515	19.7	70	0.00
44 TM	Trichloroethene	0.420	0.368	12.4	75	0.00
45 C	1,2-Dichloropropane	0.324	0.298	8.0#	80	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060820\
 Data File : VN061713.D
 Acq On : 8 Jun 2020 21:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 09 04:57:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.249	0.227	8.8	81	0.00
47 T	Bromodichloromethane	0.493	0.452	8.3	79	0.00
48 T	Methyl methacrylate	0.289	0.222	23.2	70	0.00
49 T	1,4-Dioxane	0.004	0.005	-25.0	100	0.00
50 S	Toluene-d8	1.175	1.199	-2.0	86	0.00
51 T	4-Methyl-2-Pentanone	0.361	0.299	17.2	71	0.00
52 CM	Toluene	0.891	0.811	9.0#	79	0.00
53 T	t-1,3-Dichloropropene	0.531	0.464	12.6	75	0.00
54 T	cis-1,3-Dichloropropene	0.571	0.504	11.7	77	0.00
55 T	1,1,2-Trichloroethane	0.355	0.330	7.0	82	0.00
56 T	Ethyl methacrylate	0.496	0.445	10.3	76	0.00
57 T	1,3-Dichloropropane	0.568	0.522	8.1	80	0.00
58 T	2-Chloroethyl Vinyl ether	0.212	0.183	13.7	74	0.00
59 T	2-Hexanone	0.260	0.211	18.8	69	0.00
60 T	Dibromochloromethane	0.404	0.384	5.0	81	0.00
61 T	1,2-Dibromoethane	0.370	0.342	7.6	80	0.00
62 S	4-Bromofluorobenzene	0.429	0.435	-1.4	87	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	86	0.00
64 T	Tetrachloroethene	0.471	0.421	10.6	78	0.00
65 PM	Chlorobenzene	1.039	0.942	9.3	80	0.00
66 T	1,1,1,2-Tetrachloroethane	0.387	0.367	5.2	82	0.00
67 C	Ethyl Benzene	1.796	1.622	9.7#	79	0.00
68 T	m/p-Xylenes	0.712	0.645	9.4	79	0.00
69 T	o-Xylene	0.677	0.618	8.7	79	0.00
70 T	Styrene	1.120	1.060	5.4	80	0.00
71 P	Bromoform	0.298	0.289	3.0	81	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	88	0.00
73 T	Isopropylbenzene	3.649	3.128	14.3	79	0.00
74 T	N-amyl acetate	1.149	0.925	19.5	72	0.00
75 P	1,1,2,2-Tetrachloroethane	1.023	0.866	15.3	80	0.00
76 T	1,2,3-Trichloropropane	0.909	0.733	19.4	77	0.00
77 T	Bromobenzene	0.932	0.839	10.0	82	0.00
78 T	n-propylbenzene	4.074	3.475	14.7	79	0.00
79 T	2-Chlorotoluene	2.429	2.031	16.4	78	0.00
80 T	1,3,5-Trimethylbenzene	3.050	2.637	13.5	79	0.00
81 T	trans-1,4-Dichloro-2-butene	0.356	0.275	22.8	70	0.00
82 T	4-Chlorotoluene	2.556	2.142	16.2	78	0.00
83 T	tert-Butylbenzene	2.695	2.262	16.1	78	0.00
84 T	1,2,4-Trimethylbenzene	3.030	2.613	13.8	78	0.00
85 T	sec-Butylbenzene	3.473	2.863	17.6	76	0.00
86 T	p-Isopropyltoluene	3.198	2.712	15.2	77	0.00
87 T	1,3-Dichlorobenzene	1.650	1.474	10.7	82	0.00
88 T	1,4-Dichlorobenzene	1.680	1.502	10.6	82	0.00
89 T	n-Butylbenzene	2.679	2.189	18.3	74	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN060820\
Data File : VN061713.D
Acq On : 8 Jun 2020 21:59
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 09 04:57:38 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
Quant Title : SW846 8260
QLast Update : Fri May 29 02:14:10 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.354	0.370	-4.5	97	0.00
91 T	1,2-Dichlorobenzene	1.576	1.422	9.8	81	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.209	0.157	24.9	70	0.00
93 T	1,2,4-Trichlorobenzene	0.922	0.830	10.0	79	0.00
94 T	Hexachlorobutadiene	0.393	0.330	16.0	79	0.00
95 T	Naphthalene	2.806	2.399	14.5	72	0.00
96 T	1,2,3-Trichlorobenzene	0.906	0.817	9.8	79	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6