

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN060925\  
 Data File : VN086905.D  
 Acq On : 09 Jun 2025 15:08  
 Operator : JC\MD  
 Sample : Q2198-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 19 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 B-202-SB02

Quant Time: Jun 10 03:34:20 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N060625W.M  
 Quant Title : SW846 8260  
 QLast Update : Sat Jun 07 02:12:50 2025  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|--------|----------|
| -----                       |        |       |          |          |        |          |
| Internal Standards          |        |       |          |          |        |          |
| 1) Pentafluorobenzene       | 8.229  | 168   | 429044   | 50.000   | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.106  | 114   | 754017   | 50.000   | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.865 | 117   | 651717   | 50.000   | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.788 | 152   | 315202   | 50.000   | ug/l   | 0.00     |
| System Monitoring Compounds |        |       |          |          |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.582  | 65    | 243428   | 42.376   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =      | 84.760%  |
| 35) Dibromofluoromethane    | 8.177  | 113   | 214624   | 48.031   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =      | 96.060%  |
| 50) Toluene-d8              | 10.570 | 98    | 897684   | 50.747   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =      | 101.500% |
| 62) 4-Bromofluorobenzene    | 12.847 | 95    | 319909   | 48.676   | ug/l   | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =      | 97.360%  |
| Target Compounds            |        |       |          |          |        |          |
|                             |        |       |          |          | Qvalue |          |
| 16) Acetone                 | 4.447  | 43    | 75986    | 24.944   | ug/l   | 97       |
| 20) Methylene Chloride      | 5.294  | 84    | 25077    | 4.397    | ug/l   | 90       |
| 43) Isopropyl Acetate       | 8.694  | 43    | 17428    | 1.281    | ug/l   | 97       |
| -----                       |        |       |          |          |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN060925\  
Data File : VN086905.D  
Acq On : 09 Jun 2025 15:08  
Operator : JC\MD  
Sample : Q2198-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
B-202-SB02

Quant Time: Jun 10 03:34:20 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N060625W.M  
Quant Title : SW846 8260  
QLast Update : Sat Jun 07 02:12:50 2025  
Response via : Initial Calibration

