

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061122\
 Data File : VN072785.D
 Acq On : 11 Jun 2022 13:16
 Operator : JC\MD
 Sample : N3309-01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TT-TB-20220608

Quant Time: Jun 13 01:19:21 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N060622W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Jun 06 14:10:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.657	128	34125	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	8.963	114	208066	30.000	ug/l	# 0.00
57) Chlorobenzene-d5	11.739	117	162182	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.433	65	132021	33.922	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	113.067%#
60) 4-Bromofluorobenzene	12.727	95	78124	23.420	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	78.067%
63) Toluene-d8	10.439	98	296198	32.969	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	109.900%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061122\
Data File : VN072785.D
Acq On : 11 Jun 2022 13:16
Operator : JC\MD
Sample : N3309-01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TT-TB-20220608

Quant Time: Jun 13 01:19:21 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N060622W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Mon Jun 06 14:10:15 2022
Response via : Initial Calibration

