

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061122\
 Data File : VN072791.D
 Acq On : 11 Jun 2022 15:42
 Operator : JC\MD
 Sample : N3309-01RE
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TT-TB-20220608RE

Quant Time: Jun 13 01:20:19 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N060622W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Mon Jun 06 14:10:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.657	128	33430	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	8.963	114	192623	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.739	117	153898	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.433	65	122432	32.112	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	107.033%
60) 4-Bromofluorobenzene	12.727	95	75629	23.893	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	79.633%
63) Toluene-d8	10.439	98	282452	33.131	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	110.433%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061122\
Data File : VN072791.D
Acq On : 11 Jun 2022 15:42
Operator : JC\MD
Sample : N3309-01RE
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TT-TB-20220608RE

Quant Time: Jun 13 01:20:19 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N060622W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Mon Jun 06 14:10:15 2022
Response via : Initial Calibration

