

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN061220\
 Data File : VN061779.D
 Acq On : 12 Jun 2020 9:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 13 05:20:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	84	0.00
2 T	Dichlorodifluoromethane	0.523	0.544	-4.0	80	0.00
3 P	Chloromethane	0.610	0.521	14.6	71	0.00
4 C	Vinyl Chloride	0.836	0.710	15.1#	70	0.00
5 T	Bromomethane	0.480	0.479	0.2	82	-0.02
6 T	Chloroethane	0.538	0.490	8.9	78	0.00
7 T	Trichlorofluoromethane	1.078	1.053	2.3	82	0.00
8 T	Diethyl Ether	0.330	0.326	1.2	88	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.478	0.506	-5.9	92	0.00
10 T	Methyl Iodide	0.664	0.683	-2.9	87	0.00
11 T	Tert butyl alcohol	0.079	0.081	-2.5	87	0.00
12 CM	1,1-Dichloroethene	0.511	0.480	6.1#	84	0.00
13 T	Acrolein	0.030	0.019	36.7#	71	0.00
14 T	Allyl chloride	0.668	0.582	12.9	76	0.00
15 T	Acrylonitrile	0.221	0.215	2.7	81	0.00
16 T	Acetone	0.211	0.178	15.6	90	0.00
17 T	Carbon Disulfide	1.124	0.909	19.1	72	0.00
18 T	Methyl Acetate	0.539	0.522	3.2	84	0.00
19 T	Methyl tert-butyl Ether	1.741	1.665	4.4	84	0.00
20 T	Methylene Chloride	0.730	0.567	22.3	88	0.00
21 T	trans-1,2-Dichloroethene	0.576	0.550	4.5	86	0.00
22 T	Diisopropyl ether	1.472	1.412	4.1	82	0.00
23 T	Vinyl Acetate	1.173	1.040	11.3	74	0.00
24 P	1,1-Dichloroethane	0.934	0.903	3.3	84	0.00
25 T	2-Butanone	0.282	0.254	9.9	78	0.00
26 T	2,2-Dichloropropane	0.854	0.833	2.5	88	0.00
27 T	cis-1,2-Dichloroethene	0.652	0.659	-1.1	86	0.00
28 T	Bromochloromethane	0.403	0.331	17.9	78	0.00
29 T	Tetrahydrofuran	0.186	0.166	10.8	76	0.00
30 C	Chloroform	1.033	1.043	-1.0#	87	0.00
31 T	Cyclohexane	0.840	0.722	14.0	74	0.00
32 T	1,1,1-Trichloroethane	0.941	0.910	3.3	83	0.00
33 S	1,2-Dichloroethane-d4	0.596	0.542	9.1	76	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	74	0.00
35 S	Dibromofluoromethane	0.254	0.280	-10.2	81	0.00
36 T	1,1-Dichloropropene	0.443	0.480	-8.4	82	0.00
37 T	Ethyl Acetate	0.357	0.361	-1.1	74	0.00
38 T	Carbon Tetrachloride	0.427	0.506	-18.5	88	0.00
39 T	Methylcyclohexane	0.546	0.565	-3.5	78	0.00
40 TM	Benzene	1.366	1.508	-10.4	85	0.00
41 T	Methacrylonitrile	0.163	0.166	-1.8	87	0.00
42 TM	1,2-Dichloroethane	0.457	0.489	-7.0	83	0.00
43 T	Isopropyl Acetate	0.641	0.628	2.0	75	0.00
44 TM	Trichloroethene	0.420	0.474	-12.9	85	0.00
45 C	1,2-Dichloropropane	0.324	0.367	-13.3#	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN061220\
 Data File : VN061779.D
 Acq On : 12 Jun 2020 9:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 13 05:20:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
 Quant Title : SW846 8260
 QLast Update : Fri May 29 02:14:10 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.249	0.277	-11.2	86	0.00
47 T	Bromodichloromethane	0.493	0.576	-16.8	88	0.00
48 T	Methyl methacrylate	0.289	0.274	5.2	75	0.00
49 T	1,4-Dioxane	0.004	0.007	-75.0#	124	0.00
50 S	Toluene-d8	1.175	1.260	-7.2	79	0.00
51 T	4-Methyl-2-Pentanone	0.361	0.371	-2.8	76	0.00
52 CM	Toluene	0.891	1.016	-14.0#	86	0.00
53 T	t-1,3-Dichloropropene	0.531	0.604	-13.7	85	0.00
54 T	cis-1,3-Dichloropropene	0.571	0.652	-14.2	87	0.00
55 T	1,1,2-Trichloroethane	0.355	0.412	-16.1	89	0.00
56 T	Ethyl methacrylate	0.496	0.551	-11.1	81	0.00
57 T	1,3-Dichloropropane	0.568	0.656	-15.5	88	0.00
58 T	2-Chloroethyl Vinyl ether	0.212	0.201	5.2	71	0.00
59 T	2-Hexanone	0.260	0.264	-1.5	76	0.00
60 T	Dibromochloromethane	0.404	0.488	-20.8	89	0.00
61 T	1,2-Dibromoethane	0.370	0.428	-15.7	87	0.00
62 S	4-Bromofluorobenzene	0.429	0.460	-7.2	81	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	77	0.00
64 T	Tetrachloroethene	0.471	0.524	-11.3	87	0.00
65 PM	Chlorobenzene	1.039	1.160	-11.6	88	0.00
66 T	1,1,1,2-Tetrachloroethane	0.387	0.450	-16.3	90	0.00
67 C	Ethyl Benzene	1.796	2.004	-11.6#	87	0.00
68 T	m/p-Xylenes	0.712	0.787	-10.5	86	0.00
69 T	o-Xylene	0.677	0.753	-11.2	86	0.00
70 T	Styrene	1.120	1.305	-16.5	88	0.00
71 P	Bromoform	0.298	0.359	-20.5	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	79	0.00
73 T	Isopropylbenzene	3.649	3.823	-4.8	87	0.00
74 T	N-amyl acetate	1.149	1.075	6.4	75	0.00
75 P	1,1,2,2-Tetrachloroethane	1.023	1.029	-0.6	85	0.00
76 T	1,2,3-Trichloropropane	0.909	0.869	4.4	81	0.00
77 T	Bromobenzene	0.932	1.030	-10.5	91	0.00
78 T	n-propylbenzene	4.074	4.311	-5.8	88	0.00
79 T	2-Chlorotoluene	2.429	2.500	-2.9	86	0.00
80 T	1,3,5-Trimethylbenzene	3.050	3.218	-5.5	86	0.00
81 T	trans-1,4-Dichloro-2-butene	0.356	0.352	1.1	80	0.00
82 T	4-Chlorotoluene	2.556	2.644	-3.4	86	0.00
83 T	tert-Butylbenzene	2.695	2.754	-2.2	85	0.00
84 T	1,2,4-Trimethylbenzene	3.030	3.201	-5.6	85	0.00
85 T	sec-Butylbenzene	3.473	3.611	-4.0	86	0.00
86 T	p-Isopropyltoluene	3.198	3.393	-6.1	86	0.00
87 T	1,3-Dichlorobenzene	1.650	1.837	-11.3	91	0.00
88 T	1,4-Dichlorobenzene	1.680	1.826	-8.7	90	0.00
89 T	n-Butylbenzene	2.679	2.799	-4.5	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN061220\
Data File : VN061779.D
Acq On : 12 Jun 2020 9:59
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 13 05:20:47 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N052820W.M
Quant Title : SW846 8260
QLast Update : Fri May 29 02:14:10 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.354	0.484	-36.7#	114	0.00
91 T	1,2-Dichlorobenzene	1.576	1.741	-10.5	89	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.209	0.180	13.9	72	0.00
93 T	1,2,4-Trichlorobenzene	0.922	1.073	-16.4	92	0.00
94 T	Hexachlorobutadiene	0.393	0.459	-16.8	99	0.00
95 T	Naphthalene	2.806	2.883	-2.7	78	0.00
96 T	1,2,3-Trichlorobenzene	0.906	1.040	-14.8	90	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6