

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN061319\  
 Data File : VN056286.D  
 Acq On : 13 Jun 2019 17:06  
 Operator : JC/SP  
 Sample : K3350-01  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TB-01-190611

Quant Time: Jun 14 02:02:51 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N060419W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jun 04 11:02:09 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.66  | 168  | 345460   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.58  | 114  | 586170   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.41 | 117  | 568971   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.34 | 152  | 167539   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 33) 1,2-Dichloroethane-d4   | 8.03  | 65   | 198348   | 57.83 | ug/l    | 0.00     |
| Spiked Amount               |       |      |          |       |         |          |
|                             |       |      | Recovery | =     | 115.66% |          |
| 35) Dibromofluoromethane    | 7.59  | 113  | 180150   | 50.09 | ug/l    | 0.00     |
| Spiked Amount               |       |      |          |       |         |          |
|                             |       |      | Recovery | =     | 100.18% |          |
| 50) Toluene-d8              | 10.09 | 98   | 717128   | 51.82 | ug/l    | 0.00     |
| Spiked Amount               |       |      |          |       |         |          |
|                             |       |      | Recovery | =     | 103.64% |          |
| 62) 4-Bromofluorobenzene    | 12.40 | 95   | 229670   | 48.80 | ug/l    | 0.00     |
| Spiked Amount               |       |      |          |       |         |          |
|                             |       |      | Recovery | =     | 97.60%  |          |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN061319\  
Data File : VN056286.D  
Acq On : 13 Jun 2019 17:06  
Operator : JC/SP  
Sample : K3350-01  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TB-01-190611

Quant Time: Jun 14 02:02:51 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N060419W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jun 04 11:02:09 2019  
Response via : Initial Calibration

