

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN061419\
 Data File : VN056307.D
 Acq On : 14 Jun 2019 13:09
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 09:08:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N060419W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 04 11:02:09 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.491	0.503	-2.4	89	0.00
3 P	Chloromethane	0.542	0.536	1.1	92	0.00
4 C	Vinyl Chloride	0.544	0.546	-0.4#	93	0.00
5 T	Bromomethane	0.343	0.277	19.2	76	-0.02
6 T	Chloroethane	0.315	0.316	-0.3	94	-0.02
7 T	Trichlorofluoromethane	0.694	0.705	-1.6	97	0.00
8 T	Diethyl Ether	0.285	0.283	0.7	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.422	0.463	-9.7	106	0.00
10 T	Methyl Iodide	0.670	0.415	38.1#	59	0.00
11 T	Tert butyl alcohol	0.086	0.083	3.5	94	0.02
12 CM	1,1-Dichloroethene	0.420	0.423	-0.7#	96	0.00
13 T	Acrolein	0.025	0.020	20.0	78	0.00
14 T	Allyl chloride	0.663	0.727	-9.7	104	0.00
15 T	Acrylonitrile	0.210	0.251	-19.5	110	0.00
16 T	Acetone	0.237	0.265	-11.8	106	0.00
17 T	Carbon Disulfide	1.005	0.930	7.5	86	0.00
18 T	Methyl Acetate	0.521	0.611	-17.3	128	0.00
19 T	Methyl tert-butyl Ether	1.338	1.444	-7.9	104	0.00
20 T	Methylene Chloride	0.489	0.509	-4.1	103	0.00
21 T	trans-1,2-Dichloroethene	0.450	0.447	0.7	95	0.00
22 T	Diisopropyl ether	1.370	1.515	-10.6	108	0.00
23 T	Vinyl Acetate	1.079	1.234	-14.4	105	0.00
24 P	1,1-Dichloroethane	0.790	0.868	-9.9	106	0.00
25 T	2-Butanone	0.300	0.359	-19.7	111	0.00
26 T	2,2-Dichloropropane	0.617	0.635	-2.9	99	0.00
27 T	cis-1,2-Dichloroethene	0.529	0.546	-3.2	99	0.00
28 T	Bromochloromethane	0.374	0.434	-16.0	108	0.00
29 T	Tetrahydrofuran	0.185	0.218	-17.8	111	0.00
30 C	Chloroform	0.795	0.876	-10.2#	106	0.00
31 T	Cyclohexane	0.788	0.767	2.7	98	0.00
32 T	1,1,1-Trichloroethane	0.664	0.709	-6.8	102	0.00
33 S	1,2-Dichloroethane-d4	0.496	0.524	-5.6	102	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	101	0.00
35 S	Dibromofluoromethane	0.307	0.315	-2.6	103	0.00
36 T	1,1-Dichloropropene	0.430	0.418	2.8	100	0.00
37 T	Ethyl Acetate	0.383	0.443	-15.7	112	0.00
38 T	Carbon Tetrachloride	0.396	0.410	-3.5	104	0.00
39 T	Methylcyclohexane	0.536	0.515	3.9	97	0.00
40 TM	Benzene	1.306	1.316	-0.8	101	0.00
41 T	Methacrylonitrile	0.176	0.196	-11.4	117	0.00
42 TM	1,2-Dichloroethane	0.420	0.437	-4.0	107	0.00
43 T	Isopropyl Acetate	0.620	0.666	-7.4	105	0.00
44 TM	Trichloroethene	0.375	0.365	2.7	99	0.00
45 C	1,2-Dichloropropane	0.334	0.361	-8.1#	109	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN061419\
 Data File : VN056307.D
 Acq On : 14 Jun 2019 13:09
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 09:08:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N060419W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 04 11:02:09 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.219	0.231	-5.5	106	0.00
47 T	Bromodichloromethane	0.396	0.453	-14.4	112	0.00
48 T	Methyl methacrylate	0.303	0.333	-9.9	111	0.00
49 T	1,4-Dioxane	0.007	0.007	0.0	105	0.00
50 S	Toluene-d8	1.180	1.149	2.6	98	0.00
51 T	4-Methyl-2-Pentanone	0.388	0.439	-13.1	112	0.00
52 CM	Toluene	0.813	0.826	-1.6#	101	0.00
53 T	t-1,3-Dichloropropene	0.411	0.456	-10.9	105	0.00
54 T	cis-1,3-Dichloropropene	0.476	0.530	-11.3	107	0.00
55 T	1,1,2-Trichloroethane	0.322	0.343	-6.5	106	0.00
56 T	Ethyl methacrylate	0.470	0.514	-9.4	106	0.00
57 T	1,3-Dichloropropane	0.523	0.570	-9.0	108	0.00
58 T	2-Chloroethyl Vinyl ether	0.165	0.164	0.6	97	0.00
59 T	2-Hexanone	0.281	0.310	-10.3	110	0.00
60 T	Dibromochloromethane	0.311	0.363	-16.7	109	0.00
61 T	1,2-Dibromoethane	0.329	0.356	-8.2	107	0.00
62 S	4-Bromofluorobenzene	0.401	0.399	0.5	99	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	103	0.00
64 T	Tetrachloroethene	0.433	0.375	13.4	92	0.00
65 PM	Chlorobenzene	0.995	1.005	-1.0	104	0.00
66 T	1,1,1,2-Tetrachloroethane	0.344	0.375	-9.0	108	0.00
67 C	Ethyl Benzene	1.730	1.741	-0.6#	103	0.00
68 T	m/p-Xylenes	0.661	0.659	0.3	101	0.00
69 T	o-Xylene	0.650	0.642	1.2	100	0.00
70 T	Styrene	1.033	1.091	-5.6	103	0.00
71 P	Bromoform	0.248	0.289	-16.5	108	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	4.046	4.036	0.2	103	0.00
74 T	N-amyl acetate	1.333	1.434	-7.6	105	0.00
75 P	1,1,2,2-Tetrachloroethane	1.161	1.242	-7.0	109	0.00
76 T	1,2,3-Trichloropropane	0.920	1.087	-18.2	119	0.00
77 T	Bromobenzene	1.070	1.058	1.1	100	0.00
78 T	n-propylbenzene	4.230	4.402	-4.1	103	0.00
79 T	2-Chlorotoluene	2.663	2.646	0.6	103	0.00
80 T	1,3,5-Trimethylbenzene	3.362	3.336	0.8	103	0.00
81 T	trans-1,4-Dichloro-2-butene	0.276	0.314	-13.8	105	0.00
82 T	4-Chlorotoluene	2.475	2.598	-5.0	104	0.00
83 T	tert-Butylbenzene	2.995	2.913	2.7	101	0.00
84 T	1,2,4-Trimethylbenzene	3.188	3.282	-2.9	102	0.00
85 T	sec-Butylbenzene	3.746	3.843	-2.6	103	0.00
86 T	p-Isopropyltoluene	3.353	3.425	-2.1	100	0.00
87 T	1,3-Dichlorobenzene	1.657	1.716	-3.6	100	0.00
88 T	1,4-Dichlorobenzene	1.594	1.623	-1.8	98	0.00
89 T	n-Butylbenzene	2.484	2.631	-5.9	100	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN061419\
Data File : VN056307.D
Acq On : 14 Jun 2019 13:09
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 17 09:08:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N060419W.M
Quant Title : SW846 8260
QLast Update : Tue Jun 04 11:02:09 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.506	0.584	-15.4	111	0.00
91 T	1,2-Dichlorobenzene	1.673	1.673	0.0	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.166	0.202	-21.7	110	0.00
93 T	1,2,4-Trichlorobenzene	0.767	0.779	-1.6	91	0.00
94 T	Hexachlorobutadiene	0.652	0.607	6.9	98	0.00
95 T	Naphthalene	1.988	2.100	-5.6	92	0.00
96 T	1,2,3-Trichlorobenzene	0.817	0.883	-8.1	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6