

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061623\
 Data File : VN078268.D
 Acq On : 16 Jun 2023 18:29
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 02:27:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N060623W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 07 05:05:00 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	81	0.00
2 T	Dichlorodifluoromethane	0.565	0.434	23.2	68	0.00
3 P	Chloromethane	0.611	0.480	21.4	71	0.00
4 C	Vinyl Chloride	0.740	0.646	12.7#	76	0.00
5 T	Bromomethane	0.559	0.466	16.6	72	0.00
6 T	Chloroethane	0.505	0.478	5.3	83	0.00
7 T	Trichlorofluoromethane	1.004	0.863	14.0	75	0.00
8 T	Diethyl Ether	0.353	0.301	14.7	73	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.530	0.491	7.4	80	0.00
10 T	Methyl Iodide	0.749	0.663	11.5	70	0.00
11 T	Tert butyl alcohol	0.092	0.084	8.7	77	0.00
12 CM	1,1-Dichloroethene	0.546	0.460	15.8#	72	0.00
13 T	Acrolein	0.101	0.110	-8.9	93	0.00
14 T	Allyl chloride	0.667	0.603	9.6	76	0.00
15 T	Acrylonitrile	0.237	0.239	-0.8	81	0.00
16 T	Acetone	0.192	0.191	0.5	88	0.00
17 T	Carbon Disulfide	1.405	1.086	22.7	66	0.00
18 T	Methyl Acetate	0.883	0.872	1.2	85	0.00
19 T	Methyl tert-butyl Ether	1.742	1.644	5.6	77	0.00
20 T	Methylene Chloride	0.634	0.571	9.9	78	0.00
21 T	trans-1,2-Dichloroethene	0.589	0.513	12.9	73	0.00
22 T	Diisopropyl ether	1.568	1.590	-1.4	82	0.00
23 T	Vinyl Acetate	0.932	0.936	-0.4	80	0.00
24 P	1,1-Dichloroethane	1.034	0.992	4.1	79	0.00
25 T	2-Butanone	0.295	0.303	-2.7	83	0.00
26 T	2,2-Dichloropropane	0.764	0.807	-5.6	84	0.00
27 T	cis-1,2-Dichloroethene	0.702	0.620	11.7	75	0.00
28 T	Bromochloromethane	0.475	0.498	-4.8	85	0.00
29 T	Tetrahydrofuran	0.197	0.196	0.5	80	0.00
30 C	Chloroform	1.114	1.097	1.5#	81	0.00
31 T	Cyclohexane	0.855	0.743	13.1	75	0.00
32 T	1,1,1-Trichloroethane	0.978	0.948	3.1	77	0.00
33 S	1,2-Dichloroethane-d4	0.667	0.696	-4.3	84	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	82	0.00
35 S	Dibromofluoromethane	0.316	0.318	-0.6	82	0.00
36 T	1,1-Dichloropropene	0.453	0.425	6.2	77	0.00
37 T	Ethyl Acetate	0.354	0.361	-2.0	84	0.00
38 T	Carbon Tetrachloride	0.479	0.460	4.0	79	0.00
39 T	Methylcyclohexane	0.470	0.376	20.0	67	0.00
40 TM	Benzene	1.354	1.277	5.7	77	0.00
41 T	Methacrylonitrile	0.192	0.189	1.6	85	0.00
42 TM	1,2-Dichloroethane	0.464	0.458	1.3	83	0.00
43 T	Isopropyl Acetate	0.677	0.723	-6.8	94	0.00
44 TM	Trichloroethene	0.358	0.319	10.9	74	0.00
45 C	1,2-Dichloropropane	0.337	0.340	-0.9#	83	0.00
46 T	Dibromomethane	0.248	0.237	4.4	80	0.00
47 T	Bromodichloromethane	0.461	0.484	-5.0	83	0.00
48 T	Methyl methacrylate	0.284	0.286	-0.7	81	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061623\
 Data File : VN078268.D
 Acq On : 16 Jun 2023 18:29
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 17 02:27:45 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N060623W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 07 05:05:00 2023
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.006	0.006	0.0	84	0.00
50 S	Toluene-d8	1.219	1.200	1.6	80	0.00
51 T	4-Methyl-2-Pentanone	0.357	0.379	-6.2	86	0.00
52 CM	Toluene	0.855	0.807	5.6#	76	0.00
53 T	t-1,3-Dichloropropene	0.480	0.493	-2.7	79	0.00
54 T	cis-1,3-Dichloropropene	0.531	0.534	-0.6	80	0.00
55 T	1,1,2-Trichloroethane	0.323	0.325	-0.6	80	0.00
56 T	Ethyl methacrylate	0.471	0.484	-2.8	79	0.00
57 T	1,3-Dichloropropane	0.546	0.557	-2.0	82	0.00
58 T	2-Chloroethyl Vinyl ether	0.190	0.190	0.0	78	0.00
59 T	2-Hexanone	0.248	0.269	-8.5	86	0.00
60 T	Dibromochloromethane	0.354	0.358	-1.1	80	0.00
61 T	1,2-Dibromoethane	0.339	0.334	1.5	79	0.00
62 S	4-Bromofluorobenzene	0.379	0.383	-1.1	80	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	82	0.00
64 T	Tetrachloroethene	0.334	0.279	16.5	74	0.00
65 PM	Chlorobenzene	1.071	0.995	7.1	77	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.383	2.8	79	0.00
67 C	Ethyl Benzene	1.848	1.770	4.2#	79	0.00
68 T	m/p-Xylenes	0.704	0.664	5.7	77	0.00
69 T	o-Xylene	0.691	0.652	5.6	77	0.00
70 T	Styrene	1.089	1.064	2.3	76	0.00
71 P	Bromoform	0.254	0.263	-3.5	80	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	85	0.00
73 T	Isopropylbenzene	4.728	3.990	15.6	78	0.00
74 T	N-amyl acetate	1.557	1.414	9.2	81	0.00
75 P	1,1,2,2-Tetrachloroethane	1.500	1.362	9.2	85	0.00
76 T	1,2,3-Trichloropropane	1.182	1.069	9.6	84	0.00
77 T	Bromobenzene	1.098	0.928	15.5	76	0.00
78 T	n-propylbenzene	5.137	4.600	10.5	80	0.00
79 T	2-Chlorotoluene	3.316	2.839	14.4	81	0.00
80 T	1,3,5-Trimethylbenzene	3.828	3.251	15.1	78	0.00
81 T	trans-1,4-Dichloro-2-butene	0.385	0.381	1.0	86	0.00
82 T	4-Chlorotoluene	3.095	2.760	10.8	79	0.00
83 T	tert-Butylbenzene	3.328	2.746	17.5	77	0.00
84 T	1,2,4-Trimethylbenzene	3.711	3.282	11.6	79	0.00
85 T	sec-Butylbenzene	4.355	3.505	19.5	73	0.00
86 T	p-Isopropyltoluene	3.534	2.914	17.5	73	0.00
87 T	1,3-Dichlorobenzene	1.857	1.560	16.0	75	0.00
88 T	1,4-Dichlorobenzene	1.791	1.529	14.6	76	0.00
89 T	n-Butylbenzene	2.788	2.252	19.2	72	0.00
90 T	Hexachloroethane	0.627	0.559	10.8	79	0.00
91 T	1,2-Dichlorobenzene	1.814	1.592	12.2	77	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.234	0.220	6.0	82	0.00
93 T	1,2,4-Trichlorobenzene	0.646	0.531	17.8	64	0.00
94 T	Hexachlorobutadiene	0.376	0.252	33.0#	67	0.00
95 T	Naphthalene	2.175	1.641	24.6	60	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN061623\
Data File : VN078268.D
Acq On : 16 Jun 2023 18:29
Operator : JC\MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 17 02:27:45 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N060623W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 07 05:05:00 2023
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.723	0.557	23.0	65	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6