

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN061819\
 Data File : VN056370.D
 Acq On : 18 Jun 2019 17:01
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 19 03:49:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061719W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 18 04:23:59 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	0.440	0.434	1.4	94	0.00
3 P	Chloromethane	0.589	0.563	4.4	95	0.00
4 C	Vinyl Chloride	0.579	0.553	4.5#	94	0.00
5 T	Bromomethane	0.337	0.336	0.3	94	0.00
6 T	Chloroethane	0.336	0.322	4.2	95	0.00
7 T	Trichlorofluoromethane	0.740	0.692	6.5	94	0.00
8 T	Diethyl Ether	0.293	0.282	3.8	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.478	0.451	5.6	98	0.00
10 T	Methyl Iodide	0.612	0.637	-4.1	100	0.00
11 T	Tert butyl alcohol	0.088	0.081	8.0	89	0.00
12 CM	1,1-Dichloroethene	0.464	0.427	8.0#	93	0.00
13 T	Acrolein	0.024	0.021	12.5	83	0.00
14 T	Allyl chloride	0.778	0.737	5.3	93	0.00
15 T	Acrylonitrile	0.253	0.249	1.6	96	0.00
16 T	Acetone	0.311	0.226	27.3#	72	0.00
17 T	Carbon Disulfide	1.242	0.996	19.8	80	0.00
18 T	Methyl Acetate	0.667	0.525	21.3	98	0.00
19 T	Methyl tert-butyl Ether	1.415	1.418	-0.2	98	0.00
20 T	Methylene Chloride	0.549	0.516	6.0	96	0.00
21 T	trans-1,2-Dichloroethene	0.494	0.461	6.7	93	0.00
22 T	Diisopropyl ether	1.530	1.507	1.5	97	0.00
23 T	Vinyl Acetate	1.245	1.262	-1.4	96	0.00
24 P	1,1-Dichloroethane	0.897	0.865	3.6	96	0.00
25 T	2-Butanone	0.377	0.339	10.1	86	0.00
26 T	2,2-Dichloropropane	0.649	0.570	12.2	88	0.00
27 T	cis-1,2-Dichloroethene	0.572	0.551	3.7	96	0.00
28 T	Bromochloromethane	0.449	0.449	0.0	99	0.00
29 T	Tetrahydrofuran	0.224	0.221	1.3	97	0.00
30 C	Chloroform	0.893	0.850	4.8#	95	0.00
31 T	Cyclohexane	0.867	0.820	5.4	97	0.00
32 T	1,1,1-Trichloroethane	0.740	0.685	7.4	91	0.00
33 S	1,2-Dichloroethane-d4	0.562	0.546	2.8	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	102	0.00
35 S	Dibromofluoromethane	0.321	0.317	1.2	98	0.00
36 T	1,1-Dichloropropene	0.450	0.440	2.2	99	0.00
37 T	Ethyl Acetate	0.426	0.436	-2.3	96	0.00
38 T	Carbon Tetrachloride	0.432	0.379	12.3	89	0.00
39 T	Methylcyclohexane	0.549	0.540	1.6	97	0.00
40 TM	Benzene	1.365	1.328	2.7	96	0.00
41 T	Methacrylonitrile	0.196	0.212	-8.2	99	0.00
42 TM	1,2-Dichloroethane	0.448	0.433	3.3	96	0.00
43 T	Isopropyl Acetate	0.682	0.667	2.2	96	0.00
44 TM	Trichloroethene	0.371	0.359	3.2	97	0.00
45 C	1,2-Dichloropropane	0.361	0.354	1.9#	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN061819\
 Data File : VN056370.D
 Acq On : 18 Jun 2019 17:01
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 19 03:49:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061719W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jun 18 04:23:59 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.240	0.227	5.4	94	0.00
47 T	Bromodichloromethane	0.458	0.412	10.0	90	0.00
48 T	Methyl methacrylate	0.344	0.335	2.6	96	0.00
49 T	1,4-Dioxane	0.007	0.007	0.0	93	0.00
50 S	Toluene-d8	1.225	1.222	0.2	99	0.00
51 T	4-Methyl-2-Pentanone	0.435	0.431	0.9	96	0.00
52 CM	Toluene	0.833	0.827	0.7#	96	0.00
53 T	t-1,3-Dichloropropene	0.455	0.428	5.9	90	0.00
54 T	cis-1,3-Dichloropropene	0.524	0.503	4.0	93	0.00
55 T	1,1,2-Trichloroethane	0.342	0.327	4.4	96	0.00
56 T	Ethyl methacrylate	0.492	0.502	-2.0	96	0.00
57 T	1,3-Dichloropropane	0.577	0.557	3.5	96	0.00
58 T	2-Chloroethyl Vinyl ether	0.160	0.188	-17.5	112	0.00
59 T	2-Hexanone	0.322	0.310	3.7	94	0.00
60 T	Dibromochloromethane	0.359	0.318	11.4	86	0.00
61 T	1,2-Dibromoethane	0.352	0.344	2.3	96	0.00
62 S	4-Bromofluorobenzene	0.406	0.430	-5.9	102	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	100	0.00
64 T	Tetrachloroethene	0.410	0.387	5.6	96	0.00
65 PM	Chlorobenzene	1.015	0.986	2.9	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.379	0.344	9.2	92	0.00
67 C	Ethyl Benzene	1.747	1.748	-0.1#	97	0.00
68 T	m/p-Xylenes	0.650	0.663	-2.0	97	0.00
69 T	o-Xylene	0.641	0.644	-0.5	96	0.00
70 T	Styrene	1.035	1.091	-5.4	97	0.00
71 P	Bromoform	0.295	0.247	16.3	81	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	4.289	3.718	13.3	97	0.00
74 T	N-amyl acetate	1.571	1.405	10.6	100	0.00
75 P	1,1,2,2-Tetrachloroethane	1.400	1.151	17.8	97	0.00
76 T	1,2,3-Trichloropropane	1.068	0.912	14.6	94	0.00
77 T	Bromobenzene	1.130	0.977	13.5	97	0.00
78 T	n-propylbenzene	4.488	4.128	8.0	98	0.00
79 T	2-Chlorotoluene	2.850	2.498	12.4	99	0.00
80 T	1,3,5-Trimethylbenzene	3.488	3.138	10.0	99	0.00
81 T	trans-1,4-Dichloro-2-butene	0.344	0.264	23.3	82	0.00
82 T	4-Chlorotoluene	2.635	2.426	7.9	98	0.00
83 T	tert-Butylbenzene	3.120	2.720	12.8	100	0.00
84 T	1,2,4-Trimethylbenzene	3.248	3.113	4.2	101	0.00
85 T	sec-Butylbenzene	3.936	3.589	8.8	99	0.00
86 T	p-Isopropyltoluene	3.370	3.236	4.0	101	0.00
87 T	1,3-Dichlorobenzene	1.702	1.629	4.3	101	0.00
88 T	1,4-Dichlorobenzene	1.635	1.576	3.6	102	0.00
89 T	n-Butylbenzene	2.519	2.610	-3.6	106	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN061819\
Data File : VN056370.D
Acq On : 18 Jun 2019 17:01
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 19 03:49:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061719W.M
Quant Title : SW846 8260
QLast Update : Tue Jun 18 04:23:59 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.657	0.473	28.0#	83	0.00
91 T	1,2-Dichlorobenzene	1.666	1.633	2.0	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.216	0.186	13.9	94	0.00
93 T	1,2,4-Trichlorobenzene	0.698	0.795	-13.9	112	0.00
94 T	Hexachlorobutadiene	0.667	0.577	13.5	102	0.00
95 T	Naphthalene	1.889	2.111	-11.8	109	0.00
96 T	1,2,3-Trichlorobenzene	0.756	0.866	-14.6	109	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6