

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN061820\  
 Data File : VN061927.D  
 Acq On : 19 Jun 2020 3:17  
 Operator : JC/MD  
 Sample : PB129596ZHE#04  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 43 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB129596ZHE#04

Quant Time: Jun 19 07:23:40 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N061620W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Jun 17 01:19:44 2020  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|--------|---------|----------|
| 1) Pentafluorobenzene       | 7.63  | 168  | 140666   | 50.00  | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.55  | 114  | 266295   | 50.00  | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.38 | 117  | 267092   | 50.00  | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.32 | 152  | 99747    | 50.00  | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |        |         |          |
| 33) 1,2-Dichloroethane-d4   | 7.99  | 65   | 97585    | 51.73  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 103.46% |          |
| 35) Dibromofluoromethane    | 7.55  | 113  | 84607    | 49.66  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 99.32%  |          |
| 50) Toluene-d8              | 10.06 | 98   | 344247   | 51.40  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 102.80% |          |
| 62) 4-Bromofluorobenzene    | 12.38 | 95   | 113129   | 49.24  | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =      | 98.48%  |          |
| Target Compounds            |       |      |          |        |         |          |
| 16) Acetone                 | 3.78  | 43   | 7167     | 12.861 | ug/l    | 99       |
| 18) Methyl Acetate          | 4.28  | 43   | 2967     | 1.849  | ug/l    | 91       |
| 20) Methylene Chloride      | 4.50  | 84   | 3834     | 2.112  | ug/l    | 86       |
| 43) Isopropyl Acetate       | 8.13  | 43   | 34578    | 10.818 | ug/l #  | 89       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN061820\  
Data File : VN061927.D  
Acq On : 19 Jun 2020 3:17  
Operator : JC/MD  
Sample : PB129596ZHE#04  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 43 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB129596ZHE#04

Quant Time: Jun 19 07:23:40 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N061620W.M  
Quant Title : SW846 8260  
QLast Update : Wed Jun 17 01:19:44 2020  
Response via : Initial Calibration

