

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN062220\
 Data File : VN062040.D
 Acq On : 23 Jun 2020 8:47
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 23 11:24:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061620W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 17 01:19:44 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	0.582	0.594	-2.1	84	0.00
3 P	Chloromethane	0.694	0.604	13.0	79	0.00
4 C	Vinyl Chloride	0.827	0.756	8.6#	81	0.00
5 T	Bromomethane	0.635	0.319	49.8#	49#	0.00
6 T	Chloroethane	0.560	0.537	4.1	87	0.00
7 T	Trichlorofluoromethane	0.988	0.982	0.6	90	0.00
8 T	Diethyl Ether	0.332	0.369	-11.1	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.507	0.507	0.0	93	0.00
10 T	Methyl Iodide	0.547	0.377	31.1#	60	0.00
11 T	Tert butyl alcohol	0.093	0.101	-8.6	105	0.00
12 CM	1,1-Dichloroethene	0.508	0.490	3.5#	89	0.00
13 T	Acrolein	0.055	0.056	-1.8	101	0.00
14 T	Allyl chloride	0.674	0.678	-0.6	92	0.00
15 T	Acrylonitrile	0.230	0.274	-19.1	109	0.00
16 T	Acetone	0.198	0.217	-9.6	112	0.00
17 T	Carbon Disulfide	1.486	1.152	22.5	71	0.00
18 T	Methyl Acetate	0.570	0.655	-14.9	110	0.00
19 T	Methyl tert-butyl Ether	1.691	1.851	-9.5	101	0.00
20 T	Methylene Chloride	0.645	0.622	3.6	97	0.00
21 T	trans-1,2-Dichloroethene	0.584	0.557	4.6	89	0.00
22 T	Diisopropyl ether	1.542	1.679	-8.9	103	0.00
23 T	Vinyl Acetate	1.213	1.330	-9.6	101	0.00
24 P	1,1-Dichloroethane	1.009	1.060	-5.1	100	0.00
25 T	2-Butanone	0.289	0.335	-15.9	108	0.00
26 T	2,2-Dichloropropane	0.849	0.576	32.2#	66	0.00
27 T	cis-1,2-Dichloroethene	0.673	0.677	-0.6	94	0.00
28 T	Bromochloromethane	0.449	0.491	-9.4	109	0.00
29 T	Tetrahydrofuran	0.190	0.221	-16.3	108	0.00
30 C	Chloroform	1.079	1.107	-2.6#	98	0.00
31 T	Cyclohexane	0.884	0.782	11.5	87	0.00
32 T	1,1,1-Trichloroethane	0.919	0.934	-1.6	96	0.00
33 S	1,2-Dichloroethane-d4	0.671	0.714	-6.4	105	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.320	0.327	-2.2	105	0.00
36 T	1,1-Dichloropropene	0.456	0.417	8.6	90	0.00
37 T	Ethyl Acetate	0.356	0.391	-9.8	107	0.00
38 T	Carbon Tetrachloride	0.452	0.428	5.3	94	0.00
39 T	Methylcyclohexane	0.491	0.433	11.8	83	0.00
40 TM	Benzene	1.381	1.327	3.9	95	0.00
41 T	Methacrylonitrile	0.152	0.155	-2.0	108	0.00
42 TM	1,2-Dichloroethane	0.471	0.464	1.5	98	0.00
43 T	Isopropyl Acetate	0.600	0.647	-7.8	104	0.00
44 TM	Trichloroethene	0.364	0.351	3.6	97	0.00
45 C	1,2-Dichloropropane	0.340	0.346	-1.8#	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN062220\
 Data File : VN062040.D
 Acq On : 23 Jun 2020 8:47
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 23 11:24:05 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061620W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 17 01:19:44 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.239	0.233	2.5	95	0.00
47 T	Bromodichloromethane	0.490	0.495	-1.0	100	0.00
48 T	Methyl methacrylate	0.273	0.293	-7.3	106	0.00
49 T	1,4-Dioxane	0.006	0.007	-16.7	104	0.00
50 S	Toluene-d8	1.258	1.260	-0.2	104	0.00
51 T	4-Methyl-2-Pentanone	0.355	0.395	-11.3	108	0.00
52 CM	Toluene	0.868	0.859	1.0#	94	0.00
53 T	t-1,3-Dichloropropene	0.520	0.498	4.2	93	0.00
54 T	cis-1,3-Dichloropropene	0.564	0.543	3.7	94	0.00
55 T	1,1,2-Trichloroethane	0.341	0.365	-7.0	104	0.00
56 T	Ethyl methacrylate	0.456	0.498	-9.2	102	0.00
57 T	1,3-Dichloropropane	0.578	0.602	-4.2	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.180	0.206	-14.4	111	0.00
59 T	2-Hexanone	0.253	0.289	-14.2	109	0.00
60 T	Dibromochloromethane	0.381	0.386	-1.3	99	0.00
61 T	1,2-Dibromoethane	0.356	0.360	-1.1	99	0.00
62 S	4-Bromofluorobenzene	0.431	0.435	-0.9	104	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	101	0.00
64 T	Tetrachloroethene	0.319	0.292	8.5	92	0.00
65 PM	Chlorobenzene	1.055	0.990	6.2	98	0.00
66 T	1,1,1,2-Tetrachloroethane	0.368	0.364	1.1	98	0.00
67 C	Ethyl Benzene	1.769	1.743	1.5#	97	0.00
68 T	m/p-Xylenes	0.682	0.672	1.5	96	0.00
69 T	o-Xylene	0.651	0.650	0.2	96	0.00
70 T	Styrene	1.090	1.117	-2.5	97	0.00
71 P	Bromoform	0.268	0.273	-1.9	99	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.553	3.511	1.2	97	0.00
74 T	N-amyl acetate	1.140	1.251	-9.7	105	0.00
75 P	1,1,2,2-Tetrachloroethane	1.155	1.169	-1.2	107	0.00
76 T	1,2,3-Trichloropropane	0.982	1.024	-4.3	112	0.00
77 T	Bromobenzene	0.896	0.862	3.8	98	0.00
78 T	n-propylbenzene	4.054	3.977	1.9	97	0.00
79 T	2-Chlorotoluene	2.435	2.395	1.6	99	0.00
80 T	1,3,5-Trimethylbenzene	2.940	2.927	0.4	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.360	0.323	10.3	91	0.00
82 T	4-Chlorotoluene	2.516	2.461	2.2	97	0.00
83 T	tert-Butylbenzene	2.492	2.456	1.4	96	0.00
84 T	1,2,4-Trimethylbenzene	2.902	2.985	-2.9	97	0.00
85 T	sec-Butylbenzene	3.262	3.286	-0.7	98	0.00
86 T	p-Isopropyltoluene	2.907	2.903	0.1	95	0.00
87 T	1,3-Dichlorobenzene	1.635	1.545	5.5	94	0.00
88 T	1,4-Dichlorobenzene	1.673	1.541	7.9	94	0.00
89 T	n-Butylbenzene	2.427	2.336	3.7	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN062220\
Data File : VN062040.D
Acq On : 23 Jun 2020 8:47
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 55 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 23 11:24:05 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061620W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 17 01:19:44 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.532	0.548	-3.0	101	0.00
91 T	1,2-Dichlorobenzene	1.574	1.538	2.3	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.188	0.204	-8.5	106	0.00
93 T	1,2,4-Trichlorobenzene	0.743	0.703	5.4	91	0.00
94 T	Hexachlorobutadiene	0.293	0.276	5.8	93	0.00
95 T	Naphthalene	2.140	2.115	1.2	93	0.00
96 T	1,2,3-Trichlorobenzene	0.736	0.721	2.0	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6