

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN062419\  
 Data File : VN056444.D  
 Acq On : 24 Jun 2019 10:41  
 Operator : JC/SP  
 Sample : PB120834TB  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB120834TB

Quant Time: Jun 25 01:36:51 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N061919W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Jun 21 03:45:40 2019  
 Response via : Initial Calibration


| Internal Standards          | R.T.  | QIon | Response | Conc  | Units   | Dev(Min) |
|-----------------------------|-------|------|----------|-------|---------|----------|
| 1) Pentafluorobenzene       | 7.67  | 168  | 366629   | 50.00 | ug/l    | 0.00     |
| 34) 1,4-Difluorobenzene     | 8.59  | 114  | 628446   | 50.00 | ug/l    | 0.00     |
| 63) Chlorobenzene-d5        | 11.41 | 117  | 631740   | 50.00 | ug/l    | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.34 | 152  | 182435   | 50.00 | ug/l    | 0.00     |
| System Monitoring Compounds |       |      |          |       |         |          |
| 33) 1,2-Dichloroethane-d4   | 8.03  | 65   | 215571   | 53.05 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 106.10% |          |
| 35) Dibromofluoromethane    | 7.59  | 113  | 187295   | 47.77 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 95.54%  |          |
| 50) Toluene-d8              | 10.09 | 98   | 784744   | 51.44 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 102.88% |          |
| 62) 4-Bromofluorobenzene    | 12.40 | 95   | 255474   | 50.24 | ug/l    | 0.00     |
| Spiked Amount 50.000        |       |      | Recovery | =     | 100.48% |          |
| Target Compounds            |       |      |          |       |         |          |
| 43) Isopropyl Acetate       | 8.17  | 43   | 16385    | 1.955 | ug/l #  | 89       |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN062419\  
Data File : VN056444.D  
Acq On : 24 Jun 2019 10:41  
Operator : JC/SP  
Sample : PB120834TB  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB120834TB

Quant Time: Jun 25 01:36:51 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N061919W.M  
Quant Title : SW846 8260  
QLast Update : Fri Jun 21 03:45:40 2019  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. 0.00 min

Lab File: VN056444.D

Acq: 24 Jun 2019 10:41

Instrument :

MSVOA\_N

ClientSampleId :


PB120834TB

Tot Ion:168 Resp: 366629

Ion Ratio Lower Upper

168 100

99 49.6 40.6 61.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN0

7.67



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 53.052 ug/l

RT: 8.03 min Scan# 1945

Delta R.T. 0.00 min

Lab File: VN056444.D


Acq: 24 Jun 2019 10:41

Tgt Ion: 65 Resp: 215571

Ion Ratio Lower Upper

65 100

67 54.0 0.0 109.0



Abundance Ion 64.90 (64.60 to 65.60): VN0

Ion 66.90 (66.60 to 67.60): VN0

8.03

100000

80000


60000


40000

20000

0

Time-->









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 8.59 min Scan# 2119  
Delta R.T. 0.00 min  
Lab File: VN056444.D  
Acq: 24 Jun 2019 10:41

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB120834TB

Tot Ion:114 Resp: 628446  
Ion Ratio Lower Upper  
114 100  
63 19.6 0.0 39.2  
88 15.1 0.0 31.4




Abundance Ion 113.90 (113.60 to 114.60): V  
Ion 63.00 (62.70 to 63.70): VN  
Ion 87.90 (87.60 to 88.60): VN






#35  
Dibromofluoromethane  
Concen: 47.774 ug/l  
RT: 7.59 min Scan# 1810  
Delta R.T. 0.00 min  
Lab File: VN056444.D  
Acq: 24 Jun 2019 10:41

Tgt Ion:113 Resp: 187295  
Ion Ratio Lower Upper  
113 100  
111 102.2 82.9 124.3  
192 22.5 17.7 26.5



Abundance Ion 112.80 (112.50 to 113.50): V  
Ion 110.80 (110.50 to 111.50): V  
Ion 191.70 (191.40 to 192.40): V





#43

Isopropyl Acetate

Concen: 1.955 ug/l

RT: 8.17 min Scan# 1989

Delta R.T. 0.00 min

Lab File: VN056444.D

Acq: 24 Jun 2019 10:41

Instrument :

MSVOA\_N

ClientSampleId :

PB120834TB


Tot Ion: 43 Resp: 16385

Ion Ratio Lower Upper

43 100

61 20.3 22.0 33.0#




87 11.5 11.0 16.4



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 61.00 (60.70 to 61.70): VN0

Ion 87.00 (86.70 to 87.70): VN0



#50

Toluene-d8

Concen: 51.442 ug/l

RT: 10.09 min Scan# 2587

Delta R.T. 0.00 min

Lab File: VN056444.D


Acq: 24 Jun 2019 10:41

Tgt Ion: 98 Resp: 784744

Ion Ratio Lower Upper



98 100


100 63.6 52.2 78.2



Abundance Ion 98.00 (97.70 to 98.70): VN0

Ion 100.00 (99.70 to 100.70): VN0









#62  
4-Bromofluorobenzene  
Concen: 50.237 ug/l  
RT: 12.40 min Scan# 3305  
Delta R.T. -0.00 min  
Lab File: VN056444.D  
Acq: 24 Jun 2019 10:41




Instrument :  
MSVOA\_N  
ClientSampleId :  
PB120834TB


Tot Ion: 95 Resp: 255474  
Ion Ratio Lower Upper  
95 100  
174 90.8 0.0 179.4  
176 87.6 0.0 173.4



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.41 min Scan# 2996  
Delta R.T. 0.00 min  
Lab File: VN056444.D  
Acq: 24 Jun 2019 10:41

Tgt Ion: 117 Resp: 631740  
Ion Ratio Lower Upper  
117 100  
82 53.1 42.0 63.0  
119 32.4 25.3 37.9





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.34 min Scan# 3598

Delta R.T. 0.00 min

Lab File: VN056444.D

Acq: 24 Jun 2019 10:41

Instrument :

MSVOA\_N

ClientSampleId :

PB120834TB


Tot Ion:152 Resp: 182435

Ion Ratio Lower Upper

152 100

115 55.9 28.1 84.4

150 158.4 0.0 348.4



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

