

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN062521\
 Data File : VN067522.D
 Acq On : 25 Jun 2021 22:27
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 02:04:46 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062421W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 24 12:18:45 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	76	0.00
2 T	Dichlorodifluoromethane	50.000	56.522	-13.0	81	0.00
3 P	Chloromethane	50.000	57.716	-15.4	86	0.00
4 C	Vinyl Chloride	50.000	62.822	-25.6#	92	0.00
5 T	Bromomethane	50.000	60.443	-20.9	91	0.00
6 T	Chloroethane	50.000	59.642	-19.3	89	0.00
7 T	Trichlorofluoromethane	50.000	56.864	-13.7	84	0.00
8 T	Diethyl Ether	50.000	55.857	-11.7	82	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	55.278	-10.6	81	0.00
10 T	Methyl Iodide	50.000	51.163	-2.3	74	0.00
11 T	Tert butyl alcohol	250.000	275.300	-10.1	87	0.00
12 CM	1,1-Dichloroethene	50.000	56.725	-13.5#	82	0.00
13 T	Acrolein	250.000	265.629	-6.3	80	0.00
14 T	Allyl chloride	50.000	55.500	-11.0	84	0.00
15 T	Acrylonitrile	250.000	303.554	-21.4	89	0.00
16 T	Acetone	250.000	285.078	-14.0	90	0.00
17 T	Carbon Disulfide	50.000	55.278	-10.6	81	0.00
18 T	Methyl Acetate	50.000	57.195	-14.4	91	0.00
19 T	Methyl tert-butyl Ether	50.000	58.992	-18.0	86	0.00
20 T	Methylene Chloride	50.000	53.500	-7.0	84	0.00
21 T	trans-1,2-Dichloroethene	50.000	56.112	-12.2	83	0.00
22 T	Diisopropyl ether	50.000	60.153	-20.3	87	0.00
23 T	Vinyl Acetate	250.000	273.901	-9.6	78	0.00
24 P	1,1-Dichloroethane	50.000	59.543	-19.1	87	0.00
25 T	2-Butanone	250.000	299.330	-19.7	89	0.00
26 T	2,2-Dichloropropane	50.000	40.581	18.8	59	0.00
27 T	cis-1,2-Dichloroethene	50.000	55.508	-11.0	81	0.00
28 T	Bromochloromethane	50.000	58.349	-16.7	88	0.00
29 T	Tetrahydrofuran	250.000	315.125	-26.1#	90	0.00
30 C	Chloroform	50.000	58.052	-16.1#	84	0.00
31 T	Cyclohexane	50.000	54.686	-9.4	87	0.00
32 T	1,1,1-Trichloroethane	50.000	57.598	-15.2	83	0.00
33 S	1,2-Dichloroethane-d4	50.000	57.899	-15.8	92	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	81	0.00
35 S	Dibromofluoromethane	50.000	50.876	-1.8	87	0.00
36 T	1,1-Dichloropropene	50.000	53.229	-6.5	83	0.00
37 T	Ethyl Acetate	50.000	55.857	-11.7	88	0.00
38 T	Carbon Tetrachloride	50.000	52.313	-4.6	82	0.00
39 T	Methylcyclohexane	50.000	50.393	-0.8	80	0.00
40 TM	Benzene	50.000	53.420	-6.8	84	0.00
41 T	Methacrylonitrile	50.000	55.841	-11.7	91	0.00
42 TM	1,2-Dichloroethane	50.000	55.145	-10.3	87	0.00
43 T	Isopropyl Acetate	50.000	55.680	-11.4	87	0.00
44 TM	Trichloroethene	50.000	50.266	-0.5	79	0.00
45 C	1,2-Dichloropropane	50.000	55.305	-10.6#	86	0.00
46 T	Dibromomethane	50.000	52.595	-5.2	82	0.00
47 T	Bromodichloromethane	50.000	53.950	-7.9	84	0.00
48 T	Methyl methacrylate	50.000	60.195	-20.4	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN062521\
 Data File : VN067522.D
 Acq On : 25 Jun 2021 22:27
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 29 02:04:46 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062421W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 24 12:18:45 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1112.080	-11.2	87	0.00
50 S	Toluene-d8	50.000	50.997	-2.0	84	0.00
51 T	4-Methyl-2-Pentanone	250.000	284.047	-13.6	88	0.00
52 CM	Toluene	50.000	53.215	-6.4#	81	0.00
53 T	t-1,3-Dichloropropene	50.000	47.350	5.3	80	0.00
54 T	cis-1,3-Dichloropropene	50.000	52.566	-5.1	80	0.00
55 T	1,1,2-Trichloroethane	50.000	52.342	-4.7	80	0.00
56 T	Ethyl methacrylate	50.000	55.625	-11.3	85	0.00
57 T	1,3-Dichloropropane	50.000	54.794	-9.6	84	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	243.338	2.7	86	0.00
59 T	2-Hexanone	250.000	284.716	-13.9	87	0.00
60 T	Dibromochloromethane	50.000	46.906	6.2	79	0.00
61 T	1,2-Dibromoethane	50.000	52.840	-5.7	80	0.00
62 S	4-Bromofluorobenzene	50.000	50.427	-0.9	86	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	79	0.00
64 T	Tetrachloroethene	50.000	46.099	7.8	71	0.00
65 PM	Chlorobenzene	50.000	52.112	-4.2	79	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	48.282	3.4	77	0.00
67 C	Ethyl Benzene	50.000	52.573	-5.1#	80	0.00
68 T	m/p-Xylenes	100.000	106.754	-6.8	82	0.00
69 T	o-Xylene	50.000	53.376	-6.8	80	0.00
70 T	Styrene	50.000	53.826	-7.7	80	0.00
71 P	Bromoform	50.000	42.443	15.1	71	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	77	0.00
73 T	Isopropylbenzene	50.000	53.713	-7.4	80	0.00
74 T	N-ethyl acetate	50.000	58.485	-17.0	86	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	55.964	-11.9	85	0.00
76 T	1,2,3-Trichloropropane	50.000	54.760	-9.5	83	0.00
77 T	Bromobenzene	50.000	49.598	0.8	73	0.00
78 T	n-propylbenzene	50.000	54.144	-8.3	80	0.00
79 T	2-Chlorotoluene	50.000	53.935	-7.9	81	0.00
80 T	1,3,5-Trimethylbenzene	50.000	54.583	-9.2	80	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	49.646	0.7	73	0.00
82 T	4-Chlorotoluene	50.000	53.888	-7.8	81	0.00
83 T	tert-Butylbenzene	50.000	54.004	-8.0	81	0.00
84 T	1,2,4-Trimethylbenzene	50.000	55.539	-11.1	82	0.00
85 T	sec-Butylbenzene	50.000	54.589	-9.2	81	0.00
86 T	p-Isopropyltoluene	50.000	52.751	-5.5	78	0.00
87 T	1,3-Dichlorobenzene	50.000	50.858	-1.7	76	0.00
88 T	1,4-Dichlorobenzene	50.000	50.716	-1.4	76	0.00
89 T	n-Butylbenzene	50.000	53.276	-6.6	78	0.00
90 T	Hexachloroethane	50.000	54.343	-8.7	78	0.00
91 T	1,2-Dichlorobenzene	50.000	51.990	-4.0	76	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	59.800	-19.6	86	0.00
93 T	1,2,4-Trichlorobenzene	50.000	46.476	7.0	74	0.00
94 T	Hexachlorobutadiene	50.000	43.528	12.9	64	0.00
95 T	Naphthalene	50.000	51.242	-2.5	85	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN062521\
Data File : VN067522.D
Acq On : 25 Jun 2021 22:27
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jun 29 02:04:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062421W.M
Quant Title : SW846 8260
QLast Update : Thu Jun 24 12:18:45 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	47.419	5.2	77	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6