

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN062918\
 Data File : VN049629.D
 Acq On : 29 Jun 2018 12:36
 Operator : MD\SY
 Sample : VSTDICC100
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDICC100

Quant Time: Jun 30 00:21:41 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N062918W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 30 00:18:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	1458666	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	2174705	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	2024097	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	1161015	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.03	65	1855948	96.35	ug/l	0.00
Spiked Amount	50.000		Recovery	=	192.70%	
35) Dibromofluoromethane	7.59	113	1549041	95.28	ug/l	0.00
Spiked Amount	50.000		Recovery	=	190.56%	
50) Toluene-d8	10.09	98	6407223	100.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	201.36%	
62) 4-Bromofluorobenzene	12.40	95	2283994	105.12	ug/l	0.00
Spiked Amount	50.000		Recovery	=	210.24%	

Target Compounds

						Qvalue
2) Dichlorodifluoromethane	1.85	85	1716397	104.414	ug/l	97
3) Chloromethane	2.06	50	2034742	99.104	ug/l	100
4) Vinyl Chloride	2.18	62	2214931	100.445	ug/l	100
5) Bromomethane	2.55	94	1109145	95.756	ug/l	100
6) Chloroethane	2.70	64	1359529	97.408	ug/l	99
7) Trichlorofluoromethane	3.01	101	2394119	95.049	ug/l	99
8) Diethyl Ether	3.41	74	1032825	101.161	ug/l	98
9) 1,1,2-Trichlorotrifluoroet	3.75	101	1772586	97.815	ug/l	99
10) Methyl Iodide	3.95	142	2450318	108.039	ug/l	100
11) Tert butyl alcohol	4.80	59	578634	523.468	ug/l	99
12) 1,1-Dichloroethene	3.73	96	1664251	97.140	ug/l	99
13) Acrolein	3.61	56	546862	529.639	ug/l	98
14) Allyl chloride	4.32	41	2147177	91.240	ug/l	99
15) Acrylonitrile	4.99	53	2983066	522.507	ug/l	99
16) Acetone	3.82	43	2015747	422.499	ug/l	98
17) Carbon Disulfide	4.05	76	4901534	94.380	ug/l	99
18) Methyl Acetate	4.33	43	1673191	57.641	ug/l	98
19) Methyl tert-butyl Ether	5.05	73	4630447	104.842	ug/l	100
20) Methylene Chloride	4.55	84	1862819	93.911	ug/l	99
21) trans-1,2-Dichloroethene	5.04	96	1784933	101.231	ug/l	99
22) Diisopropyl ether	5.95	45	5672044	106.530	ug/l	98
23) Vinyl Acetate	5.90	43	19411247	562.203	ug/l	100
24) 1,1-Dichloroethane	5.85	63	3323043	99.070	ug/l	99
25) 2-Butanone	6.84	43	3344699	523.025	ug/l	99
26) 2,2-Dichloropropane	6.82	77	2776147	99.652	ug/l	100
27) cis-1,2-Dichloroethene	6.83	96	2047344	103.947	ug/l	99
28) Bromochloromethane	7.20	49	1423936	100.024	ug/l	99
29) Tetrahydrofuran	7.21	42	2214184	543.239	ug/l	100
30) Chloroform	7.37	83	3376324	98.745	ug/l	100
31) Cyclohexane	7.65	56	2993049	90.615	ug/l	98
32) 1,1,1-Trichloroethane	7.57	97	2910109	100.528	ug/l	99
36) 1,1-Dichloropropene	7.79	75	2610267	106.686	ug/l	100
37) Ethyl Acetate	6.93	43	1549985	108.613	ug/l	100
38) Carbon Tetrachloride	7.77	117	2488194	104.545	ug/l	99

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN062918\
 Data File : VN049629.D
 Acq On : 29 Jun 2018 12:36
 Operator : MD\SY
 Sample : VSTDICC100
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDICC100

Quant Time: Jun 30 00:21:41 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N062918W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 30 00:18:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
39) Methylcyclohexane	9.08	83	2926303	109.086	ug/l	100
40) Benzene	8.04	78	7662250	102.562	ug/l	100
41) Methacrylonitrile	7.17	41	816639	107.204	ug/l	92
42) 1,2-Dichloroethane	8.13	62	2402489	100.765	ug/l	99
43) Isopropyl Acetate	8.17	43	2901752	86.059	ug/l	97
44) Trichloroethene	8.84	130	2251447	99.929	ug/l	99
45) 1,2-Dichloropropane	9.12	63	2011795	104.228	ug/l	99
46) Dibromomethane	9.21	93	1204370	103.140	ug/l	98
47) Bromodichloromethane	9.40	83	2587058	104.074	ug/l	98
48) Methyl methacrylate	9.20	41	1396952	110.159	ug/l	98
49) 1,4-Dioxane	9.20	88	373441	2190.439	ug/l	98
51) 4-Methyl-2-Pentanone	9.99	43	7617090	544.406	ug/l	99
52) Toluene	10.16	92	4815700	106.698	ug/l	100
53) t-1,3-Dichloropropene	10.38	75	2687545	112.912	ug/l	99
54) cis-1,3-Dichloropropene	9.84	75	3095174	111.262	ug/l	100
55) 1,1,2-Trichloroethane	10.56	97	1714257	102.007	ug/l	99
56) Ethyl methacrylate	10.43	69	2323378	117.946	ug/l	99
57) 1,3-Dichloropropane	10.71	76	2891422	106.105	ug/l	100
58) 2-Chloroethyl Vinyl ether	9.70	63	5622394	613.116	ug/l	100
59) 2-Hexanone	10.75	43	5200926	562.143	ug/l	100
60) Dibromochloromethane	10.90	129	1985283	109.301	ug/l	100
61) 1,2-Dibromoethane	11.01	107	1715114	106.514	ug/l	99
64) Tetrachloroethene	10.63	164	2655231	96.882	ug/l	99
65) Chlorobenzene	11.44	112	5318104	100.718	ug/l	100
66) 1,1,1,2-Tetrachloroethane	11.51	131	1946359	102.587	ug/l	100
67) Ethyl Benzene	11.51	91	9362263	107.262	ug/l	100
68) m/p-Xylenes	11.62	106	7234743	216.283	ug/l	99
69) o-Xylene	11.95	106	3488546	108.930	ug/l	98
70) Styrene	11.97	104	5825658	112.426	ug/l	99
71) Bromoform	12.13	173	1370180	108.685	ug/l	100
73) Isopropylbenzene	12.25	105	9178530	99.248	ug/l	100
74) N-amyl acetate	12.07	43	2652906	105.018	ug/l	99
75) 1,1,2,2-Tetrachloroethane	12.51	83	1947442	89.176	ug/l	100
76) 1,2,3-Trichloropropane	12.56	75	2657754	131.860	ug/l #	100
77) Bromobenzene	12.53	156	2360886	93.882	ug/l	100
78) n-propylbenzene	12.59	91	10817196	102.058	ug/l	99
79) 2-Chlorotoluene	12.68	91	6368358	94.938	ug/l	100
80) 1,3,5-Trimethylbenzene	12.73	105	7812778	101.664	ug/l	99
81) trans-1,4-Dichloro-2-buten	12.30	75	591253	107.848	ug/l	97
82) 4-Chlorotoluene	12.77	91	6558588	97.241	ug/l	99
83) tert-Butylbenzene	12.99	119	6668394	101.011	ug/l	99
84) 1,2,4-Trimethylbenzene	13.04	105	8110403	102.707	ug/l	100
85) sec-Butylbenzene	13.17	105	8962064	102.463	ug/l	100
86) p-Isopropyltoluene	13.29	119	8059265	106.379	ug/l	100
87) 1,3-Dichlorobenzene	13.28	146	4377422	94.288	ug/l	99
88) 1,4-Dichlorobenzene	13.36	146	4308494	92.965	ug/l	99
89) n-Butylbenzene	13.62	91	6962834	107.352	ug/l	99
90) Hexachloroethane	13.88	117	840923	105.671	ug/l	100
91) 1,2-Dichlorobenzene	13.65	146	4226051	93.650	ug/l	100
92) 1,2-Dibromo-3-Chloropropan	14.27	75	329310	86.418	ug/l	96


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN062918\
Data File : VN049629.D
Acq On : 29 Jun 2018 12:36
Operator : MD\SY
Sample : VSTDICC100
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VSTDICC100

Quant Time: Jun 30 00:21:41 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N062918W.M
Quant Title : SW846 8260
QLast Update : Sat Jun 30 00:18:48 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
93) 1,2,4-Trichlorobenzene	14.91	180	2264804	108.991	ug/l	99
94) Hexachlorobutadiene	15.01	225	1283498	89.058	ug/l	99
95) Naphthalene	15.14	128	5026322	112.738	ug/l	100
96) 1,2,3-Trichlorobenzene	15.32	180	2122647	99.283	ug/l	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1890

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDICC100

Tgt Ion:168 Resp: 1458666

Ion Ratio Lower Upper




168 100

99 50.3 40.6 61.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO



#2

Dichlorodifluoromethane

Concen: 104.414 ug/l

RT: 1.85 min Scan# 80

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 85 Resp: 1716397

Ion Ratio Lower Upper



85 100


87 32.1 15.4 46.1



Abundance Ion 84.90 (84.60 to 85.60): VNO

Ion 86.90 (86.60 to 87.60): VNO





#3

Chloromethane

Concen: 99.104 ug/l

RT: 2.06 min Scan# 145

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :





VSTDIC100

Tgt Ion: 50 Resp: 2034742

Ion Ratio Lower Upper

50 100

52 32.7 26.1 39.1



#4

Vinyl Chloride

Concen: 100.445 ug/l

RT: 2.18 min Scan# 184

Delta R.T. -0.00 min

Lab File: VN049629.D




Acq: 29 Jun 2018 12:36


Tgt Ion: 62 Resp: 2214931

Ion Ratio Lower Upper

62 100

64 31.5 25.4 38.0





#5

Bromomethane

Concen: 95.756 ug/l

RT: 2.55 min Scan# 299

Delta R.T. -0.01 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDIC100

Tgt Ion: 94 Resp: 1109145

Ion Ratio Lower Upper

94 100

96 94.4 75.7 113.5



Abundance Ion 93.90 (93.60 to 94.60): VN049628.D (-286) (-)

Ion 95.90 (95.60 to 96.60): VN049629.D (-208) (-)

2.55

600000

500000

400000



300000

200000

100000

0

Time-->



#6

Chloroethane

Concen: 97.408 ug/l

RT: 2.70 min Scan# 344

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 64 Resp: 1359529

Ion Ratio Lower Upper

64 100

66 32.4 25.6 38.4



Abundance Ion 63.90 (63.60 to 64.60): VN049628.D (-325) (-)

Ion 65.90 (65.60 to 66.60): VN049629.D (-252) (-)

2.70

800000


600000


400000

200000

0

Time-->









#7

Trichlorofluoromethane
Concen: 95.049 ug/l
RT: 3.01 min Scan# 443
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Instrument :
MSVOA_N
ClientSampled :
VSTDIC100




Tgt Ion: 101 Resp: 2394119
Ion Ratio Lower Upper
101 100
103 65.0 52.8 79.2




#8

Diethyl Ether
Concen: 101.161 ug/l
RT: 3.41 min Scan# 565
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion: 74 Resp: 1032825
Ion Ratio Lower Upper
74 100
45 95.2 48.4 145.2





#9

1,1,2-Trichlorotrifluoroethane

Concen: 97.815 ug/l

RT: 3.75 min Scan# 672

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion:101 Resp: 1772586

Ion Ratio Lower Upper

101 100

85 42.4 34.4 51.6




151 82.5 66.2 99.4



Abundance Ion 100.90 (100.60 to 101.60): V

Ion 84.90 (84.60 to 85.60): VN

Ion 150.80 (150.50 to 151.50): V



#10

Methyl Iodide

Concen: 108.039 ug/l

RT: 3.95 min Scan# 733

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion:142 Resp: 2450318

Ion Ratio Lower Upper

142 100

127 40.9 32.5 48.7



141 14.1 11.1 16.7




Abundance Ion 141.80 (141.50 to 142.50): V

Ion 126.80 (126.50 to 127.50): V

Ion 140.80 (140.50 to 141.50): V









#11

Tert butyl alcohol
 Concen: 523.468 ug/l
 RT: 4.80 min Scan# 997
 Delta R.T. 0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100




Tgt Ion: 59 Resp: 578634
 Ion Ratio Lower Upper
 59 100
 57 10.2 8.5 12.7




#12

1,1-Dichloroethene
 Concen: 97.140 ug/l
 RT: 3.73 min Scan# 667
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion: 96 Resp: 1664251
 Ion Ratio Lower Upper
 96 100
 61 158.8 126.5 189.7
 98 64.4 51.0 76.6





#13

Acrolein

Concen: 529.639 ug/l

RT: 3.61 min Scan# 627

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDIC100

Tgt Ion: 56 Resp: 546862

Ion Ratio Lower Upper

56 100

55 71.2 55.8 83.8



Abundance Ion 56.00 (55.70 to 56.70): VN049629.D (-534) (-)

Ion 55.00 (54.70 to 55.70): VN049629.D (-534) (-)

3.61

250000

200000



150000

100000

50000

0

Time-->



#14

Allyl chloride

Concen: 91.240 ug/l

RT: 4.32 min Scan# 850

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion: 41 Resp: 2147177

Ion Ratio Lower Upper

41 100

39 65.1 53.2 79.8

76 36.6 29.0 43.6



Abundance Ion 41.00 (40.70 to 41.70): VN049629.D (-757) (-)

Ion 39.00 (38.70 to 39.70): VN049629.D (-757) (-)

Ion 75.90 (75.60 to 76.60): VN049629.D (-757) (-)

4.32

800000


600000


400000

200000

0

Time-->





#15

Acrylonitrile

Concen: 522.507 ug/l

RT: 4.99 min Scan# 1057

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDICC100





Tgt Ion: 53 Resp: 2983066

Ion Ratio Lower Upper

53 100

52 81.6 64.8 97.2

51 35.6 28.9 43.3



#16

Acetone

Concen: 422.499 ug/l

RT: 3.82 min Scan# 693

Delta R.T. -0.00 min

Lab File: VN049629.D




Acq: 29 Jun 2018 12:36


Tgt Ion: 43 Resp: 2015747

Ion Ratio Lower Upper

43 100

58 33.3 25.9 38.9





#17

Carbon Disulfide

Concen: 94.380 ug/l

RT: 4.05 min Scan# 764

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDIC100

Tgt Ion: 76 Resp: 4901534

Ion Ratio Lower Upper

76 100

78 9.2 7.1 10.7



Abundance Ion 75.90 (75.60 to 76.60): VN049629.D (-740) (-)

Ion 77.90 (77.60 to 78.60): VN049629.D (-740) (-)

4.05



1500000

1000000

500000

0

Time-->



#18

Methyl Acetate

Concen: 57.641 ug/l

RT: 4.33 min Scan# 851

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 43 Resp: 1673191

Ion Ratio Lower Upper

43 100

74 24.0 19.8 29.8



Abundance Ion 43.00 (42.70 to 43.70): VN049629.D (-758) (-)

Ion 74.00 (73.70 to 74.70): VN049629.D (-758) (-)

4.33


600000


400000

200000

0

Time-->





#19

Methyl tert-butyl Ether

Concen: 104.842 ug/l

RT: 5.05 min Scan# 1075

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :





VSTDIC100

Tgt Ion: 73 Resp: 4630447

Ion Ratio Lower Upper

73 100

57 22.4 18.1 27.1



#20

Methylene Chloride

Concen: 93.911 ug/l

RT: 4.55 min Scan# 920

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Tgt Ion: 84 Resp: 1862819




Ion Ratio Lower Upper


84 100

49 119.7 95.4 143.2

51 37.2 28.4 42.6

86 64.5 52.6 79.0





#21

trans-1,2-Dichloroethene

Concen: 101.231 ug/l

RT: 5.04 min Scan# 1073

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 96 Resp: 1784933

Ion Ratio Lower Upper




96 100

61 138.5 109.0 163.6

98 63.7 51.1 76.7



Abundance Ion 95.90 (95.60 to 96.60): VN049629.D (-980) (-)



#22

Diisopropyl ether

Concen: 106.530 ug/l

RT: 5.95 min Scan# 1357

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Tgt Ion: 45 Resp: 5672044


Ion Ratio Lower Upper

45 100



43 57.7 48.1 72.1


87 28.0 22.6 34.0

59 11.8 9.2 13.8



Abundance Ion 45.00 (44.70 to 45.70): VN049629.D (-1264) (-)









#23
 Vinyl Acetate
 Concen: 562.203 ug/l
 RT: 5.90 min Scan# 1339
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion: 43 Resp:19411247
 Ion Ratio Lower Upper
 43 100
 86 10.4 8.4 12.6



#24
 1,1-Dichloroethane
 Concen: 99.070 ug/l
 RT: 5.85 min Scan# 1325
 Delta R.T. 0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion: 63 Resp: 3323043
 Ion Ratio Lower Upper
 63 100
 98 6.5 3.4 10.2
 100 4.2 2.2 6.6









#25
2-Butanone
Concen: 523.025 ug/l
RT: 6.84 min Scan# 1632
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion: 43 Resp: 3344699
Ion Ratio Lower Upper
43 100
72 27.1 22.1 33.1



#26
2,2-Dichloropropane
Concen: 99.652 ug/l
RT: 6.82 min Scan# 1628
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion: 77 Resp: 2776147
Ion Ratio Lower Upper
77 100
97 23.5 11.9 35.5





#27

cis-1,2-Dichloroethene

Concen: 103.947 ug/l

RT: 6.83 min Scan# 1630

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 96 Resp: 2047344

Ion Ratio Lower Upper

96 100

61 143.5 0.0 289.0




98 64.9 0.0 130.2



Abundance Ion 95.90 (95.60 to 96.60): VN049629.D (-1537) (-)

Ion 60.90 (60.60 to 61.60): VN049629.D (-1537) (-)

Ion 97.90 (97.60 to 98.60): VN049629.D (-1537) (-)



#28

Bromochloromethane

Concen: 100.024 ug/l

RT: 7.20 min Scan# 1744

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion: 49 Resp: 1423936

Ion Ratio Lower Upper

49 100

129 2.1 0.0 4.2



130 82.5 65.5 98.3




Abundance Ion 48.90 (48.60 to 49.60): VN049629.D (-1651) (-)

Ion 128.80 (128.50 to 129.50): VN049629.D (-1651) (-)

Ion 129.80 (129.50 to 130.50): VN049629.D (-1651) (-)





#29

Tetrahydrofuran

Concen: 543.239 ug/l

RT: 7.21 min Scan# 1749

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampled :

VSTDICC100





Tgt Ion: 42 Resp: 2214184

Ion Ratio Lower Upper

42 100

72 44.8 35.6 53.4

71 42.5 34.0 51.0



#30

Chloroform

Concen: 98.745 ug/l

RT: 7.37 min Scan# 1798

Delta R.T. -0.00 min

Lab File: VN049629.D




Acq: 29 Jun 2018 12:36


Tgt Ion: 83 Resp: 3376324

Ion Ratio Lower Upper

83 100

85 64.0 51.4 77.2





#31

Cyclohexane

Concen: 90.615 ug/l

RT: 7.65 min Scan# 1886

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 56 Resp: 2993049

Ion Ratio Lower Upper

56 100

69 31.8 26.6 40.0




84 84.9 69.0 103.6



Abundance Ion 56.00 (55.70 to 56.70): VN049629.D (-1793) (-)

Ion 69.00 (68.70 to 69.70): VN049629.D (-1793) (-)

Ion 84.00 (83.70 to 84.70): VN049629.D (-1793) (-)



#32

1,1,1-Trichloroethane

Concen: 100.528 ug/l

RT: 7.57 min Scan# 1860

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion: 97 Resp: 2910109

Ion Ratio Lower Upper

97 100

99 64.3 51.0 76.4



61 43.7 35.5 53.3




Abundance Ion 96.90 (96.60 to 97.60): VN049629.D (-1767) (-)

Ion 98.90 (98.60 to 99.60): VN049629.D (-1767) (-)

Ion 60.90 (60.60 to 61.60): VN049629.D (-1767) (-)





#33

1,2-Dichloroethane-d4

Concen: 96.347 ug/l

RT: 8.03 min Scan# 2002

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :





VSTDIC100

Tgt Ion: 65 Resp: 1855948

Ion Ratio Lower Upper

65 100

67 54.0 0.0 107.2



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.59 min Scan# 2176

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36




Tgt Ion: 114 Resp: 2174705


Ion Ratio Lower Upper

114 100

63 19.8 0.0 39.8

88 15.6 0.0 30.6









#35
Dibromofluoromethane
Concen: 95.277 ug/l
RT: 7.59 min Scan# 1866
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion:113 Resp: 1549041
Ion Ratio Lower Upper
113 100
111 103.3 81.8 122.8
192 22.2 17.8 26.6



#36
1,1-Dichloropropene
Concen: 106.686 ug/l
RT: 7.79 min Scan# 1929
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion: 75 Resp: 2610267
Ion Ratio Lower Upper
75 100
110 36.1 18.1 54.4
77 30.9 24.9 37.3









#37
 Ethyl Acetate
 Concen: 108.613 ug/l
 RT: 6.93 min Scan# 1661
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion: 43 Resp: 1549985
 Ion Ratio Lower Upper
 43 100
 61 14.6 11.7 17.5
 70 10.5 8.4 12.6



#38
 Carbon Tetrachloride
 Concen: 104.545 ug/l
 RT: 7.77 min Scan# 1923
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion: 117 Resp: 2488194
 Ion Ratio Lower Upper
 117 100
 119 95.9 77.2 115.8
 121 30.4 25.0 37.6









#39
Methylcyclohexane
Concen: 109.086 ug/l
RT: 9.08 min Scan# 2330
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion: 83 Resp: 2926303
Ion Ratio Lower Upper
83 100
55 74.6 59.7 89.5
98 46.1 36.5 54.7



#40
Benzene
Concen: 102.562 ug/l
RT: 8.04 min Scan# 2007
Delta R.T. 0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion: 78 Resp: 7662250
Ion Ratio Lower Upper
78 100
77 23.7 19.0 28.4









#41
Methacrylonitrile
Concen: 107.204 ug/l
RT: 7.17 min Scan# 1737
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion:	41	Resp:	816639
Ion	Ratio	Lower	Upper
41	100		
39	65.7	45.4	68.2
67	86.2	65.4	98.0
52	34.2	24.7	37.1



#42
1,2-Dichloroethane
Concen: 100.765 ug/l
RT: 8.13 min Scan# 2033
Delta R.T. 0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion:	62	Resp:	2402489
Ion	Ratio	Lower	Upper
62	100		
98	9.3	0.0	19.0





#43

Isopropyl Acetate

Concen: 86.059 ug/l

RT: 8.17 min Scan# 2045

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 43 Resp: 2901752

Ion Ratio Lower Upper

43 100

61 20.3 14.9 22.3




87 13.5 10.0 15.0



Abundance Ion 43.00 (42.70 to 43.70): VN049629.D (-2160) (-)

Ion 61.00 (60.70 to 61.70): VN049629.D (-2160) (-)

Ion 87.00 (86.70 to 87.70): VN049629.D (-2160) (-)



#44

Trichloroethene

Concen: 99.929 ug/l

RT: 8.84 min Scan# 2254

Delta R.T. 0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 130 Resp: 2251447

Ion Ratio Lower Upper



130 100


95 97.8 0.0 192.8



Abundance Ion 129.80 (129.50 to 130.50): VN049629.D (-2160) (-)

Ion 94.90 (94.60 to 95.60): VN049629.D (-2160) (-)





#45

1,2-Dichloropropane

Concen: 104.228 ug/l

RT: 9.12 min Scan# 2342

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampled :


VSTDIC100

Tgt Ion: 63 Resp: 2011795

Ion Ratio Lower Upper




63 100

65 30.6 24.7 37.1



Abundance Ion 62.90 (62.60 to 63.60): VN049629.D (-2249) (-)

Ion 64.90 (64.60 to 65.60): VN049629.D (-2249) (-)



#46

Dibromomethane

Concen: 103.140 ug/l

RT: 9.21 min Scan# 2370

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion: 93 Resp: 1204370

Ion Ratio Lower Upper

93 100

95 82.8 67.9 101.9



174 110.3 89.4 134.0




Abundance Ion 92.80 (92.50 to 93.50): VN049629.D (-2277) (-)

Ion 94.80 (94.50 to 95.50): VN049629.D (-2277) (-)

Ion 173.70 (173.40 to 174.40): VN049629.D (-2277) (-)





#47

Bromodichloromethane

Concen: 104.074 ug/l

RT: 9.40 min Scan# 2430

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 83 Resp: 2587058

Ion Ratio Lower Upper

83 100

85 64.8 50.5 75.7




127 8.9 6.8 10.2



Abundance Ion 82.90 (82.60 to 83.60): VN049629.D (-2337) (-)

Ion 84.90 (84.60 to 85.60): VN049629.D (-2337) (-)

Ion 126.80 (126.50 to 127.50): VN049629.D (-2337) (-)



#48

Methyl methacrylate

Concen: 110.159 ug/l

RT: 9.20 min Scan# 2367

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion: 41 Resp: 1396952

Ion Ratio Lower Upper

41 100

69 91.8 71.5 107.3



39 56.0 44.7 67.1




Abundance Ion 41.00 (40.70 to 41.70): VN049629.D (-2274) (-)

Ion 69.00 (68.70 to 69.70): VN049629.D (-2274) (-)

Ion 39.00 (38.70 to 39.70): VN049629.D (-2274) (-)









#49
1,4-Dioxane
Concen: 2190.439 ug/l
RT: 9.20 min Scan# 2367
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100

Tgt Ion: 88 Resp: 373441
Ion Ratio Lower Upper
88 100
43 32.0 25.1 37.7
58 67.4 52.5 78.7




Abundance Ion 88.00 (87.70 to 88.70): VN0
Ion 43.00 (42.70 to 43.70): VN0
Ion 58.00 (57.70 to 58.70): VN0






#50
Toluene-d8
Concen: 100.682 ug/l
RT: 10.09 min Scan# 2644
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion: 98 Resp: 6407223
Ion Ratio Lower Upper
98 100
100 64.5 51.7 77.5



Abundance Ion 98.00 (97.70 to 98.70): VN0
Ion 100.00 (99.70 to 100.70): VN0









#51
 4-Methyl-2-Pentanone
 Concen: 544.406 ug/l
 RT: 9.99 min Scan# 2611
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion: 43 Resp: 7617090
 Ion Ratio Lower Upper
 43 100
 58 40.5 31.8 47.8



#52
 Toluene
 Concen: 106.698 ug/l
 RT: 10.16 min Scan# 2664
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion: 92 Resp: 4815700
 Ion Ratio Lower Upper
 92 100
 91 175.5 140.1 210.1





#53

t-1,3-Dichloropropene

Concen: 112.912 ug/l

RT: 10.38 min Scan# 2735

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :





VSTDIC100

Tgt Ion: 75 Resp: 2687545

Ion Ratio Lower Upper

75 100

77 31.9 25.2 37.8



#54

cis-1,3-Dichloropropene

Concen: 111.262 ug/l

RT: 9.84 min Scan# 2566

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36




Tgt Ion: 75 Resp: 3095174


Ion Ratio Lower Upper

75 100

77 31.9 25.3 37.9

39 44.6 35.5 53.3









#55
 1,1,2-Trichloroethane
 Concen: 102.007 ug/l
 RT: 10.56 min Scan# 2791
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Instrument :
 MSVOA_N
 ClientSampled :
 VSTDIC100

Tgt Ion: 97 Resp: 1714257




Ion	Ratio	Lower	Upper
97	100		
83	86.4	69.0	103.6
85	56.9	44.9	67.3
99	61.8	49.8	74.6




#56
 Ethyl methacrylate
 Concen: 117.946 ug/l
 RT: 10.43 min Scan# 2750
 Delta R.T. 0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion: 69 Resp: 2323378

Ion	Ratio	Lower	Upper
69	100		
41	63.9	51.6	77.4
39	31.4	25.8	38.8





#57

1,3-Dichloropropane

Concen: 106.105 ug/l

RT: 10.71 min Scan# 2836

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDIC100

Tgt Ion: 76 Resp: 2891422

Ion Ratio Lower Upper




76 100

78 32.4 25.8 38.8



Abundance Ion 75.90 (75.60 to 76.60): VN049628.D (-2820) (-)

Ion 77.90 (77.60 to 78.60): VN049629.D (-2743) (-)



#58

2-Chloroethyl Vinyl ether

Concen: 613.116 ug/l

RT: 9.70 min Scan# 2521

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 63 Resp: 5622394

Ion Ratio Lower Upper



63 100


106 27.1 21.8 32.8



Abundance Ion 62.90 (62.60 to 63.60): VN049628.D (-2504) (-)

Ion 105.90 (105.60 to 106.60): VN049629.D (-2428) (-)









#59
2-Hexanone
Concen: 562.143 ug/l
RT: 10.75 min Scan# 2850
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion: 43 Resp: 5200926
Ion Ratio Lower Upper
43 100
58 55.9 27.8 83.4



#60
Dibromochloromethane
Concen: 109.301 ug/l
RT: 10.90 min Scan# 2897
Delta R.T. 0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion: 129 Resp: 1985283
Ion Ratio Lower Upper
129 100
127 76.8 38.3 114.9





#61

1,2-Dibromoethane

Concen: 106.514 ug/l

RT: 11.01 min Scan# 2929

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampled :


VSTDIC100

Tgt Ion: 107 Resp: 1715114

Ion Ratio Lower Upper




107 100

109 95.0 75.0 112.6



Abundance Ion 106.90 (106.60 to 107.60): V

Ion 108.80 (108.50 to 109.50): V



#62

4-Bromofluorobenzene

Concen: 105.123 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion: 95 Resp: 2283994

Ion Ratio Lower Upper

95 100

174 89.6 0.0 179.6



176 86.9 0.0 174.0




Abundance Ion 94.90 (94.60 to 95.60): V

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 3054
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion:117 Resp: 2024097
Ion Ratio Lower Upper
117 100
82 54.4 41.9 62.9
119 31.9 25.4 38.2



#64
Tetrachloroethene
Concen: 96.882 ug/l
RT: 10.63 min Scan# 2812
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion:164 Resp: 2655231
Ion Ratio Lower Upper
164 100
166 128.4 101.8 152.6
129 91.9 72.8 109.2
131 88.3 70.0 105.0









#65
Chlorobenzene
Concen: 100.718 ug/l
RT: 11.44 min Scan# 3062
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion:112 Resp: 5318104
Ion Ratio Lower Upper
112 100
114 32.0 25.4 38.0



#66
1,1,1,2-Tetrachloroethane
Concen: 102.587 ug/l
RT: 11.51 min Scan# 3085
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion:131 Resp: 1946359
Ion Ratio Lower Upper
131 100
133 95.5 47.5 142.6
119 66.1 33.1 99.3





#67

Ethyl Benzene

Concen: 107.262 ug/l

RT: 11.51 min Scan# 3086

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDIC100

Tgt Ion: 91 Resp: 9362263

Ion Ratio Lower Upper




91 100

106 31.1 24.8 37.2



Abundance Ion 91.00 (90.70 to 91.70): VN0

Ion 106.00 (105.70 to 106.70): V



#68

m/p-Xylenes

Concen: 216.283 ug/l

RT: 11.62 min Scan# 3120

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 106 Resp: 7234743

Ion Ratio Lower Upper



106 100


91 202.7 163.4 245.2



Abundance Ion 106.00 (105.70 to 106.70): V

Ion 91.00 (90.70 to 91.70): VN0









#69
o-Xylene
Concen: 108.930 ug/l
RT: 11.95 min Scan# 3222
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36




Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100


Tgt Ion:106 Resp: 3488546
Ion Ratio Lower Upper
106 100
91 214.6 108.7 326.1



#70
Styrene
Concen: 112.426 ug/l
RT: 11.97 min Scan# 3227
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion:104 Resp: 5825658
Ion Ratio Lower Upper
104 100
78 48.9 39.2 58.8
103 55.2 44.6 67.0





#71

Bromoform

Concen: 108.685 ug/l

RT: 12.13 min Scan# 3278

Delta R.T. 0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampled :

VSTDIC100


Tgt Ion:173 Resp: 1370180

Ion Ratio Lower Upper




173 100

175 49.0 24.6 73.8

254 0.2 0.2 0.2



Abundance Ion 172.70 (172.40 to 173.40): V
Ion 174.70 (174.40 to 175.40): V
Ion 254.40 (254.10 to 255.10): V



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.35 min Scan# 3656

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion:152 Resp: 1161015

Ion Ratio Lower Upper



152 100


115 56.1 28.1 84.2

150 194.2 0.0 347.6



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V





#73

Isopropylbenzene

Concen: 99.248 ug/l

RT: 12.25 min Scan# 3316

Delta R.T. 0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :





VSTDIC100

Tgt Ion: 105 Resp: 9178530

Ion Ratio Lower Upper

105 100

120 26.4 13.3 39.8



#74

N-ethyl acetate

Concen: 105.018 ug/l

RT: 12.07 min Scan# 3259

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Tgt Ion: 43 Resp: 2652906




Ion Ratio Lower Upper


43 100

70 43.2 34.8 52.2

55 25.0 20.9 31.3

61 24.6 19.9 29.9





#75

1,1,2,2-Tetrachloroethane

Concen: 89.176 ug/l

RT: 12.51 min Scan# 3395

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 83 Resp: 1947442

Ion Ratio Lower Upper

83 100

131 10.6 5.2 15.6




85 64.6 32.5 97.4



Abundance Ion 82.90 (82.60 to 83.60): VN049629.D (-3302) (-)

Ion 130.80 (130.50 to 131.50): VN049629.D (-3302) (-)

Ion 84.90 (84.60 to 85.60): VN049629.D (-3302) (-)



#76

1,2,3-Trichloropropane

Concen: 131.860 ug/l

RT: 12.56 min Scan# 3411

Delta R.T. 0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 75 Resp: 2657754

Ion Ratio Lower Upper



75 100


77 0.0 0.0 0.0



Abundance Ion 74.90 (74.60 to 75.60): VN049629.D (-3317) (-)

Ion 77.00 (76.70 to 77.70): VN049629.D (-3317) (-)





#77

Bromobenzene

Concen: 93.882 ug/l

RT: 12.53 min Scan# 3402

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampled :

VSTDIC100


Tgt Ion:156 Resp: 2360886

Ion Ratio Lower Upper

156 100

77 180.8 90.2 270.6




158 97.4 49.1 147.3



Abundance Ion 155.80 (155.50 to 156.50): V

Ion 77.00 (76.70 to 77.70): VN0

Ion 157.80 (157.50 to 158.50): V



#78

n-propylbenzene

Concen: 102.058 ug/l

RT: 12.59 min Scan# 3422

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 91 Resp:10817196

Ion Ratio Lower Upper



91 100


120 23.2 11.5 34.4



Abundance Ion 91.00 (90.70 to 91.70): VN0

Ion 120.00 (119.70 to 120.70): V





#79

2-Chlorotoluene

Concen: 94.938 ug/l

RT: 12.68 min Scan# 3448

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :


VSTDIC100

Tgt Ion: 91 Resp: 6368358




Ion Ratio Lower Upper

91 100

126 34.9 17.5 52.5



Abundance Ion 91.00 (90.70 to 91.70): VN049629.D (-3355) (-)



#80

1,3,5-Trimethylbenzene

Concen: 101.664 ug/l

RT: 12.73 min Scan# 3466

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 105 Resp: 7812778



Ion Ratio Lower Upper


105 100

120 48.8 24.3 72.8



Abundance Ion 105.00 (104.70 to 105.70): VN049629.D (-3373) (-)





#81

trans-1,4-Dichloro-2-butene

Concen: 107.848 ug/l

RT: 12.30 min Scan# 3332

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100





Tgt Ion: 75 Resp: 591253

Ion Ratio Lower Upper

75 100

53 89.6 73.9 110.9

89 46.0 35.9 53.9



#82

4-Chlorotoluene

Concen: 97.241 ug/l

RT: 12.77 min Scan# 3478

Delta R.T. -0.00 min

Lab File: VN049629.D




Acq: 29 Jun 2018 12:36


Tgt Ion: 91 Resp: 6558588

Ion Ratio Lower Upper

91 100

126 34.8 17.2 51.6









#83
 tert-Butylbenzene
 Concen: 101.011 ug/l
 RT: 12.99 min Scan# 3547
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion:119 Resp: 6668394
 Ion Ratio Lower Upper
 119 100
 91 63.4 32.0 96.2
 134 25.0 12.8 38.4



#84
 1,2,4-Trimethylbenzene
 Concen: 102.707 ug/l
 RT: 13.04 min Scan# 3562
 Delta R.T. 0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion:105 Resp: 8110403
 Ion Ratio Lower Upper
 105 100
 120 45.2 22.7 68.1









#85
 sec-Butylbenzene
 Concen: 102.463 ug/l
 RT: 13.17 min Scan# 3603
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion:105 Resp: 8962064
 Ion Ratio Lower Upper
 105 100
 134 20.2 10.1 30.1



#86
 p-Isopropyltoluene
 Concen: 106.379 ug/l
 RT: 13.29 min Scan# 3639
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion:119 Resp: 8059265
 Ion Ratio Lower Upper
 119 100
 134 26.5 13.3 39.9
 91 22.5 11.4 34.1





#87

1,3-Dichlorobenzene

Concen: 94.288 ug/l

RT: 13.28 min Scan# 3637

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion:146 Resp: 4377422

Ion Ratio Lower Upper

146 100

111 38.5 19.0 57.0




148 64.4 32.5 97.5



Abundance Ion 145.90 (145.60 to 146.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 147.90 (147.60 to 148.60): V



#88

1,4-Dichlorobenzene

Concen: 92.965 ug/l

RT: 13.36 min Scan# 3662

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36


Tgt Ion:146 Resp: 4308494

Ion Ratio Lower Upper

146 100

111 36.8 18.9 56.5



148 64.2 32.1 96.3




Abundance Ion 145.90 (145.60 to 146.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 147.90 (147.60 to 148.60): V





#89

n-Butylbenzene

Concen: 107.352 ug/l

RT: 13.62 min Scan# 3740

Delta R.T. -0.00 min

Lab File: VN049629.D

Acq: 29 Jun 2018 12:36

Instrument :

MSVOA_N

ClientSampleId :

VSTDIC100


Tgt Ion: 91 Resp: 6962834

Ion Ratio Lower Upper

91 100

92 52.2 25.8 77.3




134 26.5 13.0 38.9



Abundance Ion 91.00 (90.70 to 91.70): VN049629.D (-3647) (-)

Ion 92.00 (91.70 to 92.70): VN049629.D (-3647) (-)

Ion 134.00 (133.70 to 134.70): VN049629.D (-3647) (-)



#90

Hexachloroethane

Concen: 105.671 ug/l

RT: 13.88 min Scan# 3821

Delta R.T. -0.00 min

Lab File: VN049629.D


Acq: 29 Jun 2018 12:36

Tgt Ion: 117 Resp: 840923

Ion Ratio Lower Upper



117 100


201 90.4 45.3 135.8



Abundance Ion 116.80 (116.50 to 117.50): VN049629.D (-3728) (-)

Ion 200.70 (200.40 to 201.40): VN049629.D (-3728) (-)









#91
 1,2-Dichlorobenzene
 Concen: 93.650 ug/l
 RT: 13.65 min Scan# 3752
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion:146 Resp: 4226051
 Ion Ratio Lower Upper
 146 100
 111 39.5 19.7 59.1
 148 64.0 32.0 96.2



#92
 1,2-Dibromo-3-Chloropropane
 Concen: 86.418 ug/l
 RT: 14.27 min Scan# 3944
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion: 75 Resp: 329310
 Ion Ratio Lower Upper
 75 100
 155 92.7 45.7 137.1
 157 120.3 56.9 170.7









#93
 1,2,4-Trichlorobenzene
 Concen: 108.991 ug/l
 RT: 14.91 min Scan# 4143
 Delta R.T. -0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36




Instrument :
 MSVOA_N
 ClientSampleId :
 VSTDIC100


Tgt Ion:180 Resp: 2264804
 Ion Ratio Lower Upper
 180 100
 182 95.2 47.3 141.9
 145 28.3 14.4 43.0



#94
 Hexachlorobutadiene
 Concen: 89.058 ug/l
 RT: 15.01 min Scan# 4175
 Delta R.T. 0.00 min
 Lab File: VN049629.D
 Acq: 29 Jun 2018 12:36

Tgt Ion:225 Resp: 1283498
 Ion Ratio Lower Upper
 225 100
 223 63.0 30.9 92.7
 227 64.3 31.8 95.4









#95
Naphthalene
Concen: 112.738 ug/l
RT: 15.14 min Scan# 4213
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Instrument :
MSVOA_N
ClientSampleId :
VSTDIC100

Tgt Ion:128 Resp: 5026322

Ion	Ratio	Lower	Upper
128	100		
127	12.7	10.4	15.6
129	10.9	8.6	13.0



#96
1,2,3-Trichlorobenzene
Concen: 99.283 ug/l
RT: 15.32 min Scan# 4269
Delta R.T. -0.00 min
Lab File: VN049629.D
Acq: 29 Jun 2018 12:36

Tgt Ion:180 Resp: 2122647

Ion	Ratio	Lower	Upper
180	100		
182	95.8	47.4	142.2
145	30.6	15.2	45.6

