

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070122\
 Data File : VN073290.D
 Acq On : 01 Jul 2022 12:20
 Operator : JC\MD
 Sample : N3524-03 20X
 Misc : 5.10g/10mL/100uL/5.0mL/MSVOA_N/MEOH
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 31493

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
 Title : SW846 8260

Signal : TIC: VN073290.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.057	528	539	553	rVB2	26178	94454	3.26%	0.175%
2	6.034	696	705	714	rVB3	13648	40163	1.39%	0.075%
3	7.240	901	910	924	rBV3	14145	41316	1.43%	0.077%
4	7.951	1020	1031	1036	rBV	215361	526295	18.17%	0.976%
5	8.016	1036	1042	1051	rVV	426790	1004232	34.67%	1.863%
6	8.104	1051	1057	1066	rVB3	18292	48743	1.68%	0.090%
7	8.228	1071	1078	1088	rBV4	27425	62040	2.14%	0.115%
8	8.375	1093	1103	1115	rBV2	269157	721139	24.89%	1.338%
9	8.545	1117	1132	1142	rBV	110039	285613	9.86%	0.530%
10	8.763	1161	1169	1181	rBV2	44027	92123	3.18%	0.171%
11	8.904	1184	1193	1209	rVV	573929	1204421	41.58%	2.234%
12	9.392	1263	1276	1281	rBV2	76540	176530	6.09%	0.327%
13	9.445	1281	1285	1293	rVB3	34614	65642	2.27%	0.122%
14	9.816	1341	1348	1359	rBV	77289	149519	5.16%	0.277%
15	9.951	1359	1371	1377	rBV2	102280	206266	7.12%	0.383%
16	10.016	1377	1382	1386	rBV	38827	65954	2.28%	0.122%
17	10.151	1400	1405	1419	rVB4	49141	143344	4.95%	0.266%
18	10.310	1423	1432	1436	rBV	55067	99777	3.44%	0.185%
19	10.381	1436	1444	1449	rBV	802698	1475396	50.93%	2.737%
20	10.439	1449	1454	1462	rVB	391518	720634	24.88%	1.337%
21	10.563	1467	1475	1485	rVB	80650	153197	5.29%	0.284%
22	10.828	1509	1520	1526	rBV5	31495	75512	2.61%	0.140%
23	10.904	1526	1533	1542	rVB	239083	409158	14.12%	0.759%
24	11.092	1560	1565	1568	rBV2	17994	30006	1.04%	0.056%
25	11.233	1584	1589	1594	rVB5	22931	37696	1.30%	0.070%
26	11.392	1610	1616	1620	rBV	39585	64969	2.24%	0.121%
27	11.457	1620	1627	1636	rVB	200362	362673	12.52%	0.673%
28	11.557	1636	1644	1655	rBV2	351735	644515	22.25%	1.196%
29	11.680	1656	1665	1672	rVV	888138	1828602	63.12%	3.392%
30	11.733	1672	1674	1675	rVV	157127	155275	5.36%	0.288%
31	11.780	1678	1682	1694	rVV2	411030	993254	34.29%	1.843%
32	11.886	1694	1700	1712	rVB	939291	1875335	64.73%	3.479%
33	12.216	1745	1756	1764	rBV	521362	949206	32.77%	1.761%
34	12.304	1766	1771	1775	rVB2	25902	39890	1.38%	0.074%
35	12.386	1778	1785	1788	rBV8	16378	37011	1.28%	0.069%
36	12.433	1789	1793	1798	rVB5	18164	31131	1.07%	0.058%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070122\
 Data File : VN073290.D
 Acq On : 01 Jul 2022 12:20
 Operator : JC\MD
 Sample : N3524-03 20X
 Misc : 5.10g/10mL/100uL/5.0mL/MSVOA_N/MEOH
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 31493

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
 Title : SW846 8260

37	12.516	1802	1807	1813	rBV	67532	135436	4.68%	0.251%
38	12.610	1816	1823	1828	rVV	1471903	2449089	84.54%	4.543%
39	12.669	1828	1833	1846	rVV	769064	1510204	52.13%	2.802%
40	12.757	1846	1848	1853	rVB6	24992	31163	1.08%	0.058%
41	12.857	1860	1865	1870	rVB	152592	248781	8.59%	0.462%
42	12.922	1870	1876	1879	rBV	624948	992323	34.25%	1.841%
43	12.951	1879	1881	1885	rVV	270186	435133	15.02%	0.807%
44	12.998	1885	1889	1894	rVV2	450890	780164	26.93%	1.447%
45	13.086	1894	1904	1910	rVV4	102918	448586	15.48%	0.832%
46	13.157	1911	1916	1924	rVB	305429	563992	19.47%	1.046%
47	13.221	1924	1927	1930	rBV2	21927	31056	1.07%	0.058%
48	13.257	1930	1933	1935	rBV2	21511	30380	1.05%	0.056%
49	13.304	1935	1941	1947	rVB	1327612	2101216	72.53%	3.898%
50	13.498	1955	1974	1980	rBV6	320282	1274124	43.98%	2.364%
51	13.569	1982	1986	1988	rVV2	209004	371542	12.83%	0.689%
52	13.610	1988	1993	2013	rVB2	1060129	2896944	100.00%	5.374%
53	13.774	2016	2021	2023	rBV2	106118	163100	5.63%	0.303%
54	13.810	2023	2027	2030	rVV2	378974	647003	22.33%	1.200%
55	13.851	2030	2034	2044	rVV4	419544	1273485	43.96%	2.363%
56	13.933	2044	2048	2051	rVV	249046	400655	13.83%	0.743%
57	13.969	2051	2054	2057	rVV3	110149	193218	6.67%	0.358%
58	14.010	2057	2061	2066	rVV3	185461	354690	12.24%	0.658%
59	14.068	2066	2071	2073	rVV	272205	455332	15.72%	0.845%
60	14.098	2073	2076	2081	rVV2	322539	629716	21.74%	1.168%
61	14.151	2081	2085	2091	rVB	394425	620937	21.43%	1.152%
62	14.263	2098	2104	2109	rBV3	183857	295048	10.18%	0.547%
63	14.321	2109	2114	2121	rBV9	66772	179143	6.18%	0.332%
64	14.398	2121	2127	2131	rBV3	157215	363557	12.55%	0.674%
65	14.474	2137	2140	2144	rBV2	191895	282610	9.76%	0.524%
66	14.516	2144	2147	2151	rVB	342819	446392	15.41%	0.828%
67	14.557	2151	2154	2158	rBV2	226428	360026	12.43%	0.668%
68	14.657	2164	2171	2182	rVB5	378037	1232021	42.53%	2.286%
69	14.751	2182	2187	2189	rBV2	184604	322653	11.14%	0.599%
70	14.786	2189	2193	2198	rVB2	599982	911447	31.46%	1.691%
71	14.851	2198	2204	2209	rBV3	823951	1810561	62.50%	3.359%
72	14.904	2209	2213	2220	rVB2	729059	1402223	48.40%	2.601%
73	15.039	2230	2236	2237	rBV5	159150	315979	10.91%	0.586%
74	15.127	2246	2251	2258	rVB3	373134	638056	22.03%	1.184%
75	15.233	2259	2269	2273	rBV6	523638	1497444	51.69%	2.778%
76	15.321	2280	2284	2291	rVB4	629867	1210600	41.79%	2.246%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070122\
Data File : VN073290.D
Acq On : 01 Jul 2022 12:20
Operator : JC\MD
Sample : N3524-03 20X
Misc : 5.10g/10mL/100uL/5.0mL/MSVOA_N/MEOH
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
31493

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M

Title : SW846 8260

77	15.398	2291	2297	2300	rBV	1178521	2186801	75.49%	4.057%
78	15.627	2332	2336	2344	rVB	1014676	1735393	59.90%	3.219%
79	16.457	2473	2477	2482	rBV	376959	735238	25.38%	1.364%
80	16.527	2484	2489	2494	rVV	697783	1513423	52.24%	2.808%
81	16.592	2496	2500	2511	rVB3	737821	1457222	50.30%	2.703%
82	16.727	2519	2523	2531	rVB4	491260	1058720	36.55%	1.964%


Sum of corrected areas: 53903857

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070122\
Data File : VN073290.D
Acq On : 01 Jul 2022 12:20
Operator : JC\MD
Sample : N3524-03 20X
Misc : 5.10g/10mL/100uL/5.0mL/MSVOA_N/MEOH
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
31493

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
Quant Title : SW846 8260

TIC Library :
TIC Integration Parameters: RTEINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070122\
Data File : VN073290.D
Acq On : 01 Jul 2022 12:20
Operator : JC\MD
Sample : N3524-03 20X
Misc : 5.10g/10mL/100uL/5.0mL/MSVOA_N/MEOH
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
31493

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
Quant Title : SW846 8260

TIC Library :
TIC Integration Parameters: RTEINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070122\
Data File : VN073290.D
Acq On : 01 Jul 2022 12:20
Operator : JC\MD
Sample : N3524-03 20X
Misc : 5.10g/10mL/100uL/5.0mL/MSVOA_N/MEOH
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
31493

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
Quant Title : SW846 8260

TIC Library :
TIC Integration Parameters: RTEINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc