

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN070419\
 Data File : VN056603.D
 Acq On : 3 Jul 2019 22:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 04 00:00:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061919W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 21 03:45:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	76	0.00
2 T	Dichlorodifluoromethane	0.423	0.387	8.5	69	0.00
3 P	Chloromethane	0.576	0.508	11.8	69	0.00
4 C	Vinyl Chloride	0.557	0.512	8.1#	71	0.00
5 T	Bromomethane	0.326	0.194	40.5#	44#	0.00
6 T	Chloroethane	0.322	0.296	8.1	70	0.00
7 T	Trichlorofluoromethane	0.720	0.685	4.9	74	0.00
8 T	Diethyl Ether	0.305	0.306	-0.3	79	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.459	0.444	3.3	77	0.00
10 T	Methyl Iodide	0.621	0.354	43.0#	42#	0.00
11 T	Tert butyl alcohol	0.093	0.110	-18.3	91	0.00
12 CM	1,1-Dichloroethene	0.442	0.427	3.4#	74	0.00
13 T	Acrolein	0.079	0.066	16.5	65	0.00
14 T	Allyl chloride	0.735	0.760	-3.4	78	0.00
15 T	Acrylonitrile	0.258	0.286	-10.9	85	0.00
16 T	Acetone	0.278	0.229	17.6	64	0.00
17 T	Carbon Disulfide	1.005	0.842	16.2	64	0.00
18 T	Methyl Acetate	0.696	0.633	9.1	92	0.00
19 T	Methyl tert-butyl Ether	1.462	1.565	-7.0	83	0.00
20 T	Methylene Chloride	0.571	0.526	7.9	76	0.00
21 T	trans-1,2-Dichloroethene	0.476	0.458	3.8	74	0.00
22 T	Diisopropyl ether	1.544	1.709	-10.7	85	0.00
23 T	Vinyl Acetate	1.218	1.382	-13.5	82	0.00
24 P	1,1-Dichloroethane	0.886	0.921	-4.0	81	0.00
25 T	2-Butanone	0.367	0.389	-6.0	80	0.00
26 T	2,2-Dichloropropane	0.616	0.558	9.4	70	0.00
27 T	cis-1,2-Dichloroethene	0.557	0.570	-2.3	78	0.00
28 T	Bromochloromethane	0.438	0.454	-3.7	79	0.00
29 T	Tetrahydrofuran	0.225	0.263	-16.9	89	0.00
30 C	Chloroform	0.875	0.923	-5.5#	82	0.00
31 T	Cyclohexane	0.856	0.786	8.2	74	0.00
32 T	1,1,1-Trichloroethane	0.693	0.732	-5.6	80	0.00
33 S	1,2-Dichloroethane-d4	0.554	0.570	-2.9	78	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	78	0.00
35 S	Dibromofluoromethane	0.312	0.318	-1.9	78	0.00
36 T	1,1-Dichloropropene	0.440	0.412	6.4	75	0.00
37 T	Ethyl Acetate	0.432	0.491	-13.7	84	0.00
38 T	Carbon Tetrachloride	0.385	0.385	0.0	79	0.00
39 T	Methylcyclohexane	0.543	0.488	10.1	72	0.00
40 TM	Benzene	1.354	1.328	1.9	78	0.00
41 T	Methacrylonitrile	0.191	0.220	-15.2	94	0.00
42 TM	1,2-Dichloroethane	0.447	0.446	0.2	81	0.00
43 T	Isopropyl Acetate	0.667	0.763	-14.4	87	0.00
44 TM	Trichloroethene	0.365	0.343	6.0	74	0.00
45 C	1,2-Dichloropropane	0.362	0.372	-2.8#	81	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN070419\
 Data File : VN056603.D
 Acq On : 3 Jul 2019 22:31
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 04 00:00:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061919W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 21 03:45:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.227	0.227	0.0	78	0.00
47 T	Bromodichloromethane	0.402	0.435	-8.2	83	0.00
48 T	Methyl methacrylate	0.334	0.375	-12.3	89	0.00
49 T	1,4-Dioxane	0.007	0.008	-14.3	91	0.00
50 S	Toluene-d8	1.214	1.181	2.7	75	0.00
51 T	4-Methyl-2-Pentanone	0.430	0.501	-16.5	89	0.00
52 CM	Toluene	0.828	0.823	0.6#	79	0.00
53 T	t-1,3-Dichloropropene	0.405	0.452	-11.6	80	0.00
54 T	cis-1,3-Dichloropropene	0.484	0.517	-6.8	78	0.00
55 T	1,1,2-Trichloroethane	0.333	0.349	-4.8	82	0.00
56 T	Ethyl methacrylate	0.486	0.546	-12.3	85	0.00
57 T	1,3-Dichloropropane	0.559	0.586	-4.8	82	0.00
58 T	2-Chloroethyl Vinyl ether	0.175	0.274	-56.6#	119	0.00
59 T	2-Hexanone	0.316	0.363	-14.9	89	0.00
60 T	Dibromochloromethane	0.302	0.342	-13.2	83	0.00
61 T	1,2-Dibromoethane	0.340	0.357	-5.0	80	0.00
62 S	4-Bromofluorobenzene	0.405	0.420	-3.7	78	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	76	0.00
64 T	Tetrachloroethene	0.396	0.360	9.1	73	0.00
65 PM	Chlorobenzene	1.005	1.010	-0.5	78	0.00
66 T	1,1,1,2-Tetrachloroethane	0.340	0.376	-10.6	82	0.00
67 C	Ethyl Benzene	1.764	1.779	-0.9#	78	0.00
68 T	m/p-Xylenes	0.646	0.666	-3.1	78	0.00
69 T	o-Xylene	0.640	0.664	-3.8	80	0.00
70 T	Styrene	1.022	1.120	-9.6	80	0.00
71 P	Bromoform	0.236	0.283	-19.9	86	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	82	0.00
73 T	Isopropylbenzene	4.403	3.759	14.6	79	0.00
74 T	N-amyl acetate	1.591	1.573	1.1	88	0.00
75 P	1,1,2,2-Tetrachloroethane	1.374	1.289	6.2	88	0.00
76 T	1,2,3-Trichloropropane	1.037	1.037	0.0	88	0.00
77 T	Bromobenzene	1.118	0.984	12.0	79	0.00
78 T	n-propylbenzene	4.579	4.227	7.7	81	0.00
79 T	2-Chlorotoluene	2.893	2.518	13.0	79	0.00
80 T	1,3,5-Trimethylbenzene	3.589	3.149	12.3	80	0.00
81 T	trans-1,4-Dichloro-2-butene	0.292	0.327	-12.0	95	0.00
82 T	4-Chlorotoluene	2.704	2.527	6.5	82	0.00
83 T	tert-Butylbenzene	3.279	2.740	16.4	79	0.00
84 T	1,2,4-Trimethylbenzene	3.366	3.124	7.2	81	0.00
85 T	sec-Butylbenzene	4.024	3.587	10.9	79	0.00
86 T	p-Isopropyltoluene	3.454	3.252	5.8	81	0.00
87 T	1,3-Dichlorobenzene	1.694	1.648	2.7	82	0.00
88 T	1,4-Dichlorobenzene	1.641	1.603	2.3	84	0.00
89 T	n-Butylbenzene	2.615	2.690	-2.9	87	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN070419\
Data File : VN056603.D
Acq On : 3 Jul 2019 22:31
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jul 04 00:00:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061919W.M
Quant Title : SW846 8260
QLast Update : Fri Jun 21 03:45:40 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.538	0.498	7.4	80	0.00
91 T	1,2-Dichlorobenzene	1.681	1.674	0.4	83	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.185	0.228	-23.2	99	0.00
93 T	1,2,4-Trichlorobenzene	0.703	0.911	-29.6#	98	0.00
94 T	Hexachlorobutadiene	0.644	0.537	16.6	76	0.00
95 T	Naphthalene	1.854	2.646	-42.7#	107	0.00
96 T	1,2,3-Trichlorobenzene	0.762	0.961	-26.1#	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6