

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN070618\
 Data File : VN049747.D
 Acq On : 6 Jul 2018 18:47
 Operator : MD\SY
 Sample : IBLANK
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :

Quant Time: Jul 06 22:55:02 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N062918W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jun 30 00:55:30 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	1147334	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	1887934	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	1514715	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	498667	50.00	ug/l	0.00

System Monitoring Compounds

33) 1,2-Dichloroethane-d4	8.03	65	786468	51.91	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.82%	
35) Dibromofluoromethane	7.59	113	673895	47.75	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.50%	
50) Toluene-d8	10.09	98	2500191	45.26	ug/l	0.00
Spiked Amount	50.000		Recovery	=	90.52%	
62) 4-Bromofluorobenzene	12.40	95	670898	35.57	ug/l	0.00
Spiked Amount	50.000		Recovery	=	71.14%	

Target Compounds


						Qvalue
3) Chloromethane	2.06	50	5500	0.34	ug/l #	87
5) Bromomethane	2.57	94	1862	0.20	ug/l #	49
13) Acrolein	3.59	56	542	0.67	ug/l #	1
16) Acetone	3.82	43	8355	Below	Cal	99
17) Carbon Disulfide	4.05	76	2018	Below	Cal #	75
18) Methyl Acetate	4.34	43	26608	Below	Cal	93
29) Tetrahydrofuran	7.22	42	936	0.29	ug/l #	57
36) 1,1-Dichloropropene	7.67	75	76650	3.61	ug/l #	47
38) Carbon Tetrachloride	7.67	117	99706	4.83	ug/l #	16
43) Isopropyl Acetate	8.28	43	410915	16.31	ug/l #	63
75) 1,1,2,2-Tetrachloroethane	12.50	83	112	Below	Cal #	25
76) 1,2,3-Trichloropropane	12.40	75	329967	41.26	ug/l #	100
81) trans-1,4-Dichloro-2-buten	12.40	75	329967	140.13	ug/l #	13
87) 1,3-Dichlorobenzene	13.35	146	62	Below	Cal #	1
88) 1,4-Dichlorobenzene	13.36	146	262	Below	Cal #	25
91) 1,2-Dichlorobenzene	13.66	146	282	Below	Cal #	42
92) 1,2-Dibromo-3-Chloropropan	14.21	75	66	Below	Cal #	1
93) 1,2,4-Trichlorobenzene	14.91	180	110	2.42	ug/l	88
95) Naphthalene	15.14	128	559	4.07	ug/l #	69
96) 1,2,3-Trichlorobenzene	15.31	180	32	1.65	ug/l #	12


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN070618\
Data File : VN049747.D
Acq On : 6 Jul 2018 18:47
Operator : MD\SY
Sample : IBLANK
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :

Quant Time: Jul 06 22:55:02 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N062918W.M
Quant Title : SW846 8260
QLast Update : Sat Jun 30 00:55:30 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.67 min Scan# 1890

Delta R.T. -0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N


ClientSampled :

Tot Ion:168 Resp: 1147334

Ion Ratio Lower Upper




168 100

99 52.4 40.6 61.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO



#3

Chloromethane

Concen: 0.34 ug/l

RT: 2.06 min Scan# 145

Delta R.T. -0.00 min

Lab File: VN049747.D


Acq: 6 Jul 2018 18:47

Tgt Ion: 50 Resp: 5500

Ion Ratio Lower Upper



50 100


52 39.7 26.1 39.1#



Abundance Ion 49.90 (49.60 to 50.60): VNO

Ion 51.90 (51.60 to 52.60): VNO





#5

Bromomethane

Concen: 0.20 ug/l

RT: 2.57 min Scan# 305

Delta R.T. 0.01 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N





ClientSampled :

Tot Ion: 94 Resp: 1862

Ion Ratio Lower Upper

94 100

96 44.9 75.7 113.5#



#13

Acrolein

Concen: 0.67 ug/l

RT: 3.59 min Scan# 623

Delta R.T. -0.01 min

Lab File: VN049747.D




Acq: 6 Jul 2018 18:47


Tgt Ion: 56 Resp: 542

Ion Ratio Lower Upper

56 100

55 171.6 55.8 83.8#





#16

Acetone

Concen: Below Cal

RT: 3.82 min Scan# 695

Delta R.T. 0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N


ClientSampleId :

Tot Ion: 43 Resp: 8355

Ion Ratio Lower Upper




43 100

58 31.7 25.9 38.9



Abundance Ion 43.00 (42.70 to 43.70): VN049628.D (-675) (-)

Ion 58.00 (57.70 to 58.70): VN049628.D (-675) (-)



#17

Carbon Disulfide

Concen: Below Cal

RT: 4.05 min Scan# 766

Delta R.T. 0.01 min

Lab File: VN049747.D


Acq: 6 Jul 2018 18:47

Tgt Ion: 76 Resp: 2018

Ion Ratio Lower Upper



76 100


78 0.0 7.1 10.7#



Abundance Ion 75.90 (75.60 to 76.60): VN049628.D (-740) (-)

Ion 77.90 (77.60 to 78.60): VN049628.D (-740) (-)





#18

Methvl Acetate

Concen: Below Cal

RT: 4.34 min Scan# 856

Delta R.T. 0.02 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N


ClientSampled :

Tot Ion: 43 Resp: 26608

Ion Ratio Lower Upper




43 100

74 21.3 19.8 29.8



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 74.00 (73.70 to 74.70): VN0



#29

Tetrahydrofuran

Concen: 0.29 ug/l

RT: 7.22 min Scan# 1751

Delta R.T. 0.01 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47


Tgt Ion: 42 Resp: 936

Ion Ratio Lower Upper

42 100

72 16.5 35.6 53.4#



71 15.4 34.0 51.0#




Abundance Ion 42.00 (41.70 to 42.70): VN0

Ion 72.00 (71.70 to 72.70): VN0

Ion 71.00 (70.70 to 71.70): VN0









#33
 1,2-Dichloroethane-d4
 Concen: 51.91 ug/l
 RT: 8.03 min Scan# 2003
 Delta R.T. 0.00 min
 Lab File: VN049747.D
 Acq: 6 Jul 2018 18:47




Instrument :
 MSVOA_N
 ClientSampleId :


Tot Ion: 65 Resp: 786468
 Ion Ratio Lower Upper
 65 100
 67 53.2 0.0 107.2



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.59 min Scan# 2176
 Delta R.T. -0.00 min
 Lab File: VN049747.D
 Acq: 6 Jul 2018 18:47

Tgt Ion: 114 Resp: 1887934
 Ion Ratio Lower Upper
 114 100
 63 20.6 0.0 39.8
 88 15.2 0.0 30.6









#35
Dibromofluoromethane
Concen: 47.75 ug/l
RT: 7.59 min Scan# 1867
Delta R.T. 0.00 min
Lab File: VN049747.D
Acq: 6 Jul 2018 18:47




Instrument :
MSVOA_N
ClientSampleId :


Tot Ion:113 Resp: 673895
Ion Ratio Lower Upper
113 100
111 102.1 81.8 122.8
192 22.1 17.8 26.6



#36
1,1-Dichloropropene
Concen: 3.61 ug/l
RT: 7.67 min Scan# 1891
Delta R.T. -0.12 min
Lab File: VN049747.D
Acq: 6 Jul 2018 18:47

Tgt Ion: 75 Resp: 76650
Ion Ratio Lower Upper
75 100
110 7.2 18.1 54.4#
77 0.1 24.9 37.3#





#38

Carbon Tetrachloride

Concen: 4.83 ug/l

RT: 7.67 min Scan# 1891

Delta R.T. -0.10 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N

ClientSampled :


Tot Ion:117 Resp: 99706

Ion Ratio Lower Upper

117 100

119 6.2 77.2 115.8#




121 0.0 25.0 37.6#



Abundance Ion 116.80 (116.50 to 117.50): V

Ion 118.80 (118.50 to 119.50): V

Ion 120.80 (120.50 to 121.50): V



#43

Isopropyl Acetate

Concen: 16.31 ug/l

RT: 8.28 min Scan# 2081

Delta R.T. 0.12 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47


Tgt Ion: 43 Resp: 410915

Ion Ratio Lower Upper

43 100

61 0.3 14.9 22.3#



87 0.0 10.0 15.0#




Abundance Ion 43.00 (42.70 to 43.70): V

Ion 61.00 (60.70 to 61.70): V

Ion 87.00 (86.70 to 87.70): V





#50

Toluene-d8

Concen: 45.26 ug/l

RT: 10.09 min Scan# 2645

Delta R.T. 0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N


ClientSampled :

Tot Ion: 98 Resp: 2500191

Ion Ratio Lower Upper

98 100

100 63.2 51.7 77.5



Abundance Ion 98.00 (97.70 to 98.70): VN049747.D (-2551) (-)

Ion 100.00 (99.70 to 100.70): VN049747.D (-2551) (-)



10.09

1000000

500000

0

Time-->



#62

4-Bromofluorobenzene

Concen: 35.57 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. -0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47


Tgt Ion: 95 Resp: 670898

Ion Ratio Lower Upper

95 100

174 91.8 0.0 179.6

176 87.1 0.0 174.0



Abundance Ion 94.90 (94.60 to 95.60): VN049747.D (-3270) (-)

Ion 173.80 (173.50 to 174.50): VN049747.D (-3270) (-)

Ion 175.80 (175.50 to 176.50): VN049747.D (-3270) (-)

12.40

500000

400000


300000


200000

100000

0

Time-->









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.41 min Scan# 3054
Delta R.T. -0.00 min
Lab File: VN049747.D
Acq: 6 Jul 2018 18:47




Instrument :
MSVOA_N
ClientSampled :


Tot Ion:117 Resp: 1514715
Ion Ratio Lower Upper
117 100
82 54.4 41.9 62.9
119 32.6 25.4 38.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 13.35 min Scan# 3657
Delta R.T. 0.00 min
Lab File: VN049747.D
Acq: 6 Jul 2018 18:47

Tgt Ion:152 Resp: 498667
Ion Ratio Lower Upper
152 100
115 56.5 28.1 84.2
150 157.1 0.0 347.6





#75

1,1,2,2-Tetrachloroethane

Concen: Below Cal

RT: 12.50 min Scan# 3392

Delta R.T. -0.01 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N

ClientSampleId :


Tot Ion: 83 Resp: 112

Ion Ratio Lower Upper

83 100

131 0.0 5.2 15.6#


85 0.0 32.5 97.4#





Abundance Ion 82.90 (82.60 to 83.60): VNC

Ion 130.80 (130.50 to 131.50): VNC

Ion 84.90 (84.60 to 85.60): VNC



Time-->



#76

1,2,3-Trichloropropane

Concen: 41.26 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. -0.15 min

Lab File: VN049747.D


Acq: 6 Jul 2018 18:47

Tgt Ion: 75 Resp: 329967

Ion Ratio Lower Upper


75 100

77 1.3 0.0 0.0#





Abundance Ion 74.90 (74.60 to 75.60): VNC

Ion 77.00 (76.70 to 77.70): VNC



Time-->





#81

trans-1,4-Dichloro-2-butene

Concen: 140.13 ug/l

RT: 12.40 min Scan# 3363

Delta R.T. 0.10 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N

ClientSampled :





Tot Ion: 75 Resp: 329967

Ion Ratio Lower Upper

75 100

53 0.2 73.9 110.9#

89 0.0 35.9 53.9#



#87

1,3-Dichlorobenzene

Concen: Below Cal

RT: 13.35 min Scan# 3657

Delta R.T. 0.06 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47




Tgt Ion:146 Resp: 62


Ion Ratio Lower Upper

146 100

111 10091.9 19.0 57.0#

148 4167.7 32.5 97.5#









#88
 1,4-Dichlorobenzene
 Concen: Below Cal
 RT: 13.36 min Scan# 3662
 Delta R.T. 0.00 min
 Lab File: VN049747.D
 Acq: 6 Jul 2018 18:47

Instrument :
 MSVOA_N
 ClientSampled :

Tot Ion:146 Resp: 262
 Ion Ratio Lower Upper
 146 100
 111 0.0 18.9 56.5#
 148 0.0 32.1 96.3#




Abundance Ion 145.90 (145.60 to 146.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 147.90 (147.60 to 148.60): V






#91
 1,2-Dichlorobenzene
 Concen: Below Cal
 RT: 13.66 min Scan# 3754
 Delta R.T. 0.01 min
 Lab File: VN049747.D
 Acq: 6 Jul 2018 18:47

Tgt Ion:146 Resp: 282
 Ion Ratio Lower Upper
 146 100
 111 0.0 19.7 59.1#
 148 21.6 32.0 96.2#



Abundance Ion 145.90 (145.60 to 146.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 147.90 (147.60 to 148.60): V





#92

1,2-Dibromo-3-Chloropropane

Concen: Below Cal

RT: 14.21 min Scan# 3926

Delta R.T. -0.06 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N

ClientSampled :


Tot Ion: 75 Resp: 66

Ion Ratio Lower Upper

75 100

155 0.0 45.7 137.1#




157 0.0 56.9 170.7#



Abundance Ion 74.90 (74.60 to 75.60): VN049747.D (-3851) (-)

Ion 154.80 (154.50 to 155.50): VN049747.D (-3851) (-)

Ion 156.80 (156.50 to 157.50): VN049747.D (-3851) (-)



#93

1,2,4-Trichlorobenzene

Concen: 2.42 ug/l

RT: 14.91 min Scan# 4143

Delta R.T. -0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47


Tgt Ion: 180 Resp: 110

Ion Ratio Lower Upper

180 100

182 109.1 47.3 141.9



145 26.4 14.4 43.0




Abundance Ion 179.80 (179.50 to 180.50): VN049747.D (-4050) (-)

Ion 181.80 (181.50 to 182.50): VN049747.D (-4050) (-)

Ion 144.80 (144.50 to 145.50): VN049747.D (-4050) (-)





#95

Naphthalene

Concen: 4.07 ug/l

RT: 15.14 min Scan# 4214

Delta R.T. 0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47

Instrument :

MSVOA_N

ClientSampled :


Tot Ion:128 Resp: 559

Ion Ratio Lower Upper

128 100

127 0.0 10.4 15.6#




129 0.0 8.6 13.0#



Abundance Ion 128.00 (127.70 to 128.70): V

Ion 127.00 (126.70 to 127.70): V

Ion 129.00 (128.70 to 129.70): V



#96

1,2,3-Trichlorobenzene

Concen: 1.65 ug/l

RT: 15.31 min Scan# 4268

Delta R.T. -0.00 min

Lab File: VN049747.D

Acq: 6 Jul 2018 18:47


Tgt Ion:180 Resp: 32

Ion Ratio Lower Upper

180 100

182 0.0 47.4 142.2#

145 0.0 15.2 45.6#



Abundance Ion 179.80 (179.50 to 180.50): V

Ion 181.80 (181.50 to 182.50): V

Ion 144.90 (144.60 to 145.60): V

