

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070722\
 Data File : VN073367.D
 Acq On : 07 Jul 2022 13:29
 Operator : JC\MD
 Sample : N3574-01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 STORAGE-BLANK-SOIL-REF-6

Quant Time: Jul 08 03:01:10 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 29 01:54:03 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	8.016	168	323949	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.904	114	547615	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.686	117	490773	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.610	152	227944	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.369	65	207357	44.340	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	88.680%
35) Dibromofluoromethane	7.957	113	174348	47.854	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	95.700%
50) Toluene-d8	10.380	98	560673	43.329	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	86.660%
62) 4-Bromofluorobenzene	12.668	95	241886	48.642	ug/l	0.00
Spiked Amount	50.000	Range	83 - 123	Recovery	=	97.280%
Target Compounds						
					Qvalue	
16) Acetone	4.240	43	4087	1.557	ug/l #	47
20) Methylene Chloride	5.022	84	1202	0.261	ug/l #	57
31) Cyclohexane	8.022	56	7681	1.003	ug/l #	16
36) 1,1-Dichloropropene	8.016	75	28097	5.012	ug/l #	48
38) Carbon Tetrachloride	8.022	117	33446	5.769	ug/l #	16
51) 4-Methyl-2-Pentanone	10.374	43	2708	0.351	ug/l #	1
76) 1,2,3-Trichloropropane	12.668	75	127962	21.469	ug/l #	1
81) trans-1,4-Dichloro-2-b...	12.668	75	127962	58.878	ug/l #	10


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070722\
Data File : VN073367.D
Acq On : 07 Jul 2022 13:29
Operator : JC\MD
Sample : N3574-01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Quant Time: Jul 08 03:01:10 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N062822W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 29 01:54:03 2022
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.016 min Scan# 1042
Delta R.T. -0.000 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion:168 Resp: 323949
Ion Ratio Lower Upper
168 100
99 60.1 42.3 63.5



#16
Acetone
Concen: 1.557 ug/l
RT: 4.240 min Scan# 400
Delta R.T. 0.018 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29


Tgt Ion: 43 Resp: 4087
Ion Ratio Lower Upper
43 100
58 62.5 26.0 39.0#








#20
Methylene Chloride
Concen: 0.261 ug/l
RT: 5.022 min Scan# 51
Delta R.T. 0.006 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6



Tgt Ion: 84 Resp: 1202




Ion	Ratio	Lower	Upper
84	100		
49	65.0	88.3	132.5#
51	0.0	28.2	42.2#
86	36.0	50.6	76.0#




#31
Cyclohexane
Concen: 1.003 ug/l
RT: 8.022 min Scan# 1043
Delta R.T. -0.000 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Tgt Ion: 56 Resp: 7681

Ion	Ratio	Lower	Upper
56	100		
69	155.1	27.8	41.8#
84	134.4	76.9	115.3#









#33
1,2-Dichloroethane-d4
Concen: 44.340 ug/l
RT: 8.369 min Scan# 1102
Delta R.T. -0.000 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion: 65 Resp: 207357
Ion Ratio Lower Upper
65 100
67 51.7 0.0 104.8



#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.904 min Scan# 1193
Delta R.T. 0.006 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Tgt Ion: 114 Resp: 547615
Ion Ratio Lower Upper
114 100
63 21.9 0.0 40.0
88 15.8 0.0 32.6





#35

Dibromofluoromethane

Concen: 47.854 ug/l

RT: 7.957 min Scan# 1032

Delta R.T. 0.006 min

Lab File: VN073367.D

Acq: 07 Jul 2022 13:29

Instrument :

MSVOA_N

ClientSampleId :

STORAGE-BLANK-SOIL-REF-6





Tgt Ion:113 Resp: 174348

Ion Ratio Lower Upper

113 100

111 102.3 81.4 122.0

192 18.3 17.0 25.6



#36

1,1-Dichloropropene

Concen: 5.012 ug/l

RT: 8.016 min Scan# 1042

Delta R.T. -0.129 min

Lab File: VN073367.D

Acq: 07 Jul 2022 13:29




Tgt Ion: 75 Resp: 28097


Ion Ratio Lower Upper

75 100

110 8.2 18.3 54.8#


77 0.0 25.1 37.7#








#38
Carbon Tetrachloride
Concen: 5.769 ug/l
RT: 8.022 min Scan# 1062
Delta R.T. -0.112 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6







Tgt Ion:117 Resp: 33446
Ion Ratio Lower Upper
117 100
119 4.9 75.8 113.8#
121 0.0 24.6 37.0#



#50
Toluene-d8
Concen: 43.329 ug/l
RT: 10.380 min Scan# 1444
Delta R.T. 0.005 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Tgt Ion: 98 Resp: 560673
Ion Ratio Lower Upper
98 100
100 65.9 52.6 78.8









#51
4-Methyl-2-Pentanone
Concen: 0.351 ug/l
RT: 10.374 min Scan# 1425
Delta R.T. 0.105 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion: 43 Resp: 2708
Ion Ratio Lower Upper
43 100
58 178.8 34.1 51.1#



#62
4-Bromofluorobenzene
Concen: 48.642 ug/l
RT: 12.668 min Scan# 1833
Delta R.T. -0.001 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Tgt Ion: 95 Resp: 241886
Ion Ratio Lower Upper
95 100
174 74.2 0.0 167.6
176 71.6 0.0 163.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.686 min Scan# 1166
Delta R.T. 0.006 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29




Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6


Tgt Ion:117 Resp: 490773
Ion Ratio Lower Upper
117 100
82 56.8 44.2 66.2
119 32.4 25.4 38.0



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.610 min Scan# 1993
Delta R.T. -0.000 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Tgt Ion:152 Resp: 227944
Ion Ratio Lower Upper
152 100
115 59.7 28.9 86.7
150 156.2 0.0 356.2









#76
1,2,3-Trichloropropane
Concen: 21.469 ug/l
RT: 12.668 min Scan# 1833
Delta R.T. -0.148 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Instrument :
MSVOA_N
ClientSampleId :
STORAGE-BLANK-SOIL-REF-6

Tgt Ion: 75 Resp: 127962
Ion Ratio Lower Upper
75 100
77 1.1 98.5 295.5#



#81
trans-1,4-Dichloro-2-butene
Concen: 58.878 ug/l
RT: 12.668 min Scan# 1833
Delta R.T. 0.105 min
Lab File: VN073367.D
Acq: 07 Jul 2022 13:29

Tgt Ion: 75 Resp: 127962
Ion Ratio Lower Upper
75 100
53 0.0 78.0 117.0#
89 0.1 37.2 55.8#

