

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070825\
 Data File : VN087303.D
 Acq On : 08 Jul 2025 16:39
 Operator : JC\MD
 Sample : Q2480-08 1000X
 Misc : 8.95g/5mL/100uL/5.00mL/MSVOA_N/MEOH
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 GPX8

Quant Time: Jul 09 01:34:40 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N063025W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:15:00 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) Pentafluorobenzene	8.230	168	327153	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.106	114	653023	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	368457	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	288480	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.583	65	272053	66.258	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	132.520%#
35) Dibromofluoromethane	8.171	113	220034	52.623	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	105.240%
50) Toluene-d8	10.565	98	814042	49.947	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	99.900%
62) 4-Bromofluorobenzene	12.847	95	234633	40.461	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	80.920%
Target Compounds						
						Qvalue
84) 1,2,4-Trimethylbenzene	13.482	105	16000	1.028	ug/l	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070825\
Data File : VN087303.D
Acq On : 08 Jul 2025 16:39
Operator : JC\MD
Sample : Q2480-08 1000X
Misc : 8.95g/5mL/100uL/5.00mL/MSVOA_N/MEOH
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
GPX8

Quant Time: Jul 09 01:34:40 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N063025W.M
Quant Title : SW846 8260
QLast Update : Tue Jul 01 03:15:00 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.230 min Scan# 1067
Delta R.T. -0.000 min
Lab File: VN087303.D
Acq: 08 Jul 2025 16:39




Instrument :
MSVOA_N
ClientSampleId :
GPX8


Tgt Ion:168 Resp: 327153
Ion Ratio Lower Upper
168 100
99 56.4 42.6 64.0



#33
1,2-Dichloroethane-d4
Concen: 66.258 ug/l
RT: 8.583 min Scan# 1127
Delta R.T. 0.000 min
Lab File: VN087303.D
Acq: 08 Jul 2025 16:39

Tgt Ion: 65 Resp: 272053
Ion Ratio Lower Upper
65 100
67 51.6 0.0 102.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.106 min Scan# 11

Delta R.T. 0.000 min

Lab File: VN087303.D

Acq: 08 Jul 2025 16:39

Instrument :

MSVOA_N

ClientSampleId :

GPX8





Tgt Ion:114 Resp: 653023

Ion Ratio Lower Upper

114 100

63 19.8 0.0 36.6

88 15.1 0.0 29.6



#35

Dibromofluoromethane

Concen: 52.623 ug/l

RT: 8.171 min Scan# 1057

Delta R.T. -0.006 min

Lab File: VN087303.D

Acq: 08 Jul 2025 16:39




Tgt Ion:113 Resp: 220034


Ion Ratio Lower Upper

113 100

111 103.0 81.4 122.2

192 18.4 15.1 22.7









#50
Toluene-d8
Concen: 49.947 ug/l
RT: 10.565 min Scan# 1464
Delta R.T. 0.000 min
Lab File: VN087303.D
Acq: 08 Jul 2025 16:39




Instrument :
MSVOA_N
ClientSampleId :
GPX8


Tgt Ion: 98 Resp: 814042
Ion Ratio Lower Upper
98 100
100 64.9 52.1 78.1



#62
4-Bromofluorobenzene
Concen: 40.461 ug/l
RT: 12.847 min Scan# 1852
Delta R.T. 0.000 min
Lab File: VN087303.D
Acq: 08 Jul 2025 16:39

Tgt Ion: 95 Resp: 234633
Ion Ratio Lower Upper
95 100
174 79.6 0.0 169.6
176 75.1 0.0 161.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.865 min Scan# 117
Delta R.T. 0.000 min
Lab File: VN087303.D
Acq: 08 Jul 2025 16:39




Instrument :
MSVOA_N
ClientSampleId :
GPX8


Tgt Ion:117 Resp: 368457
Ion Ratio Lower Upper
117 100
82 49.9 41.9 62.9
119 30.9 26.2 39.4



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.788 min Scan# 2012
Delta R.T. 0.000 min
Lab File: VN087303.D
Acq: 08 Jul 2025 16:39


Tgt Ion:152 Resp: 288480
Ion Ratio Lower Upper
152 100
115 61.2 28.3 84.9
150 158.0 0.0 344.6





#84
 1,2,4-Trimethylbenzene
 Concen: 1.028 ug/l
 RT: 13.482 min Scan# 1960
 Delta R.T. 0.000 min
 Lab File: VN087303.D
 Acq: 08 Jul 2025 16:39

Instrument :
 MSVOA_N
 ClientSampleId :
 GPX8



Tgt Ion:105 Resp: 16000
 Ion Ratio Lower Upper
 105 100
 120 49.6 23.3 69.9

