

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070925\
 Data File : VN087309.D
 Acq On : 09 Jul 2025 12:56
 Operator : JC\MD
 Sample : VN0709WBL01
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 VN0709WBL01

Quant Time: Jul 10 01:25:38 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N062525W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Wed Jun 25 10:49:56 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.818	128	41807	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.106	114	215919	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.865	117	195049	30.000	ug/l	0.00

System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.582	65	89056	28.272	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	94.233%
60) 4-Bromofluorobenzene	12.847	95	82343	27.358	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	91.200%
63) Toluene-d8	10.565	98	251523	28.720	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	95.733%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN070925\
Data File : VN087309.D
Acq On : 09 Jul 2025 12:56
Operator : JC\MD
Sample : VN0709WBL01
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
VN0709WBL01

Quant Time: Jul 10 01:25:38 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N062525W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Wed Jun 25 10:49:56 2025
Response via : Initial Calibration

