

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071020\
 Data File : VN062484.D
 Acq On : 10 Jul 2020 10:41
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 11 02:16:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N070820W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 00:55:52 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	103	0.00
2 T	Dichlorodifluoromethane	0.509	0.455	10.6	89	0.00
3 P	Chloromethane	0.817	0.707	13.5	90	0.00
4 C	Vinyl Chloride	0.670	0.587	12.4#	89	0.00
5 T	Bromomethane	0.360	0.308	14.4	88	0.00
6 T	Chloroethane	0.390	0.371	4.9	95	0.00
7 T	Trichlorofluoromethane	0.850	0.801	5.8	96	0.00
8 T	Diethyl Ether	0.380	0.385	-1.3	101	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.485	3.8	96	0.00
10 T	Methyl Iodide	0.666	0.576	13.5	84	0.00
11 T	Tert butyl alcohol	0.128	0.137	-7.0	111	0.00
12 CM	1,1-Dichloroethene	0.513	0.473	7.8#	93	0.00
13 T	Acrolein	0.092	0.106	-15.2	120	0.00
14 T	Allyl chloride	1.207	1.137	5.8	94	0.00
15 T	Acrylonitrile	0.335	0.355	-6.0	102	0.00
16 T	Acetone	0.327	0.329	-0.6	106	0.00
17 T	Carbon Disulfide	1.608	1.387	13.7	89	0.00
18 T	Methyl Acetate	0.815	0.822	-0.9	104	0.00
19 T	Methyl tert-butyl Ether	1.946	2.026	-4.1	104	0.00
20 T	Methylene Chloride	0.698	0.639	8.5	100	0.00
21 T	trans-1,2-Dichloroethene	0.556	0.535	3.8	94	0.00
22 T	Diisopropyl ether	2.385	2.396	-0.5	99	0.00
23 T	Vinyl Acetate	1.975	2.038	-3.2	99	0.00
24 P	1,1-Dichloroethane	1.232	1.187	3.7	96	0.00
25 T	2-Butanone	0.477	0.496	-4.0	102	0.00
26 T	2,2-Dichloropropane	0.945	0.925	2.1	100	0.00
27 T	cis-1,2-Dichloroethene	0.644	0.639	0.8	98	0.00
28 T	Bromochloromethane	0.669	0.653	2.4	100	0.00
29 T	Tetrahydrofuran	0.321	0.328	-2.2	100	0.00
30 C	Chloroform	1.113	1.106	0.6#	99	0.00
31 T	Cyclohexane	1.168	1.007	13.8	91	0.00
32 T	1,1,1-Trichloroethane	0.925	0.878	5.1	94	0.00
33 S	1,2-Dichloroethane-d4	0.769	0.732	4.8	98	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	104	0.00
35 S	Dibromofluoromethane	0.309	0.302	2.3	98	0.00
36 T	1,1-Dichloropropene	0.504	0.472	6.3	92	0.00
37 T	Ethyl Acetate	0.589	0.589	0.0	100	0.00
38 T	Carbon Tetrachloride	0.453	0.434	4.2	94	0.00
39 T	Methylcyclohexane	0.538	0.525	2.4	94	0.00
40 TM	Benzene	1.485	1.462	1.5	97	0.00
41 T	Methacrylonitrile	0.246	0.277	-12.6	105	0.00
42 TM	1,2-Dichloroethane	0.544	0.565	-3.9	102	0.00
43 T	Isopropyl Acetate	0.931	0.980	-5.3	102	0.00
44 TM	Trichloroethene	0.329	0.320	2.7	96	0.00
45 C	1,2-Dichloropropane	0.431	0.439	-1.9#	100	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071020\
 Data File : VN062484.D
 Acq On : 10 Jul 2020 10:41
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 11 02:16:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N070820W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jul 10 00:55:52 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.243	0.250	-2.9	101	0.00
47 T	Bromodichloromethane	0.520	0.534	-2.7	100	0.00
48 T	Methyl methacrylate	0.456	0.473	-3.7	101	0.00
49 T	1,4-Dioxane	0.007	0.007	0.0	103	0.00
50 S	Toluene-d8	1.220	1.167	4.3	96	0.00
51 T	4-Methyl-2-Pentanone	0.556	0.591	-6.3	101	0.00
52 CM	Toluene	0.858	0.859	-0.1#	98	0.00
53 T	t-1,3-Dichloropropene	0.583	0.628	-7.7	103	0.00
54 T	cis-1,3-Dichloropropene	0.643	0.666	-3.6	101	0.00
55 T	1,1,2-Trichloroethane	0.337	0.360	-6.8	102	0.00
56 T	Ethyl methacrylate	0.564	0.630	-11.7	103	0.00
57 T	1,3-Dichloropropane	0.623	0.657	-5.5	102	0.00
58 T	2-Chloroethyl Vinyl ether	0.200	0.220	-10.0	106	0.00
59 T	2-Hexanone	0.403	0.434	-7.7	101	0.00
60 T	Dibromochloromethane	0.366	0.385	-5.2	101	0.00
61 T	1,2-Dibromoethane	0.340	0.367	-7.9	104	0.00
62 S	4-Bromofluorobenzene	0.446	0.434	2.7	98	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	105	0.00
64 T	Tetrachloroethene	0.297	0.284	4.4	97	0.00
65 PM	Chlorobenzene	0.972	0.986	-1.4	100	0.00
66 T	1,1,1,2-Tetrachloroethane	0.358	0.369	-3.1	100	0.00
67 C	Ethyl Benzene	1.824	1.822	0.1#	97	0.00
68 T	m/p-Xylenes	0.646	0.656	-1.5	98	0.00
69 T	o-Xylene	0.629	0.648	-3.0	101	0.00
70 T	Styrene	1.039	1.111	-6.9	100	0.00
71 P	Bromoform	0.263	0.290	-10.3	103	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	108	0.00
73 T	Isopropylbenzene	3.869	3.618	6.5	98	0.00
74 T	N-amyl acetate	1.883	1.971	-4.7	101	0.00
75 P	1,1,2,2-Tetrachloroethane	1.301	1.308	-0.5	105	0.00
76 T	1,2,3-Trichloropropane	1.227	1.115	9.1	101	0.00
77 T	Bromobenzene	0.880	0.867	1.5	104	0.00
78 T	n-propylbenzene	4.520	4.334	4.1	98	0.00
79 T	2-Chlorotoluene	2.743	2.613	4.7	99	0.00
80 T	1,3,5-Trimethylbenzene	3.172	3.118	1.7	101	0.00
81 T	trans-1,4-Dichloro-2-butene	0.458	0.463	-1.1	105	0.00
82 T	4-Chlorotoluene	2.785	2.681	3.7	99	0.00
83 T	tert-Butylbenzene	2.692	2.479	7.9	95	0.00
84 T	1,2,4-Trimethylbenzene	3.153	3.078	2.4	100	0.00
85 T	sec-Butylbenzene	3.567	3.396	4.8	97	0.00
86 T	p-Isopropyltoluene	3.078	3.032	1.5	99	0.00
87 T	1,3-Dichlorobenzene	1.517	1.528	-0.7	102	0.00
88 T	1,4-Dichlorobenzene	1.561	1.518	2.8	101	0.00
89 T	n-Butylbenzene	2.718	2.665	1.9	100	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071020\
Data File : VN062484.D
Acq On : 10 Jul 2020 10:41
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jul 11 02:16:17 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N070820W.M
Quant Title : SW846 8260
QLast Update : Fri Jul 10 00:55:52 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.606	0.580	4.3	99	0.00
91 T	1,2-Dichlorobenzene	1.467	1.495	-1.9	103	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.237	0.243	-2.5	102	0.00
93 T	1,2,4-Trichlorobenzene	0.661	0.744	-12.6	103	0.00
94 T	Hexachlorobutadiene	0.390	0.391	-0.3	103	0.00
95 T	Naphthalene	1.865	2.012	-7.9	102	0.00
96 T	1,2,3-Trichlorobenzene	0.688	0.753	-9.4	105	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6