

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN071025\
 Data File : VN087324.D
 Acq On : 10 Jul 2025 14:31
 Operator : JC\MD
 Sample : IBLK
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 IBLK

Quant Time: Jul 11 01:11:29 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N062525W.M
 Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
 QLast Update : Wed Jun 25 10:49:56 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Bromochloromethane	7.830	128	39141	30.000	ug/l	0.00
28) 1,4-Difluorobenzene	9.106	114	178901	30.000	ug/l	0.00
57) Chlorobenzene-d5	11.865	117	166627	30.000	ug/l	0.00
System Monitoring Compounds						
27) 1,2-Dichloroethane-d4	8.588	65	84236	28.563	ug/l	0.00
Spiked Amount	30.000	Range	91 - 110	Recovery	=	95.200%
60) 4-Bromofluorobenzene	12.853	95	71778	27.916	ug/l	0.00
Spiked Amount	30.000	Range	63 - 112	Recovery	=	93.067%
63) Toluene-d8	10.571	98	211225	28.233	ug/l	0.00
Spiked Amount	30.000	Range	91 - 112	Recovery	=	94.100%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN071025\
Data File : VN087324.D
Acq On : 10 Jul 2025 14:31
Operator : JC\MD
Sample : IBLK
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
IBLK

Quant Time: Jul 11 01:11:29 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\624N062525W.M
Quant Title : METHOD 624 VOLATILE ORGANIC ANALYSIS
QLast Update : Wed Jun 25 10:49:56 2025
Response via : Initial Calibration

