

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071219\
 Data File : VN056676.D
 Acq On : 11 Jul 2019 19:38
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 12 09:44:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061919W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 21 03:45:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	78	0.00
2 T	Dichlorodifluoromethane	0.423	0.365	13.7	67	0.00
3 P	Chloromethane	0.576	0.487	15.5	68	0.00
4 C	Vinyl Chloride	0.557	0.499	10.4#	71	0.00
5 T	Bromomethane	0.326	0.284	12.9	65	0.00
6 T	Chloroethane	0.322	0.298	7.5	73	0.00
7 T	Trichlorofluoromethane	0.720	0.695	3.5	77	0.00
8 T	Diethyl Ether	0.305	0.298	2.3	79	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.459	0.440	4.1	78	0.00
10 T	Methyl Iodide	0.621	0.545	12.2	66	0.00
11 T	Tert butyl alcohol	0.093	0.100	-7.5	84	0.00
12 CM	1,1-Dichloroethene	0.442	0.411	7.0#	73	0.00
13 T	Acrolein	0.079	0.057	27.8#	57	0.00
14 T	Allyl chloride	0.735	0.756	-2.9	80	0.00
15 T	Acrylonitrile	0.258	0.283	-9.7	86	0.00
16 T	Acetone	0.278	0.226	18.7	65	0.00
17 T	Carbon Disulfide	1.005	0.766	23.8	59	0.00
18 T	Methyl Acetate	0.696	0.619	11.1	92	0.00
19 T	Methyl tert-butyl Ether	1.462	1.538	-5.2	84	0.00
20 T	Methylene Chloride	0.571	0.530	7.2	79	0.00
21 T	trans-1,2-Dichloroethene	0.476	0.440	7.6	73	0.00
22 T	Diisopropyl ether	1.544	1.695	-9.8	87	0.00
23 T	Vinyl Acetate	1.218	1.368	-12.3	83	0.00
24 P	1,1-Dichloroethane	0.886	0.922	-4.1	83	0.00
25 T	2-Butanone	0.367	0.378	-3.0	79	0.00
26 T	2,2-Dichloropropane	0.616	0.617	-0.2	79	0.00
27 T	cis-1,2-Dichloroethene	0.557	0.574	-3.1	81	0.00
28 T	Bromochloromethane	0.438	0.453	-3.4	81	0.00
29 T	Tetrahydrofuran	0.225	0.256	-13.8	89	0.00
30 C	Chloroform	0.875	0.934	-6.7#	85	0.00
31 T	Cyclohexane	0.856	0.741	13.4	71	0.00
32 T	1,1,1-Trichloroethane	0.693	0.746	-7.6	83	0.00
33 S	1,2-Dichloroethane-d4	0.554	0.568	-2.5	79	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	79	0.00
35 S	Dibromofluoromethane	0.312	0.323	-3.5	80	0.00
36 T	1,1-Dichloropropene	0.440	0.413	6.1	76	0.00
37 T	Ethyl Acetate	0.432	0.482	-11.6	84	0.00
38 T	Carbon Tetrachloride	0.385	0.396	-2.9	82	0.00
39 T	Methylcyclohexane	0.543	0.479	11.8	72	0.00
40 TM	Benzene	1.354	1.335	1.4	80	0.00
41 T	Methacrylonitrile	0.191	0.214	-12.0	92	0.00
42 TM	1,2-Dichloroethane	0.447	0.447	0.0	82	0.00
43 T	Isopropyl Acetate	0.667	0.759	-13.8	88	0.00
44 TM	Trichloroethene	0.365	0.359	1.6	79	0.00
45 C	1,2-Dichloropropane	0.362	0.381	-5.2#	84	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071219\
 Data File : VN056676.D
 Acq On : 11 Jul 2019 19:38
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 12 09:44:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061919W.M
 Quant Title : SW846 8260
 QLast Update : Fri Jun 21 03:45:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.227	0.236	-4.0	82	0.00
47 T	Bromodichloromethane	0.402	0.453	-12.7	87	0.00
48 T	Methyl methacrylate	0.334	0.380	-13.8	91	0.00
49 T	1,4-Dioxane	0.007	0.008	-14.3	97	0.00
50 S	Toluene-d8	1.214	1.203	0.9	77	0.00
51 T	4-Methyl-2-Pentanone	0.430	0.504	-17.2	91	0.00
52 CM	Toluene	0.828	0.824	0.5#	80	0.00
53 T	t-1,3-Dichloropropene	0.405	0.479	-18.3	86	0.00
54 T	cis-1,3-Dichloropropene	0.484	0.535	-10.5	82	0.00
55 T	1,1,2-Trichloroethane	0.333	0.364	-9.3	86	0.00
56 T	Ethyl methacrylate	0.486	0.559	-15.0	88	0.00
57 T	1,3-Dichloropropane	0.559	0.605	-8.2	86	0.00
58 T	2-Chloroethyl Vinyl ether	0.175	0.261	-49.1#	115	0.00
59 T	2-Hexanone	0.316	0.364	-15.2	90	0.00
60 T	Dibromochloromethane	0.302	0.368	-21.9	90	0.00
61 T	1,2-Dibromoethane	0.340	0.365	-7.4	83	0.00
62 S	4-Bromofluorobenzene	0.405	0.434	-7.2	82	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	80	0.00
64 T	Tetrachloroethene	0.396	0.382	3.5	81	0.00
65 PM	Chlorobenzene	1.005	1.008	-0.3	82	0.00
66 T	1,1,1,2-Tetrachloroethane	0.340	0.384	-12.9	88	0.00
67 C	Ethyl Benzene	1.764	1.765	-0.1#	81	0.00
68 T	m/p-Xylenes	0.646	0.664	-2.8	81	0.00
69 T	o-Xylene	0.640	0.652	-1.9	82	0.00
70 T	Styrene	1.022	1.129	-10.5	84	0.00
71 P	Bromoform	0.236	0.302	-28.0#	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	87	0.00
73 T	Isopropylbenzene	4.403	3.727	15.4	83	0.00
74 T	N-amyl acetate	1.591	1.515	4.8	89	0.00
75 P	1,1,2,2-Tetrachloroethane	1.374	1.264	8.0	91	0.00
76 T	1,2,3-Trichloropropane	1.037	1.112	-7.2	100	0.00
77 T	Bromobenzene	1.118	0.995	11.0	84	0.00
78 T	n-propylbenzene	4.579	4.164	9.1	85	0.00
79 T	2-Chlorotoluene	2.893	2.531	12.5	84	0.00
80 T	1,3,5-Trimethylbenzene	3.589	3.177	11.5	85	0.00
81 T	trans-1,4-Dichloro-2-butene	0.292	0.345	-18.2	106	0.00
82 T	4-Chlorotoluene	2.704	2.504	7.4	86	0.00
83 T	tert-Butylbenzene	3.279	2.724	16.9	83	0.00
84 T	1,2,4-Trimethylbenzene	3.366	3.177	5.6	87	0.00
85 T	sec-Butylbenzene	4.024	3.602	10.5	84	0.00
86 T	p-Isopropyltoluene	3.454	3.298	4.5	87	0.00
87 T	1,3-Dichlorobenzene	1.694	1.679	0.9	88	0.00
88 T	1,4-Dichlorobenzene	1.641	1.614	1.6	89	0.00
89 T	n-Butylbenzene	2.615	2.701	-3.3	92	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071219\
Data File : VN056676.D
Acq On : 11 Jul 2019 19:38
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jul 12 09:44:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N061919W.M
Quant Title : SW846 8260
QLast Update : Fri Jun 21 03:45:40 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.538	0.516	4.1	88	0.00
91 T	1,2-Dichlorobenzene	1.681	1.708	-1.6	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.185	0.218	-17.8	100	0.00
93 T	1,2,4-Trichlorobenzene	0.703	0.894	-27.2#	102	0.00
94 T	Hexachlorobutadiene	0.644	0.569	11.6	85	0.00
95 T	Naphthalene	1.854	2.390	-28.9#	103	0.00
96 T	1,2,3-Trichlorobenzene	0.762	0.913	-19.8	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6