

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071318\
 Data File : VN049801.D
 Acq On : 13 Jul 2018 17:01
 Operator : MD\SY
 Sample : PB111069ZHE#04
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 PB111069ZHE#04

Quant Time: Jul 14 00:17:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N071218W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jul 12 15:51:38 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	1172122	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	1868099	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	1594336	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	611748	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.03	65	795936	58.37	ug/l	0.00
Spiked Amount			Recovery	=	116.74%	
35) Dibromofluoromethane	7.59	113	719866	51.12	ug/l	0.00
Spiked Amount			Recovery	=	102.24%	
50) Toluene-d8	10.09	98	2540711	52.71	ug/l	0.00
Spiked Amount			Recovery	=	105.42%	
62) 4-Bromofluorobenzene	12.40	95	724525	42.09	ug/l	0.00
Spiked Amount			Recovery	=	84.18%	


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
16) Acetone	3.83	43	26617	5.90	ug/l	91
18) Methyl Acetate	4.34	43	62599	4.83	ug/l	98
20) Methylene Chloride	4.55	84	33636	1.52	ug/l	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN071318\
Data File : VN049801.D
Acq On : 13 Jul 2018 17:01
Operator : MD\SY
Sample : PB111069ZHE#04
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
PB111069ZHE#04

Quant Time: Jul 14 00:17:20 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N071218W.M
Quant Title : SW846 8260
QLast Update : Thu Jul 12 15:51:38 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 7.67 min Scan# 1891

Delta R.T. 0.00 min

Lab File: VN049801.D

Acq: 13 Jul 2018 17:01

Instrument :

MSVOA_N

ClientSampleId :


PB111069ZHE#04

Tot Ion:168 Resp: 1172122

Ion Ratio Lower Upper

168 100

99 51.2 40.6 61.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN0

7.67

500000

400000



300000

200000

100000

0

Time-->



#16

Acetone

Concen: 5.90 ug/l

RT: 3.83 min Scan# 696

Delta R.T. 0.01 min

Lab File: VN049801.D


Acq: 13 Jul 2018 17:01

Tgt Ion: 43 Resp: 26617

Ion Ratio Lower Upper

43 100

58 27.6 25.9 38.9



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 58.00 (57.70 to 58.70): VN0

3.83

12000

10000

8000


6000


4000

2000

0

Time-->









#18
Methvl Acetate
Concen: 4.83 ug/l
RT: 4.34 min Scan# 854
Delta R.T. 0.01 min
Lab File: VN049801.D
Acq: 13 Jul 2018 17:01




Instrument :
MSVOA_N
ClientSampleId :
PB111069ZHE#04


Tot Ion: 43 Resp: 62599
Ion Ratio Lower Upper
43 100
74 25.9 19.8 29.8



#20
Methylene Chloride
Concen: 1.52 ug/l
RT: 4.55 min Scan# 922
Delta R.T. 0.00 min
Lab File: VN049801.D
Acq: 13 Jul 2018 17:01

Tgt Ion: 84 Resp: 33636
Ion Ratio Lower Upper
84 100
49 110.6 95.4 143.2
51 37.3 28.4 42.6
86 65.2 52.6 79.0









#33
 1,2-Dichloroethane-d4
 Concen: 58.37 ug/l
 RT: 8.03 min Scan# 2003
 Delta R.T. -0.00 min
 Lab File: VN049801.D
 Acq: 13 Jul 2018 17:01




Instrument :
 MSVOA_N
 ClientSampleId :
 PB111069ZHE#04


Tot Ion: 65 Resp: 795936
 Ion Ratio Lower Upper
 65 100
 67 53.5 0.0 107.2



#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 8.59 min Scan# 2177
 Delta R.T. 0.00 min
 Lab File: VN049801.D
 Acq: 13 Jul 2018 17:01

Tgt Ion: 114 Resp: 1868099
 Ion Ratio Lower Upper
 114 100
 63 20.0 0.0 39.8
 88 15.1 0.0 30.6









#35
 Dibromofluoromethane
 Concen: 51.12 ug/l
 RT: 7.59 min Scan# 1867
 Delta R.T. -0.00 min
 Lab File: VN049801.D
 Acq: 13 Jul 2018 17:01




Instrument :
 MSVOA_N
 ClientSampleId :
 PB111069ZHE#04


Tot Ion	Ratio	Lower	Upper
113	100		
111	102.2	81.8	122.8
192	21.9	17.8	26.6



#50
 Toluene-d8
 Concen: 52.71 ug/l
 RT: 10.09 min Scan# 2645
 Delta R.T. 0.00 min
 Lab File: VN049801.D
 Acq: 13 Jul 2018 17:01

Tgt Ion	Ratio	Lower	Upper
98	100		
100	63.4	51.7	77.5









#62
4-Bromofluorobenzene
Concen: 42.09 ug/l
RT: 12.40 min Scan# 3363
Delta R.T. -0.00 min
Lab File: VN049801.D
Acq: 13 Jul 2018 17:01




Instrument :
MSVOA_N
ClientSampleId :
PB111069ZHE#04


Tot Ion: 95 Resp: 724525
Ion Ratio Lower Upper
95 100
174 91.4 0.0 179.6
176 88.8 0.0 174.0



#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 11.41 min Scan# 3054
Delta R.T. -0.00 min
Lab File: VN049801.D
Acq: 13 Jul 2018 17:01

Tgt Ion: 117 Resp: 1594336
Ion Ratio Lower Upper
117 100
82 53.6 41.9 62.9
119 31.8 25.4 38.2





#72

1,4-Dichlorobenzene-d4

Concen: 50.00 ug/l

RT: 13.35 min Scan# 3657

Delta R.T. 0.00 min

Lab File: VN049801.D

Acq: 13 Jul 2018 17:01

Instrument :

MSVOA_N

ClientSampleId :

PB111069ZHE#04


Tot Ion:152 Resp: 611748

Ion Ratio Lower Upper

152 100

115 55.6 28.1 84.2

150 156.6 0.0 347.6



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

